





At the core of Beretta is a passion. An understanding of the wild places. The cold fields of autumn. The high grass and the low marsh. Rain and sun. Man and dog.


It's an understanding that is pure and real. It lives in the deepest reaches of the hunter's heart. The innermost corners of the shooter's soul. And it is everywhere.

A field in Tuscany. A lake in Wyoming. The flash of a tail. The thunder of wings.

And then there is the stirring. The relentless search for balance. Between what has gone before and what is yet to be. Between then and now and tomorrow.

This is the passion that drives Beretta. It's in our genes. And so, too, is it in our hearts. It's why we exist. And it's why we have endured for nearly 500 years. Because of one purpose. One passion.





GARDONE VAL TROMPIA (ITALY)-VIEW OF THE FACADE OF THE "VILLA BERETTA," ONCE THE MAIN LIVING QARTERS OF THE BERETTA FAMILY.

Specifications are subject to change without notice.

The following names appearing throughout this document are registered trademarks or copyrights: Beretta®, PB®, World of Beretta®, GORE-TEX®, Statesman<sup>™</sup>, Citizen<sup>™</sup>, Ambassador<sup>™</sup>, Cheetah®, Security Pack®, Cx4 Storm®, Vertec®, Xtrema®, Optimachoke®, Optima-Bore®, Coolmax®, Realtree Hardwoods® HD<sup>™</sup>, Advantage®, MAX-4 HD<sup>™</sup>, eXomesh<sup>™</sup>, Teflon®, Vislon®, Truglo®, Thermore®, Polartec®, Cordura®, Federal Premium®, FinSoft©, Memory System II<sup>™</sup>, Weaver®.



UGO GUSSALLI BERETTA AND THE NEPHEW CARLO IN A COLD HUNTING DAY NEARBY CREMONA, NORTH ITALY.

### BERETTA A FAMILY TRADITION

La Presidenza Fabbrica d'Armi Pietro Beretta S.p.A. Via Pietro Beretta, 18 25063 Gardone Val Trompia Brescia, Italy

Dear Friends,

It is with great pleasure that I welcome you to our newest edition of the Beretta Annual.

This book not only showcases the breadth and scope of Beretta products, but stands as a testament to the concepts that have made our brand what it is today. Beretta was built on a foundation of reliability, craftsmanship, and a drive for innovation. From those principles we have never wavered.

But our company has also been shaped by a set of beliefs that have guided and driven our decisions as we navigated the centuries. The first of these is integrity, perhaps the foremost reason we have succeeded over so many years. Responsibility goes hand in hand with integrity. Being a good steward and doing the right thing will take you a long way. Finally, we have a passion for all that we do. You see it in the details of our handiwork and in our commitment to our customers.

These are the cornerstones that built Beretta; they represent my family's passion and drive what we do every day. In the context of that historic background, in this Annual I am pleased to present a new way for our customers to look at Beretta.

What does this mean?

After nearly 500 years, we have not abandoned our passion. We are more committed to it than ever. Rather, the new categories under which you will find Beretta's products are a truer reflection of who we are. Beginning with my family, Beretta employees live, love, and believe in what we do. For us, it's much more than just a brand: it's a lifestyle. Just like you, the Beretta family's outdoor pursuits are wide ranging: upland, big game, waterfowl, competition shooting, Western and more. Because of this, we are committed to bringing you all-inclusive collections of firearms, apparel, and accessories—designed to complement each other and suit your passion, whatever it might be.

Zaktte

Cav. Ugo Gussalli Beretta President, Fabbrica d'Armi Pietro Beretta S.p.A.





# INTRODUCING UPLAND

The beating of wings. The beating of your heart. The expectant and eager look in the eyes of your dog seemingly frozen in time. It is a scene you've both played out many times before. Yet it feels as fresh and exhilarating as the first time you swung your shotgun toward the skies. No matter the day's result, this moment is reward enough. Here, success is measured in the sheer joy of watching your dog work, in the beauty of cradling a finely crafted shotgun, and in finding the opportunities to test your mettle against nature.

These moments are what bring you back season after season. A respect for nature, harmony, and heritage are the hallmarks of the Beretta Upland sportsman. Hallmarks that are reflected in Beretta's superb collection of fine shotguns perfectly suited for their purpose in the field, superior upland apparel designed to meet the challenges of nature, and accessories that perfectly complement your passion and pursuit.

### 471 EL, SILVER HAWK

#### 471 EL

Combining half a millennium's worth of design skill and craftsmanship with state-of-the-art technology, the classic side-by-side 471 EL is a hunting arm that is both beautiful and rugged. Its lines and finishes recall the best of a bygone era. The classic English-style buttstock and splinter foreend are made of oil-finished select walnut. Case-hardened sideplates with Beretta's unique coloring process are decorated with eye-catching gold-filled game bird scenes.

#### **471 SILVER HAWK**

Extensive scroll and floral engraving and a gold-filled hawk's head on the top lever make the 471 Silver Hawk a prestige item you'll be proud to carry in any company. Just like the 471 EL, this sideby-side's receiver is made of a steel alloy rich in nickel, chromium and molybdenum for durability and beauty. Both shotguns feature barrels joined to the monoblock by a laser system that creates the strong, secure Beretta barrel assembly.

.

The 12-gauge Optimachoke® tubes feature longer tapered construction, assuring greater pellet concentration and better distribution of shot.



The sideplates are attached without visible screws, for a classic understated look.

|   | 471 EL   | 471 SILVER HAWK  |  |
|---|--|--|--|
| ACTION  | BOX LOCK   |  |  |
| GAUGE   | 12, 20   | 12, 20   |  |
| CHAMBER   | 76 MM / 3"   | 76 MM / 3"   |  |
| BARREL LENGTH   | 66 CM / 26"; 71 CM / 28"   | 61 CM / 24" (12 GAUGE ONLY);<br>66 CM / 26"; 71 CM / 28" |  |
| CHOKES  | OPTIMACHOKE®, MC   | BILCHOKE® OR FIXED                                       |  |
| WOOD FINISH   | OIL  | OIL  |  |
| STOCK/FORE-END  | HIGHLY SELECTED WALNUT, CHECKERED                                    | SELECTED WALNUT, CHECKERED                               |  |
| STOCK DROP - COMB   | 35 MM /1.38" OR 38 MM /1.50"   |  |  |
| STOCK DROP - HEEL   | 55 MM / 2.17" OR 60 MM / 2.36"                                       |  |  |
| RECOIL PAD  | WOOD BUTT PLATE  | WOOD BUTT PLATE OR FULL RUBBER                           |  |
| SAFETY  | AUTOMATIC OR MANUAL  |  |  |
| TRIGGER   | SINGLE, SELECTIVE OR DOUBLE TRIGGER                                  |  |  |
| FORE-END  | SPLINTER STYLE (STRAIGHT STOCK) OR BEAVERTAIL (PISTOL GRIP)          |  |  |
| RIB TYPE  | SWAMPED, SMOOTH SATIN FINISH, TAPERED FROM 10 MM TO 5.5 MM           |  |  |
| SIGHT   | METAL FRONT BEAD   |  |  |
| WEIGHT  | APPROX. 2.950 KG / 6.5 LBS (12 GAUGE); 2.700 KG / 5.9 LBS (20 GAUGE) |  |  |
| CARRY CASE  | YES YES  |  |  |
| weights are approximate, dependent on wood density and barrel length. |  |  |  |

### 687 EELL DIAMOND PIGEON



#### 687 EELL DIAMOND PIGEON

In Italian, EL stands for extra lusso (extra luxury). The EELL designation takes that quality to an even higher level. This is an over-under with the feel and allure of a classic game gun for the discriminating sportsman who appreciates all the finer points of a well-made shotgun. The patented locking system creates a particularly slim receiver, making it one of the most elegant, finely balanced and responsive shotguns in the world. The extensive hand-chased engraving, combined with the highly figured oil-finished walnut, makes a classic statement of your good taste. The 687 EELL Diamond Pigeon is also available in 20/28 gauge Combo set.



The sideplate design gives the engraver full scope for his craft. When combined with fine walnut, nothing is quite so pleasing.

|                   | 687 EELL DIAMOND PIGEON   |
|-------------------|---|
| ACTION            | LOW PROFILE, IMPROVED BOX LOCK  |
| GAUGE             | 12, 20, 28, .410  |
| CHAMBER           | 76 MM / 3" (28 GAUGE 70 MM / 2¾")                                       |
| BARREL LENGTH     | 67 CM / 26*; 71 CM / 28*; 76 CM / 30*                                   |
| CHOKES            | MOBILCHOKE® OR FIXED (12 AND 20 GAUGE ONLY)                             |
| WOOD FINISH       | OIL   |
| STOCK/FORE-END    | HIGHLY SELECTED WALNUT, CHECKERED                                       |
| STOCK DROP - COMB | 35 MM /1.38" OR 38 MM /1.50"  |
| STOCK DROP - HEEL | 55 MM / 2.17" OR 60 MM / 2.36"  |
| RECOIL PAD        | WOOD BUTT PLATE OR FULL BLACK RUBBER                                    |
| SAFETY            | AUTOMATIC OR MANUAL   |
| TRIGGER           | SINGLE SELECTIVE OR DOUBLE TRIGGER                                      |
| FORE-END          | SCHNABEL  |
| RIB TYPE          | 6 MM X 6 MM   |
| SIGHT             | METAL FRONT BEAD  |
| WEIGHT            | APPROX. 3.100 KG / 6.8 LBS (12 GAUGE);<br>2.800 KG / 6.2 LBS (20 GAUGE) |
| CARRY CASE        | YES   |

WEIGHTS ARE APPROXIMATE, DEPENDENT ON WOOD DENSITY AND BARREL LENGTH.



The rich hand-chased engraving extends to the trigger plate and trigger guard.

### 687 EL GOLD PIGEON II

#### 687 EL GOLD PIGEON II

Striking figured walnut and distinctive engraving make the 687 EL Gold Pigeon II a luxurious hunting arm that will satisfy your need for a personalized field shotgun. The exceptionally strong, reliable, low-profile receiver is enhanced with deep relief engravings. The stocks and fore-ends are cut from superior quality walnut and built to withstand a lifetime of use and to guarantee a perfect balance and quick target acquisition. This is a gun that will be the companion of a lifetime. Also available in 20/28 gauge combo set.

| 687 EL GOLD PIGEON II  |  |
|--|--|
| LOW PROFILE, IMPROVED BOX LOCK                               |  |
| 12, 20, 28, .410   |  |
| 76 MM / 3" (28 GAUGE 70 MM / 2¾")                            |  |
| 67 CM /26"; 71 CM / 28"; 76 CM / 30" (12 GAUGE ONLY)         |  |
| MOBILCHOKE® OR FIXED (12 AND 20 GAUGE ONLY)                  |  |
| OIL  |  |
| SELECTED WALNUT, CHECKERED                                   |  |
| 38 MM /1.50" OR 35 MM / 1,38"                                |  |
| 60 MM / 2.36" OR 55 MM / 2.17"                               |  |
| WOOD BUTT PLATE OR FULL BLACK RUBBER                         |  |
| AUTOMATIC OR MANUAL  |  |
| SINGLE SELECTIVE OR DOUBLE TRIGGER                           |  |
| SCHNABEL   |  |
| 6 MM X 6 MM  |  |
| METAL FRONT BEAD   |  |
| 3.100 KG / 6.8 LBS (12 GAUGE); 2.800 KG / 6.2 LBS (20 GAUGE) |  |
| YES  |  |
|  |  |



WEIGHTS ARE APPROXIMATE, DEPENDENT ON WOOD DENSITY AND BARREL LENGTH.



"WE HAVE MANY BERETTA SEMI-AUTOMATIC SHOTGUNS THAT HAVE WELL IN EXCESS OF 300,000 ROUNDS OF Ammo Fired Through Them. In Fact, we have an onyx o/u shotgun (shown above) that has more than a half million documented rounds of Ammo Fired through it...and is still going strong. In our business we don't have time to mess with products that don't perform."

- Zeke Hayes, Trek Safaris, www.treksafaris.com

### 687 SILVER PIGEON

#### 687 SILVER PIGEON V

The pinnacle of the Silver Pigeon line, this prestigious over-under is stocked in richly figured, oilfinished walnut and detailed with gold game bird inlays and a Beretta gold medallion underneath. The receiver is treated with Beretta's proprietary process that imparts a classic color-case finish that ensures metallurgical integrity and a distortion-free part. A joy to own and shoot, thanks to Beretta's superior mechanical refinement and innovative technology, the Silver Pigeon V will last for generations.

#### 687 SILVER PIGEON IV

\*\*

Beretta shotguns are carried with pride on every continent. The 687 Silver Pigeon IV is expressly styled to satisfy those who desire a classic blued finish. In contrast to most Beretta over-unders, it has a rich, classic black frame, accented by "gold" inlays that reflect the typical quarry for each gauge. It's a striking gun that stands out—even among other Berettas.

#### 687 SILVER PIGEON III

There's no need to sacrifice style for function with this attractively priced member of the Silver Pigeon family. The distinctive 687 Silver Pigeon III has all the features of the S and II, but with more extensive engraving, including game scenes, on the frame. Available in a trim and racy 28 gauge made on its own properly scaled frame, this finely crafted shotgun with natural pointability is up to any hunting challenge.

|                   | 687 SILVER PIGEON V  | 687 SILVER PIGEON IV                             | 687 SILVER PIGEON III             |
|-------------------|--|--|-----------------------------------|
| ACTION            | LOW PROFILE, IMPROVED BOX LOCK                               |  |                                   |
| GAUGE             | 12, 20, 28, .410   | 12, 20, 28, .410                                 | 12, 20, 28, .410                  |
| CHAMBER           | 76 MM / 3" (28 GAUGE 70 MM / 2¾")                            | 76 MM / 3" (28 GAUGE 70 MM / 2¾")                | 76 MM / 3" (28 GAUGE 70 MM / 2¾") |
| BARREL LENGTH     | 67 CM /2   | 26"; 71 CM / 28"; 76 CM / 30" (12 AND 20 GAUGE O | NLY)                              |
| CHOKES            | M  | DBILCHOKE® OR FIXED (12 AND 20 GAUGE ONLY)       |                                   |
| WOOD FINISH       |  | OIL  |                                   |
| STOCK/FORE-END    |  | SELECTED WALNUT, CHECKERED                       |                                   |
| STOCK DROP - COMB | 38 MM /1.50" OR 35 MM / 1,38" 1.50"                          |  |                                   |
| STOCK DROP - HEEL | 60 MM / 2.36" OR 55 MM / 2.17"                               |  |                                   |
| RECOIL PAD        | FULL BLACK RUBBER OR GEL-TEK OR WOOD BUTT PLATE              |  |                                   |
| SAFETY            | AUTOMATIC OR MANUAL  |  |                                   |
| TRIGGER           | SINGLE SELECTIVE OR DOUBLE TRIGGER                           |  |                                   |
| FORE-END          | SCHNABEL OR SEMI-BEAVERTAIL (28 AND .410 GAUGE)              |  |                                   |
| RIB TYPE          | 6 MM X 6 MM  |  |                                   |
| SIGHT             | METAL FRONT BEAD   |  |                                   |
| WEIGHT            | 3.100 KG / 6.8 LBS (12 GAUGE); 2.800 KG / 6.2 LBS (20 GAUGE) |  |                                   |
| CARRY CASE        | YES  |  |                                   |

## 687 SILVER PIGEON



#### 687 SILVER PIGEON II

Designed to perform, the Silver Pigeon II is also as beautiful to the eye as it is to the touch. The oilfinished stock is select walnut with a traditional Schnabel fore-end; bold game scene engraving separates it from other shotguns. This over-under also enjoys the Beretta's legendary pointability, thanks to the 680 series low-profile receiver. Furthermore, the absolute strength of the unique locking system provides for years of trouble-free use. Also available in 20/28 gauge combo set.



### 687 SILVER PIGEON C

Add a bit more distinction to your shotgun with the 687 Silver Pigeon C. Developed to fulfill the needs of British shooters for an over-under with all the performance features of the Silver Pigeon line, but with an upgraded finish. This model sports a color case-hardened finish on the receiver and higher grade wood. In every other respect, the Silver Pigeon C offers all the design technology that makes Beretta over-unders the most responsive in the world.

#### 687 SILVER PIGEON II 687 SILVER PIGEON C

| ACTION            | LOW PROFILE, IMPROVED BOX LOCK                               |                              |  |
|-------------------|--|------------------------------|--|
| GAUGE             | 12, 20, 28, .410   | 12, 20                       |  |
| CHAMBER           | 76 MM / 3" (28 GAUGE 70 MM / 2¾")                            | 76 MM / 3*                   |  |
| BARREL LENGTH     | 67 CM / 26"; 71 CM / 28"; 76 CM / 30" (12 AND 20 GAUGE ONLY) |                              |  |
| CHOKES            | MOBILCHOKE® OR FIXED (12 AND 20<br>GAUGE ONLY)               | MOBILCHOKE® OR FIXED         |  |
| WOOD FINISH       | OIL  | OIL                          |  |
| STOCK/FORE-END    | SELECTED WALNUT, CHECKERED                                   |                              |  |
| STOCK DROP - COMB | 38 MM /1.50" OR 35 MM / 1,38"                                |                              |  |
| STOCK DROP - HEEL | 60 MM / 2.36" OR 55 MM / 2.17"                               |                              |  |
| RECOIL PAD        | FULL BLACK RUBBER  | FULL BLACK RUBBER OR PLASTIC |  |
| SAFETY            | AUTOMATIC OR MANUAL  |                              |  |
| TRIGGER           | SINGLE SELECTIVE OR DOUBLE TRIGGER                           |                              |  |
| FORE-END          | SCHNABEL OR SEMI-BEAVERTAIL (28 AND .410 GAUGE ONLY)         | SEMI-BEAVERTAIL              |  |
| RIB TYPE          | 6 MM X 6 MM  |                              |  |
| SIGHT             | METAL FRONT BEAD   |                              |  |
| WEIGHT            | 3.100 KG / 6.8 LBS (12 GAUGE): 2.800 KG / 6.2 LBS (20 GAUGE) |                              |  |
| CARRY CASE        | YES  | YES                          |  |




Game scenes with floral borders make the Silver Pigeon II stand out in any company.

WEIGHTS ARE APPROXIMATE, DEPENDENT ON WOOD DENSITY AND BARREL LENGTH.

### 686 SILVER PIGEON S

#### 686 SILVER PIGEON S

With the same level of mechanical refinement as Beretta's higher end over-unders, this entry-level shotgun offers an economical way to enjoy both the aesthetics and quality of a prestigious Silver Pigeon. The extensive floral and scroll engravings are executed on a satin nickel-alloy finished receiver that is exceptionally resistant to wear and corrosion. And the dual-cone locking mechanism stands up to years of constant shooting.



|                   | 686 SILVER PIGEON S   |
|-------------------|---|
| ACTION            | LOW PROFILE, IMPROVED BOX LOCK                                  |
| GAUGE             | 12, 20, 28, .410  |
| CHAMBER           | 76 MM / 3" (28 GAUGE 70 MM / 2¾")                               |
| BARREL LENGTH     | 67 CM / 26"; 71 CM / 28";<br>76 CM / 30" (12 AND 20 GAUGE ONLY) |
| CHOKES            | MOBILCHOKE® OR FIXED (12 AND 20 GAUGE ONLY)                     |
| WOOD FINISH       | X-TRA GRAIN OR OIL  |
| STOCK/FORE-END    | SELECTED WALNUT, CHECKERED                                      |
| STOCK DROP - COMB | 38 MM /1.50" OR 35 MM / 1,38"                                   |
| STOCK DROP - HEEL | 60 MM / 2.36" OR 55 MM / 2.17"                                  |
| RECOIL PAD        | FULL BLACK RUBBER OR PLASTIC                                    |
| SAFETY            | AUTOMATIC OR MANUAL   |
| TRIGGER           | SINGLE SELECTIVE OR DOUBLE TRIGGER                              |
| FORE-END          | SCHNABEL OR SEMI-BEAVERTAIL (28 AND .410<br>GAUGE ONLY)         |
| RIB TYPE          | 6 MM X 6 MM   |
| SIGHT             | METAL FRONT BEAD  |
| WEIGHT            | 3.100 KG / 6.8 LBS (12 GAUGE);<br>2.800 KG / 6.2 LBS (20 GAUGE) |
| CARRY CASE        | YES   |



Attractive scroll and floral decoration distinguish the Silver Pigeon S.

### 686 ONYX PRO, WHITE ONYX

#### 686 ONYX PRO

Every bit as rugged as it is beautiful, the Onyx Pro features Beretta's exclusive X-Tra Grain surface tratment that enhances the wood grain on the stock and fore-end. You'll also quickly appreciate the recoil reducing Gel-Tek pad that keeps your shoulders fresh through hundreds of rounds. A striking example of the gunmaker's art, this over-under features a blued frame with Beretta's Dura-Jewel machining accenting subtle markings and a gold trigger.



#### 686 WHITE ONYX

At some point in every sportsman's hunting life - whether as a novice or a seasoned shooter in need of an additional gauge - a no-nonsense, versatile tool is called for. The 686 White Onyx, with its streamlined stock design for fast target acquisition, top mounted bolt-lug design for secure barrel lockup, and easy maintenance, fits the bill. The satin nickel frame is accented with Beretta's Dura-Jewel finish for a classic look.

|                   | 686 ONYX PRO   | 686 WHITE ONYX  |  |
|-------------------|--|---|--|
| ACTION            | LOW PROFILE, IMPROVED BOX LOCK                                 |   |  |
| GAUGE             | 12, 20, 28   | 12, 20, 28  |  |
| CHAMBER           | 76 MM / 3" (28 GAUGE 70 MM / 2¾")                              | 76 MM / 3" (28 GAUGE 70 MM / 2¾")                               |  |
| BARREL LENGTH     | 67 CM / 26"; 71 CM / 28"                                       | 67 CM / 26"; 71 CM / 28"; 76 CM / 30" (12 AND<br>20 GAUGE ONLY) |  |
| CHOKES            | HUNTING EXTENDED MOBILCHOKE®;<br>MOBILCHOKE® (20 AND 28 GAUGE) | MOBILCHOKE®   |  |
| WOOD FINISH       | MATTE  | GLOSS   |  |
| STOCK/FORE-END    | X-TRA GRAIN, CHECKERED   | WALNUT, CHECKERED   |  |
| STOCK DROP - COMB | 38 MM /1.50" OR 35 MM / 1,38"                                  |   |  |
| STOCK DROP - HEEL | 60 MM / 2.36" OR 55 MM / 2.17"                                 |   |  |
| RECOIL PAD        | GEL-TEK  | FULL BLACK RUBBER   |  |
| SAFETY            | AUTOMATIC OR MANUAL  |   |  |
| TRIGGER           | SINGLE SELECTIVE OR DOUBLE TRIGGER                             |   |  |
| FORE-END          | FLUTED BEAVERTAIL  | SCHNABEL  |  |
| RIB TYPE          | 6 MM X 6 MM  |   |  |
| SIGHT             | METAL FRONT BEAD   |   |  |
| WEIGHT            | 3.100 KG / 6.8 LBS (12 GAUGE); 2.800 KG / 6.2 LBS (20 GAUGE)   |   |  |
| CARRY CASE        | YES  | YES   |  |





#### ULTRALIGHT DELUXE

When game trails are long and terrain is rugged, every ounce comes to tell as the hours pass. The Ultralight is a 12 gauge that carries like a small bore. The key to the Ultralight's feathery feel is a light but strong aluminum frame, reinforced at the breech face and shoulders with hard, durable titanium. In this Deluxe version, Beretta has added highly figured oil-finished walnut stock and full floral engraving with gold-filled game birds.



#### ULTRALIGHT

Like the Ultralight Deluxe, this sturdy over-under will help you stay afield. The lightweight aluminum and titanium alloys keep weight to the very minimum while preserving the smooth, sure handling you expect from a Beretta. The Ultralight has a semigloss-finished walnut stock with a Schnabel fore-end. Its receiver is distinctively decorated with the very game birds a hunter might pursue with Ultralight in hand.



Why low profile?Beretta's box lock mechanism allows a lower profile receiver. This benefits the shooter's accuracy, providing improved hand-to-eye coordination for instinctive shooting.

|                   | ULTRALIGHT DELUXE                    | ULTRALIGHT                 |  |
|-------------------|--------------------------------------|----------------------------|--|
| ACTION            | LOW PROFILE, IMPROVED BOX LOCK       |                            |  |
| GAUGE             | 1                                    | 2                          |  |
| CHAMBER           | 70 MM                                | 1 / 2¾"                    |  |
| BARREL LENGTH     | 62 CM / 24"; 67 CM                   | 1 / 26"; 71 CM / 28"       |  |
| CHOKES            | MOBILCHOK                            | e® or fixed                |  |
| WOOD FINISH       | OIL                                  | GLOSS OR X-TRA GRAIN       |  |
| STOCK/FORE-END    | HIGHLY SELECTED WALNUT,<br>CHECKERED | SELECTED WALNUT, CHECKERED |  |
| STOCK DROP - COMB | 38 MM /1.50" OR 35 MM / 1,38" 1.50"  |                            |  |
| STOCK DROP - HEEL | 60 MM / 2.36" OR 55 MM / 2.17"       |                            |  |
| RECOIL PAD        | FULL BLACK RUBBER OR PLASTIC         |                            |  |
| SAFETY            | AUTOMATIC OR MANUAL                  |                            |  |
| TRIGGER           | SINGLE SELECTIVE OR DOUBLE TRIGGER   |                            |  |
| FORE-END          | SCHNABEL                             |                            |  |
| RIB TYPE          | 6 MM X 6 MM                          |                            |  |
| SIGHT             | METAL FRONT BEAD                     |                            |  |
| WEIGHT            | 2.800 KG / 6.2 LBS                   |                            |  |
| CARRY CASE        | YES                                  |                            |  |
|                   |                                      |                            |  |

### AL391 STONECOAT



#### AL391 STONECOAT GOLD

The AL391 Stonecoat Gold brings unmatched design and prestige to the most discriminating autoloader aficionado. Receiver, breech bolt, bolt handle, carrier, fore-end flange and trigger boast the unique Stonecoat multi-layered treatment of nickel, chrome, titanium-zirconium. A deep engraving and green enamel inserts give the Stonecoat gold its distinctive look. This distinctive sporting arm with superb recoil control performs as well as it looks. Its semiautomatic gas system cycles ammunition ranging from feathery target loads to thumping 12-gauge, 3-inch magnums.

#### AL391 STONECOAT

With a special multi-layered finish of nickel and chrome and a final protective layer of titanium and zirconium applied to the receiver and the proven self-compensating Beretta gas system, the AL391 Stonecoat defines both style and substance. The graceful lines of the silvery receiver blend seamlessly into the curves of the stock. Even with its luxurious look, you won't be afraid to take this Stonecoat out in the harshest elements thanks to Beretta's weather-resistant X-Tra Grain stock and receiver.

### AL391 STONECOAT GOLD AL391 STONECOAT

| ACTION            | SEMIAUTOMATIC GAS OPERATION WITH SELF-COMPENSATING EXHAUST VALVE |                                 |  |
|-------------------|--|---------------------------------|--|
| GAUGE             | 12, 20   | 12, 20                          |  |
| CHAMBER           | 3"   | 3"                              |  |
| BARREL LENGTH     | 61 CM / 24"; 66 CM / 26"; 71 CM / 28                             | 3"; 76 CM / 30" (12 GAUGE ONLY) |  |
| CHOKES            | OPTIMACHOKE® PLUS  | OR MOBILCHOKE®                  |  |
| WOOD FINISH       | OIL  | MATTE                           |  |
| STOCK/FORE-END    | HIGHLY SELECTED WALNUT, CHECKERED                                | X-TRA GRAIN                     |  |
| STOCK DROP - COMB | 35 MM / 1.38*  |                                 |  |
| STOCK DROP - HEEL | ADJUSTABLE FROM 50 MM / 1.97" TO 65 MM / 2.56"                   |                                 |  |
| RECOIL PAD        | GEL-TEK  |                                 |  |
| SAFETY            | CROSS-BOLT, REVERSIBLE FOR LEFT-HANDED SHOOTERS                  |                                 |  |
| TRIGGER           | STONECOAT  |                                 |  |
| FORE-END          | ULTRA SLIM   |                                 |  |
| RIB TYPE          | 6 MM X 6 MM  |                                 |  |
| SIGHT             | METAL FRONT BEAD   |                                 |  |
| WEIGHT            | 3.000 KG /6.6 LBS; 2.700 KG / 6.0 LBS (20 GAUGE)                 |                                 |  |
| CARRY CASE        | YE   | S                               |  |
|                   |  |                                 |  |

WEIGHTS ARE APPROXIMATE, DEPENDENT ON WOOD DENSITY AND BARREL LENGTH.



A green enamel inlay at the wrist gives the Stonecoat Gold a a distinctive look.



Stonecoat multi-layered finish.

### AL391 GREYSTONE, URIKA PREMIUM, URIKA

#### AL391 GREYSTONE

The AL391 Greystone features a reduced 18,2 mm barrel bore diameter and a 70 mm cartridge chamber for improved shot pattern concentration, increased penetration and optimized muzzle velocity. The Greystone is a true expression of Beretta's skill in designing and in refining the mechanics with the versatile gas operation system of the Stonecoat models. The exclusive Greystone finish guarantees an overall higher resistance to wear and corrosion and superior longevity, enhancing the aesthetic of this model. Selected checkered walnut woods and richly jeweled bolt and carrier complete the look of the Greystone.

#### AL391 URIKA PREMIUM

The careful selection and wise combination of the finishes confer to the AL391 Urika Premium a completely new look. The luxurious aspect of the receiver is high-lighted by the contrast between the satin finish of its back and its meticolously hand-polished sides. The shiny black color of the receiver, bolt release button, fore-end gas flange and cap, perfectly complements the deep black of the barrel blueing and conveys to them a smooth look, pleasant to the touch.



#### AL391 URIKA

The workhorse of the Beretta autoloading line, the AL391 Urika's self-compensating gas system allows it to digest everything from the lightest target loads to the heaviest 2-ounce magnums. It's the answer to any hunting challenge. Reliability is the hallmark of this smooth-shooting, long-lasting auto shotgun. The 12 gauge is also available with Beretta's Optima-Bore® barrel and Optimachoke® tubes to cut recoil and improve patterns.

|                   | AL391 GREYSTONE  | AL391 URIKA PREMIUM               | AL391 URIKA                                      |
|-------------------|--|-----------------------------------|--|
| ACTION            | SEMIAUTOMATIC GAS OPERATION WITH SELF-COMPENSATING EXHAUST VALVE |                                   |  |
| GAUGE             | 12   | 12                                | 12, 20   |
| CHAMBER           | 70 MM / 2¾"  | 76 MM / 3"                        | 76 MM / 3*                                       |
| BARREL LENGTH     | 66 CM / 26"; 71 CM / 28"   | 61 CM / 24"; 66 CM / 26"; 71 CM / | 28"; 76 CM / 30" (12 GAUGE ONLY)                 |
| CHOKES            | OPTIMACHOKE® GREYSTONE   | MOBILCHOKE®                       | OPTIMACHOKE® PLUS OR MOBILCHOKE®                 |
| WOOD FINISH       | MATTE  | MATTE                             | MATTE  |
| STOCK/FORE-END    | SELECTED WALNUT  | HIGHLY SELECTED WALNUT            | WALNUT   |
| STOCK DROP - COMB | 35 MM / 1.38"  |                                   |  |
| STOCK DROP - HEEL | ADJUSTABLE FROM 50 MM / 1.97" TO 65 MM / 2.56"                   |                                   |  |
| RECOIL PAD        | PLASTIC  | WOOD BUTT PLATE                   | FULL BLACK RUBBER                                |
| SAFETY            | CROSS-BOLT, REVERSIBLE FOR LEFT-HANDED SHOOTERS                  |                                   |  |
| TRIGGER           | GREYSTONE  | NICKEL                            | GOLD   |
| FORE-END          | ULTRA SLIM   |                                   |  |
| RIB TYPE          | 6 MM X 6 MM  |                                   |  |
| SIGHT             |  | METAL FRONT BEAD                  |  |
| WEIGHT            | 3.000 KG / 6.6 LBS   | 3.000 KG / 6.6 LBS                | 3.000 KG /6.6 LBS; 2.700 KG / 6.0 LBS (20 GAUGE) |
| CARRY CASE        | YES  | YES                               | YES  |

### URIKA2 GOLD



### AL391 URIKA2 GOLD

Beretta is introducing an enhanced version of the award-winning gas-operated semiautomatic that has sold over 1.5 million units worldwide since its introduction. The new Urika2 has several new and notable features which will make it the fastest, easiest, and smoothest handling semiautomatic on the market today. The AL391 Urika2 Gold features a higher grade of select oil-finished wood stock and fore-end. The upgraded engraving scheme features gold-filled game bird inlays.





### AL391 URIKA2 GOLD AL391 URIKA2 CLASSIC

| ACTION            | SEMIAUTOMATIC GAS OPERATION WITH SELF-COMPENSATING EXHAUST VALVE AND SELF CLEANING PISTON |                                 |  |
|-------------------|---|---------------------------------|--|
| GAUGE             | 12, 20 12, 20   |                                 |  |
| CHAMBER           | 76 MM / 3"  | 76 MM / 3"                      |  |
| BARREL LENGTH     | 61 CM / 24"; 66 CM / 26"; 71 CM / 2   | 8"; 76 CM / 30" (12 GAUGE ONLY) |  |
| CHOKES            | OPTIMACHOKE® PLU  | s or mobilchoke®                |  |
| WOOD FINISH       | MATTE   | MATTE                           |  |
| STOCK/FORE-END    | SELECTED WALNUT   | X-TRA GRAIN                     |  |
| STOCK DROP – COMB | 35 MM / 1.38"   |                                 |  |
| STOCK DROP - HEEL | ADJUSTABLE FROM 50 MM / 1.97" TO 65 MM / 2.56"  |                                 |  |
| RECOIL PAD        | FULL BLACK RUBBER OR PLASTIC (20 GAUGE)   |                                 |  |
| SAFETY            | CROSS-BOLT, REVERSIBLE FOR LEFT-HANDED SHOOTERS   |                                 |  |
| TRIGGER           | GOLD  |                                 |  |
| FORE-END          | ULTRA SLIM  |                                 |  |
| RIB TYPE          | 6 MM X 6 MM   |                                 |  |
| SIGHT             | METAL FRONT BEAD  |                                 |  |
| WEIGHT            | 3.000 KG /6.6 LBS; 2.700 KG / 6.0 LBS (20 GAUGE)  |                                 |  |
| CARRY CASE        | YES   |                                 |  |
|                   |   |                                 |  |




AL391 Urika 2 Gold, 20 gauge.

WEIGHTS ARE APPROXIMATE, DEPENDENT ON WOOD DENSITY AND BARREL LENGTH.





For Upland hunters, the Urika2 Classic comes in a standard model that features the new X-Tra Grain wood enhancement treatment — and for the first time on the base Urika — tasteful fine-line scroll engraving on either side panels of receiver.



## THE BERETTA GAS SYSTEM IS TWICE AS FAST AS ANY OTHER OPERATING SYSTEM.

The gas system has been improved by the addition of a spinning and selfcleaning action. As gas pressure is fed into the gas cylinder, a series of expandable fingers on the piston move outwardly to clean the gas cylinder as the action cycles. Additionally, the gas piston is imparted with a spinning motion and "scraper teeth" to ensure carbon deposits are thoroughly dislodged and removed from the gas system. This improved cleaning action greatly contributes to enhanced reliability and longer functioning shooting periods between cleaning.



### BURRIS SIGNATURE Select Semi-Compact 8 X 32 MM - 10 X 32 MM

At only 10.8 cm long and 450 gr, these new Signature Select Semi Compacts are barely larger than pocket compact binoculars, but with premium components end-to-end and 32 mm objective lenses, the low light performance is excellent yielding high resolution and colorcorrect images.





### X-TRA GRAIN

Also new is Beretta's proprietary X-Tra Grain wood treatment on standard models. This wood surface enhancement process, applied to the walnut of the stock and fore-end is obtained from a new technology that highlights the color contrast of the wood, resulting in a beautiful and rich pattern.



#### ES 100 WHITE

In addition to its reliable soft shooting gas systems, Beretta offers other unparalleled alternatives. The rugged, mechanically operated ES 100 boasts a vertical wedged locking lug that ensures a perfect lock-up. The ES 100 semiautomatics can handle anything from 2¾" (70 mm) loads to the heaviest 3" (76 mm) magnums. The new ES 100 White features an elegant nickel silver finish of the receiver and a superior quality of walnut stock and fore-end.

#### ES 100

The key to superior performance in semiautomatic shotguns is simplicity. Take down is easy for transportation, cleaning or storage. The ES 100 lightweight streamlined design affords instinctive handling, responsiveness and pointability. The checkered stock and fore-end made of straight grain walnut wood and sling swivels are provided. The Beretta ES 100 features the fully interchangeable Mobilchoke® tube system, whike all visible metal parts have an opaque black, anti glare finish. From upland to wild turkey there's a Beretta ES 100 that's suitable for every use.

|                   | ES 100 WHITE                          | ES 100                               |  |
|-------------------|---------------------------------------|--------------------------------------|--|
| ACTION            | SEMIAUTOMATIC, INERTIA OPERATION      |                                      |  |
| GAUGE             | 12                                    | 12                                   |  |
| CHAMBER           | 76 MM / 3"                            | 76 MM / 3"                           |  |
| BARREL LENGTH     | 61 CM / 24"; 66 CM / 26"; 71 CM /28"  | 61 CM / 24"; 66 CM / 26"; 71 CM /28" |  |
| CHOKES            | MOBILCHOKE®                           | MOBILCHOKE®                          |  |
| WOOD FINISH       | MATTE                                 | MATTE                                |  |
| STOCK/FORE-END    | SELECTED WALNUT WALNUT                |                                      |  |
| STOCK DROP - COMB | 35 MM / 1. 38"                        |                                      |  |
| STOCK DROP - HEEL | 55 MM / 2.17"                         |                                      |  |
| RECOIL PAD        | BLACK PLASTIC                         |                                      |  |
| SAFETY            | CROSS BOLT                            |                                      |  |
| TRIGGER           | NICKELED                              |                                      |  |
| FORE-END          | ULTRA SLIM                            |                                      |  |
| RIB TYPE          | 6 MM X 6 MM                           |                                      |  |
| SIGHT             | METAL FRONT BEAD                      |                                      |  |
| WEIGHT            | 3.250 KG / 7.2 LBS 3.250 KG / 7.2 LBS |                                      |  |
| CARRY CASE        | NO                                    |                                      |  |



WEIGHTS ARE APPROXIMATE, DEPENDENT ON WOOD DENSITY AND BARREL LENGTH.

### APPAREL AND ACCESSORIES

### GUN6 HAT BE60 3660 COL. 75 SIZE S - XXL

Waterproof Cordura® hat with Gore-Tex® liner and Coolmax® cover fabric, fleece ear warmer, orange "high visibility" reversible fabric.

GUN6 GLOVES GL30 3660 COL. 75 SIZE S - XXL

### 20 GOOD REASONS FOR Choosing gun6

- Alcantara® collar lining and trim
- Removable neck protection
- Two-way heavy duty zipper closure with outside and inside wind protection flanges
- Ergonomic shoulders and sleeves
- Emergency waterproof hood
- Fleece-lined hand-warmer pouches
- · Roomy game pocket with zip and stain-proof lining
- Velcro flap tabs
- Velcro flap closure scooped entry pocket for easy hand access
- Roomy bellows pockets
- Elasticized shell loops
- Adjustable storm cuffs
- Napoleon security pocket
- Internal mesh pockets with Velcro retainer
- Adjustable drawstring for added protection from the wind and rain
- Mobile phone pocket
- Document pocket with zipped closure
- Detachable mesh pockets for recoil pads
- Ventilation grommets
- Detachable shoulder straps

### GUN6 GUN6 3660 COL. 75 SIZE S - XVL

Beretta's most exclusive hunting jacket is made of the brand new Huntex® fabric, a blend of cotton and Cordura®, durable, noiseless and soft to the touch. The heat-formed Goretex<sup>®</sup> liner and the CoolMax<sup>®</sup> lining ensure the utmost comfort, even in extreme weather conditions. The waterproof, breathable jacket keeps an even body temperature. This range also includes trousers, waistcoats, gloves and hats. These high-tech products and easy-to-wear garments are a must for hunting enthusiasts.

### GUN6 FIELD PANT CU03 3660 COL. 75 SIZE 46 - 62 Cordura® pants lined in Gore-Tex® are waterproof,

Cordura<sup>®</sup> pants lined in Gore-Tex<sup>®</sup> are waterproof durable and quiet.

### APPAREL AND ACCESSORIES

#### A RESPECT FOR NATURE MEANS BEING PREPARED TO DEAL WITH THE ELEMENTS. THERE'S NO BETTER WAY THAN HAVING THE RIGHT GEAR FOR WHATEVER NATURE THROWS YOUR WAY.



### BIS JACKET GU1M 2882 COL. 99 - 75 Size XXS - XXXL

The Beretta Interactive System begins with the need to develop layered clothing theme to help in different climatic conditions. Warm and lightweight, it's less than 400g, breathable, packable in the inside pocket, and it can be worn inside all the BIS (Beretta Interactive System) jackets.

### KVJ

#### GU1G 3676 COL. 79 SIZE S - XXXL

Kevlar<sup>®</sup>, Cordura<sup>®</sup> and cotton jacket with Beretta BWB liner, Coolmax<sup>®</sup> personalized lining, weld seams and YKK zip. BIS (Beretta Interactive System) jacket or vest for more warmth and protection from extreme conditions.

### KVP CU1G 3676 COL. 79 SIZE S - XXXL

Kevlar® cotton and Cordura® pants with Beretta BWB liner, heat-formed seams and generous pockets.

### APPAREL AND ACCESSORIES

#### COMFORT MAPPING GU1E 3152 COL 75 - 85 SIZE S - XXXL

Our innovative hunting jacket is made of Cordura® and Gore-Tex®, developed with the Comfort Mapping Concept technology that combines different fabrics in different body areas for waterproofing, moisture management and comfort thanks to the heat-formed seams. The BIS (Beretta Interactive System) jacket or vest gives it more warmth and performance in extreme conditions. MAXIMUM PERFORMANCE AND COMFORT Are the Hallmarks of Beretta's Upland Sportman Apparel and Accessories.

THIS IS CLOTHING AND GEAR THAT ARE AS ELEMENTAL TO YOUR SUCCESS AS IS YOUR SHOTGUN.



#### PACLITE<sup>®</sup> JACKET GU4B 3120 COL. 75 – 92 – 99 Size S - XXXL

Gore-Tex® Paclite® Jacket weighs less than 500 g, with waterproof zip and generous pockets The BIS (Beretta Interactive System) jacket or vest gives it more warmth and performance in extreme conditions.



FOT1 141 75 Takedown case, padded handle, external pocket for shoulder straps, 35"/89cm.

#### PACLITE<sup>®</sup> PANT CU4B 3120 COL. 75 - 92 - 99 SIZE S - XXXL

Gore-Tex® Paclite® trousers are also ideal with the Comfort Mapping jacket: over-the-boot cover flange zipper entry with Velcro closures so that they can be worn with boots.

### APPAREL AND ACCESSORIES

# TECNO2CHASSE JACKET GU3B 3150 COL. 75 - 85 SIZE S - XXXL GULB 3150 COL. 75 - 85 SIZE S - XXXL Long Version Version Version

Hunting jacket, long or short version, in exclusive Gardone fabric. It is an innovative, quite fabric made by Beretta in exclusive with Gore-Tex®. It is a mix of Cordura® for high abrasion resistance, and cotton, which gives it a soft hand. The liner is waterproof Gore-Tex®.

### TECNO2CHASSE CAP BE01 3150 COL. 75 - 85 SIZE S - XXL MICROFIBRA CAP BE01 3470 COL. 79 SIZE S - XXL

Waterproof hat with Gore-Tex® liner, Polartec fleece peak and ear warmer, Beretta's exclusive CoolMax® liner.





TECNO2CHASSE GLOVES GL30 3150 COL. 75 SIZE S - XXL

### CANTABRIAN JACKET GU5E 3470 COL. 79 SIZE S – XXXL

Short jacket made in microfibre fabric, quite and soft with Gore-Tex® liner for water resistance and brethability.

> Inside, personalized Coolmax® lining and removable Beretta hands-free shoulder straps. It becomes warmer and offers more protection in extreme conditions with BIS (Beretta Interactive System) jacket and vest.

### TECNO2CHASSE FISHERMAN HAT BC51 3150 COL. 75 - 85 SIZE S - XXL MICROFIBRA FISHERMAN HAT BC51 3470 COL. 79 SIZE S - XXL

Waterproof fishing hat with liner Gore-Tex® and Beretta lining in Coolmax®.



### APPAREL AND ACCESSORIES

Garagette



POINT JACKET GU2C 3695 COL. 88 SIZE S - XXXL

Short and lightweight jacket in Cordura® and cotton fabrics with Teflon® coating, waterproof nylon cape with hood inclused in the jacket and detachable back game bag. BIS (Beretta Interactive System) jacket and vest for more warmth and protection from extreme conditions.



OUR EXCLUSIVE NEW CLOTHING LINE FOR THE WOODCOCK HUNTERS WAS DESIGNED WITH THE COOPERATION OF PROFESSIONAL HUNTERS WHO DESIRE TECHNICAL CLOTHING THAT IS DURABLE, QUIET AND WATER-REPELLENT.

THANKS TO THEIR HELP, WE DESIGNED POINT LINE, TO SATISFY THE MOST DEMANDING WOODCOCK HUNTERS.

THE JACKET, PANTS AND CAPE ARE MADE WITH CORDURA® FOR HIGH ABRASION RESISTANCE AND COTTON FOR A SOFT FEEL. EVERYTHING IS LINED WITH TEFLON® TO MAKE IT EXTREMELY WATER-REPELLENT.

### POINT PANTS CU2C 3695 COL. 88 SIZE S - XXXL Cordura® and cotton pants with liner Teflon®. Elastic waist band, generous pockets and bottom zip to fit with the boots.



### APPAREL AND ACCESSORIES

#### VINTAGE YEARS

#### FOR 500 YEARS BERETTA HAS PURSUED ONE PASSION: THE LOVE OF NATURE AND OUTDOOR LIFE.

A BLEND OF CREATIVENESS AND TRADITION, MODERNITY AND HISTORY, THIS PASSION IS REPRESENTED IN VINTAGE YEARS.

THIS HISTORICAL CLOTHING WAS DEVELOPED WITH CLASSIC FABRICS AND INNOVATIVE TREATMENTS THAT HEARKEN BACK TO THE YEARS WHEN MASTRO BARTOLOMEO BERETTA WAS STARTING HIS WORK IN THE GUNSMITH WORLD. IT RESOUNDS WITH THE NOISE AND COLORS OF TUSCAN FIELDS.

#### TUSCANY VEST

GU3R 1815 COL. 75 - 83 SIZE 46 - 62 100% double twist cotton vest with ten multifunctional pockets and easy cleaning zipped game bag.

#### TIBURZI JACKET

GU91 4400 COL. 20 - 22 - 72 - 83 - 88 SIZE 46 - 62

In the late 19th century in the Maremma, Domenico Tiburzi fought against injustice and the tyrannical acts of those who did not abide by the rules. He helped the needy by handing over to them the booty from his highway robberies. This 100% cotton Moleskin jacket takes inspiration from the one worn by the famous brigand. The result is a soft, elegant coat, ideal for the in-between season.







CORBARA JACKET GU8C 4600 COL. 72 - 80 - 88 - 38 SIZE 46 - 62

### APPAREL AND ACCESSORIES

### RAMBOUILLET JACKET Guo7 6360 col. 78 - 83 - 75 size s - XXXL

It is a man with a difference who wears St James, to stand out and do so with style. He feels perfectly at ease in this collarless harris tweed jacket with leather details on the buttons and trims. Leather elbow patches and a binocular collar strip add a youthful touch to this remarkable item.



#### ST. JAMES BREEKS

CU36 6360 COL. 78 - 83 - 75 SIZE 46 - 62 To look like a stylish English man, this tweed waterproof breeks with Beretta's exclusive BWB liner are perfect.

### ST. JAMES

THANKS TO OUR EXPERIENCE IN THE BERETTA GALLERY IN ST. JAMES STREET IN LONDON, WE DEVELOP THE ST. JAMES CLOTHING LINE MADE WITH OUR EXCLUSIVE BWB LINER.

ST. JAMES CAP BC04 6360 COL. 78 - 83 - 75 SIZE S - XXL

Waterproof tweed cap with BWB liner.



WINTER COTTON CARGO PANTS CU78 1817 COL. 75 Size 46 - 62 BWP Liner CU78 1816 COL. 75 - 82 Size 46 - 62

An innovative fabric made with highly resistant cotton twill, winter cotton is perfect for outdoor use. These pants are available with and without the Beretta BWP liner, which guarantees protection against the wind.



# INTRODUCING WATERFOWL

Up before dawn on a cold and damp November morning. Coffee is brewing, your gear is carefully packed, and your retriever is waiting anxiously to do what he was born to do. As you head for the waiting shore, it seems a moment for which you, too, were born. Crouched in a blind with your dog quivering against your leg. The thunder of wings above. The hope of the day ahead. Then that one heart-stopping, defining moment: the shot, the splash, the retrieve.

These are the slices of time that stir the soul, that define the Waterfowler's passion for the pursuit of the wild places. It is a passion backed by the confidence that your Beretta shotgun and gear are absolutely up to this specific challenge—no matter what the elements throw at you. That's a confidence, backed by 500 years of tradition and technological innovation, you can count on with every pull of the trigger or zip of the jacket.





Using accelerated salt spray testing, the unprotected steel barrel section (top) shows corrosive effects while the Aqua-technology protected barrel (bottom) looks brand new.

Fitted, lined polypropylene case keeps the many supplied accessories in place. Includes 5 choke tubes, choke tube wrench, sling swivels, Beretta oil and butt plate or recoil pad.

"SOFT SHOOTING, HEAVY DUTY, RELIABLE, AND AMAZINGLY EASY TO CLEAN. THE XTREMA2 REPRESENTS QUITE POSSIBLY THE FINAL WORD IN 3<sup>1</sup>/2-inch semi autos."

-Phil Bourjaily, Field & Stream Magazine

### WHEN WE DESIGNED A GUN FOR THE MOST EXTREME ENVIRONMENTS, WE WERE SURE TO WIN SOME EXTREME AWARDS.



#### A391 XTREMA2

In 2002, Beretta introduced the original Xtrema. This gun quickly garnered *Field & Stream's* "Best Gun of the Year Award," *Guns & Ammo's* "Editor's Awards for Gun of the Year," and *American Rifleman's* "Golden Bulleye Award." In the relentless pursuit of excellence, our engineers have once again set the benchmark for a "do-it-all" shotgun in the form of the new Xtrema2 — *Shooting Illustrated's* "Shotgun of the Year."

This superb autoloading shotgun was designed and built to reliably function 2<sup>3</sup>/<sub>4</sub>-inch (70 mm), 1-ounce equivalent loads through brutal 3<sup>1</sup>/<sub>2</sub>-inch (89 mm) magnum loads — interchangeably if you so desire. The Xtrema2 has more recoil reduction features than any other autoloading shotgun on the planet!




### STRESS Concentration Imaging

This shows the behavior of the Gel-Tek pad during the shooting cycle. Note the homogenous distribution of stress over the entire surface.



#### WHY BERETTA GAS OPERATED

Beretta's unique self-compensating semiautomatic gas operation system is considered the best in the world. The soft shooting gas system's recoil reduction automatically vents the excess gases of even the most powerful cartridges.



#### **RECOIL REDUCTION**

Beretta's new Kick-Off hydraulic dampening reduction system reduces recoil an astounding 44% more than its closest rival by using two hydraulic recoil dampers incorporated into the stock "spacer" unit. The recoil energy is gradually dissipated by the hydraulic dampers, resulting in superior comfort for the shooter.

|                   | A391 XTREMA2  |  |  |
|-------------------|---|--|--|
| ACTION            | SEMIAUTOMATIC GAS OPERATION WITH TWO-LUG<br>ROTATING BOLT AND SELF-COMPENSATING GAS VALVE |  |  |
| GAUGE             | 12  |  |  |
| CHAMBER           | 89 MM / 31/2"   |  |  |
| BARREL LENTH      | 61 CM / 24"; 66 CM / 26"; 71 CM / 28"; 76 CM / 30"  |  |  |
| CHOKES            | OPTIMACHOKE <sup>®</sup> PLUS   |  |  |
| STOCK/FORE-END    | SYNTHETIC WITH RUBBER INLAYS  |  |  |
| STOCK DROP - COMB | 35 MM / 1.38*   |  |  |
| STOCK DROP - HEEL | ADJUSTABLE FROM 55 MM / 2.17" TO 60 MM / 2.36"  |  |  |
| RECOIL PAD        | GEL-TEK, MEDIUM   |  |  |
| SAFETY            | CROSS-BOLT  |  |  |
| TRIGGER           | BLACK   |  |  |
| FORE-END          | ROUND   |  |  |
| RIB TYPE          | 6 MM X 6 MM   |  |  |
| SIGHT             | METAL FRONT BEAD  |  |  |
| WEIGHT            | 3.450 KG / 7.6 LBS (WITH KICK-OFF 3.550 KG / 7.8 LBS)                                     |  |  |
| CARRY CASE        | YES   |  |  |



#### A391 XTREMA2 SYNTHETIC

Designed from the outset to work hard for you, the Xtrema2 Synthetic incorporates Aqua technology for extreme protection against the elements. The improved trigger group provides for an extremely crisp, light pull and short travel for quick follow-up shots. This "do-it-all" shotgun features soft shooting gas operation, an integrated spring-mass recoil reducer, Optima-Bore® overbored barrel and Kick-Off recoil reduction.

#### A391 XTREMA2 CAMO AP®

The new All Purpose A391 Xtrema2 semiautomatic boasts a refined camo pattern designed to let it camoflage in nearly every setting. This superb autoloading shotgun keeps all the superior features of the synthetic model among which the extraordinary recoil reduction capability and the superior pattern efficiency of the Optima-Bore<sup>®</sup> and Optimachoke<sup>®</sup> Plus tubes.



Xtrema2



### QUICK DETACHABLE SLING Swivel

Thanks to an exclusive quick-release system it is possible to fasten and remove the rear swivel from the stock without any tool.

#### A391 XTREMA2 SYNTHETIC A391 XTREMA2 CAMO AP®

| ACTION            | SEMIAUTOMATIC GAS OPERATION WITH TWO-LUG<br>ROTATING BOLT AND SELF-COMPENSATING GAS VALVE |                                   |  |
|-------------------|---|-----------------------------------|--|
| GAUGE             | 12  | 12                                |  |
| CHAMBER           | 89 MM / 3½*   |                                   |  |
| BARREL LENGTH     | 61 CM / 24"; 66 CM / 26"; 71 CM / 28"; 76 CM / 30" 61 CM / 24"; 66 CM / 26"               |                                   |  |
| CHOKES            | OPTIMACHOKE® PLUS   | OPTIMACHOKE® PLUS                 |  |
| STOCK/FORE-END    | BLACK SYNTHETIC WITH RUBBER INLAYS  | CAMO SYNTHETIC WITH RUBBER INLAYS |  |
| STOCK DROP - COMB | 35 MM / 1.38*   |                                   |  |
| STOCK DROP - HEEL | ADJUSTABLE FROM 55 MM / 2.17" TO 60 MM / 2.36"  |                                   |  |
| RECOIL PAD        | GEL-TEK, MEDIUM   |                                   |  |
| SAFETY            | CROSS-BOLT  |                                   |  |
| TRIGGER           | BLACK   |                                   |  |
| FORE-END          | ROUND   |                                   |  |
| RIB TYPE          | 6 MM X 6 MM   |                                   |  |
| SIGHT             | METAL FRONT BEAD  |                                   |  |
| WEIGHT            | 3.450 KG / 7.6 LBS ( WITH KICK-OFF 3.550 KG / 7.8 LBS)                                    |                                   |  |
| CARRY CASE        | YES   |                                   |  |



### BURRIS FULLFIELD II CAMO Binoculars

See, but don't be seen. These new premium binoculars compress full-size performance about as compact as can be.



### AL391 URIKA2 CAMO AP®

Dressed in camo that disappears in nearly every setting, the AL391 Urika2 All Purpose® is a foil for the gobbler's keen eyesight. This reliable autoloader is a real workhorse, too. Beretta's self-compensating gas system allows for smooth shooting in a wide range of loads, while the Optima-Bore® system reduces recoil and improves pattern performance by easing the shot charge's passage from cylinder to bore. The Kick-Off® hydraulic dampening reduction system is available on request.

A State of the second

#### AL391 URIKA2 CAMO MAX-4®

A smooth shooting, long-lasting auto shotgun, the AL391 Urika MAX-4® HD features the most effective and up-to-date camo pattern on the market — no matter which flyway you shoot on. Beretta's well-proven, self-compensating gas system provides just the right pressure for a wide range of loads, while the Optima-Bore® overbored barrel cuts recoil and improves your patterns. Kick-Off® on request.



hydraulic the shooter.

#### AL391 URIKA2 SYNTHETIC

For the waterfowler who enjoys his shotgun in basic black and prefers the durability and versatility of a synthetic stock, this sleek autoloading shotgun is the answer. The hammer-forged barrel is chrome lined for corrosion resistance and easy cleaning, while Beretta's self-compensating gas valve lets you shoot the full range of your favorite ammunition. Kick-Off® on request.

YES

| KIUK-~OFF  |                   | AL391 URIKA2   | AL391 URIKA2                          | AL391 URIKA2                     |
|--|-------------------|--|---------------------------------------|----------------------------------|
|  |                   | CAMO AP®   | CAMO MAX-4®                           | SYNTHETIC                        |
|  | ACTION            | SEMIAUTOMATIC GAS OPERATION WITH SELF-COMPENSATING EXHAUST VALVE |                                       |                                  |
|  | GAUGE             | 12   | 12                                    | 12                               |
|  | CHAMBER           | 76 MM / 3"   | 76 MM / 3"                            | 76 MM / 3"                       |
|  | BARREL LENGTH     | 61CM / 24"; 66 CM / 26"  | 71 CM / 28"                           | 66 CM / 26"; 71 CM / 28"         |
|  | CHOKES            | OPTIMACHOKE® PLUS  | OPTIMACHOKE® PLUS                     | OPTIMACHOKE® PLUS                |
|  | STOCK/FORE-END    | SYNTHETIC CAMO WITH<br>RUBBER INSERTS                            | SYNTHETIC CAMO WITH<br>RUBBER INSERTS | SYNTHETIC WITH RUBBER<br>INSERTS |
|  | STOCK DROP - COMB | 35 MM / 1.38"  |                                       |                                  |
|  | STOCK DROP - HEEL | ADJUSTABLE FROM 55 MM / 2.17" TO 60 MM / 2.36"                   |                                       |                                  |
|  | RECOIL PAD        | GEL-TEK  |                                       |                                  |
| RECOIL REDUCTION                                       | SAFETY            | CROSS-BOLT   | , reversible for left-handei          | ) shooters                       |
| Beretta's new Kick-Off hydraulic dampening reduction   | TRIGGER           | BLACK  |                                       |                                  |
| system reduces felt recoil by using two hydraulic      | FORE-END          | STANDARD   |                                       |                                  |
| recoil dampers incorporated into the stock "spacer"    | RIB TYPE          | 6 MM X 6 MM  |                                       |                                  |
| unit. The recoil energy is gradually dissipated by the | SIGHT             | METAL FRONT BEAD   |                                       |                                  |
| hydraulic dampers, resulting in superior comfort for   | WEIGHT            | 3.250 KG / 7.2 LBS (WITH KICK OFF 3.350 KG / 7.4 LBS)            |                                       |                                  |

#### 31

CARRY CASE

### 686 ONYX PRO

#### 686 ONYX PRO 3.5

The 12-gauge 686 Onyx Pro 3.5 enjoys all the features of the Onyx Pro, but with a 31/2-inch chamber. This is a shotgun that's as rugged as it is beautiful. The receiver is machined with the Beretta distinctive Dura-Jewel pattern, the super resistant finish of all metal parts guarantees a long life and protection against scratches and weather conditions. Beretta's proven combination of tang safety and barrel selector put you completely in control. The special high grip checkering, the wide beavertail fore-end, the Gel-Tek recoil pad and the Hunting Extended Mobilchoke<sup>®</sup> tubes guarantee a superior performance.

|                   | 686 ONYX PRO 3.5"              |
|-------------------|--------------------------------|
| ACTION            | LOW PROFILE, IMPROVED BOX LOCK |
| GAUGE             | 12                             |
| CHAMBER           | 89 MM / 3½"                    |
| BARREL LENGTH     | 67 CM / 26"; 71 CM / 28"       |
| WOOD FINISH       | MATTE                          |
| STOCK/FORE-END    | X-TRA GRAIN                    |
| STOCK DROP - COMB | 38 MM / 1.50" OR 35 MM / 1.38" |
| STOCK DROP - HEEL | 60 MM / 2.36" OR 55 MM / 2.17" |
| RECOIL PAD        | GEL-TEK                        |
| SAFETY            | AUTOMATIC OR MANUAL            |
| TRIGGER           | SINGLE SELECTIVE               |
| FORE-END          | FLUTED BEAVERTAIL              |
| RIB TYPE          | 6 MM X 6 MM                    |
| SIGHT             | METAL FRONT BEAD               |
| WEIGHT            | 3.150 KG / 6.9 LBS             |
| CARRY CASE        | YES                            |



The lustrous frame finish makes the Onyx a striking example of the gunmaker's art. As with the White Onyx, the Onyx Pro offers Dura-Jewel enhancements.



Special Beretta Laser technology high grip checkering.



Beretta's proven combination of tang safety and barrel selector put you fully in control.

### APPAREL AND ACCESSORIES

### TM SHOOTING SHIRT LONG SLEEVES LU19 7561 COL. 77 SIZE S – XVL TM SHOOTING SHIRT SHORT SLEEVES LU20 7561 COL. 77 SIZE S – XVL

A real workhorse, this shirt will keep you dry in the woods or field through a long day of shooting. A cape-mesh back wicks away perspiration, while the pure cotton poplin keeps you comfortable and cool.



THE CALL OF THE WILD COMES NO MATTER THE WEATHER, BUT THE COLD AND THE DAMP ARE NO MATCH FOR THE RIGHT GEAR. BERETTA'S WATERFOWLER GEAR IS FIELD TESTED AND PROVEN.



LONG SLEEVES MOCK TURTLENECK P200 7101 COL. 77 SIZE S - XVL Long sleeve turtleneck shirt made in 100% washed cotton. It's available in solid or camo fancy.

### APPAREL AND ACCESSORIES

## WIND BARRIER NORTHEASTERN LONG ZIP SWEATER

### PU33 7019 COL. 75 - 54 - 86 SIZE S - XVL

Wool long zip sweater with windproof and waterproof BWP liner to keep the body warm. High neck, soft fleece-lined collar, patches on each shoulder.





### BURRIS SIGNATURE SELECT

8 X 42 MM - 10 X 42 MM - 10 X 5 MM - 12 X 50MM

Signature Select Binoculars feature premium optical glass with very low tolerance precision ground and polished so to assure super sharp distortion free viewing. Every lens surface is broadband multicoated to assure reflection-free ultra bright viewing.

### BST6 143 77

Hunting pack with stool, external side mesh pocket and zippered internal pocket.

### WATERFOWL

# APPAREL AND ACCESSORIES



Xtrema medium bag.



FO59 140 77 Stormproof camo shotgun case.



#### BS48 140 77

Blind bag, sealed exterior, exterior and interior pockets, extra long anti-slip padded shoulder strap or easy carry removable handle.



#### BS49 140 77

Large bag easy to carry either over the shoulder or in the hand. Unique inner sealed bag easily removed, fully sealed outer bag.

#### **XTREMA**

XTREMA GEAR IS BERETTA'S NEW COLLECTION OF BAGS DESIGNED ESPECIALLY FOR HUNTING IN AQUATIC ENVIRONMENTS. THE RANGE INCLUDES HEAT-FORMED BAGS OF ALL SIZES AND SHOTGUN CASES MADE OF 625 DENIER POLYURETHANE-COATED POLYESTER FABRIC - WATERPROOF, NOISELESS AND RESISTANT. THE POSITION OF EACH POCKET, ZIP AND STRAP IS DESIGNED FOR EASY ACCESS TO THE COMPARTMENTS. THE WATERPROOFING IS EXCEPTIONAL, ACHIEVED THANKS TO THE TECHNICAL FEATURES OF THE FABRIC, AND THE HEAT-FORMED POLYURETHANE-COATED ZIPS. AND THEY EVEN FLOAT - WHAT MORE **COULD YOU WANT!** 



# INTRODUCING BIG GAME

You've waited a lifetime, or so it seems, for this very instant. You've tracked this desired prize, this trophy, not just for hours or days, but since the very first time you brought the smooth finish of the comb to rest against your cheek. Since the very first day, you took to the mountains or the plains to test yourself against the world's most sought-after game. With the prize finally in your sights, you squeeze and put your faith in the hands of your—and the gunmaker's—experience and expertise.

For the Big Game hunter, the thrill of the hunt is paramount. Everything about it, from spectacular wilderness hunting fields to the perfect fit and feel of a superbly crafted rifle to the cut and durability of field-proven clothing, feels right. No one understands that better than Beretta. Our Big Game collection—apparel, accessories and our offering of superb Finnish Sako and Tikka rifles—has been tested time and again by professional guides and hunters to ensure your pursuit is undertaken with only the very best of everything at hand.

# SAKO 85 HUNTER





Home to an impressive number of top Olympic shooters, Finland is also home to some of the world's finest rifles. For over eighty years, Sako Ltd. of Finland has impressed the world with its passion for quality and its commitment to offering shooters the best rifles that technology can offer — without compromise. Sakos are regarded the world over as truly custom rifles at production prices. Beretta is proud to call this brand a prominent part of its family.



Classic straight comb with shadow-line cheekpiece.

|            | SAKO 85 HUNTER   |
|------------|--|
| ACTION     | 3-LUG BOLT ACTION  |
| CALIBER    | 16 CALIBERS, SEE CHART PAGE 50                                 |
| STOCK      | SELECT WALNUT, OIL FINISH                                      |
| RECOIL PAD | RUBBER, BLACK  |
| SAFETY     | TWO-POSITION LOCKING TRIGGER,<br>BOLT HANDLE AND FIRING PIN    |
| TRIGGER    | SINGLE-STAGE, ADJUSTABLE                                       |
| SIGHTS     | INTEGRAL TAPERED SCOPEMOUNT DOVETAILS                          |
| MAGAZINE   | DETACHABLE, 5-ROUND CAPACITY, 4 W/WSM                          |
| WEIGHT     | s action 3.3 kg / 7.0 lbs,<br>Sm and m action 3.4 kg / 7.3 lbs |



The new, patented, Total Control Magazine Latch prevents accidental release of the detachable stainless steel magazine under the heaviest recoil or the harshest of hunting conditions. If desired, the magazine may be reloaded without being removed from the rifle.

# SAKO'S FIRST NEW PRODUCT IN A DECADE WORLD'S FINEST PRODUCTION RIFLE



#### SAKO 85 HUNTER


The new Sako 85, a celebration of the riflemaker's 85th anniversary, is a superbly executed medley of tradition, technology and precision. Continuing Sako's time-honored tradition of crafting exceptional rifles for the hunter and target shooter, the Sako 85 incorporates the features most sought after by experienced riflemen: controlled-round feeding, an exceedingly fast lock time, a user adjustable trigger, 70-degree bolt handle lift with a silky smooth bolt travel, and broad flat bedding surfaces. The rifle's stock is crafted from select walnut and features the classic straight comb and shadow-line cheekpiece that premium-rifle owners appreciate. Individually factory tested and guaranteed to shoot five-shot groups of 1 MOA or less out of the box.



The Sako 85 Short Claw Extractor commands total control of the cartridge, engaging the extractor groove of the cartridge as the cartridge rises from the magazine, positively guiding the cartridge into the chamber of the rifle. When single- round feeding, most controlled-round feed rifles require the cartridge to first be placed into the magazine. Not so the Sako 85. The cartridge may be inserted directly into the chamber of the rifle and the bolt closes without any worry of damage to the extractor claw or cartridge rim.

#### PRECISION AND SPEED Equals accuracy

The Sako 85 offers the shooter a crisp, single-stage trigger, user adjustable between 1 and 2 kilograms, and an incredibly fast total lock time of under 1.3 milliseconds.



# .338 FEDERAL – BIG GAME PERFORMANCE IN A NEW RIFLE CALIBER.

Federal Premium has chosen the Sako 85 as the benchmark rifle for the first-ever cartridge to bear the Federal name.

- A soft-recoiling .338 with magnum performance
- Flatter trajectory than a .308 Win
- More muzzle energy than a .30-06
- Fits in a light .308-length action
- · Ideal for all-around continental big game



# SAKO 85 SYNTHETIC STAINLESS

#### SAKO 85 SYNTHETIC STAINLESS

A masterful blending of Sako performance, tasteful innovation and world-class Giugiaro design, this synthetic-stock rifle features a controlled-round feeding all-stainless action and a match-grade, free-floating, hammer-forged stainless steel barrel. No matter how long a downpour, this rifle will be ready to hunt. The FinSoft recoil-absorption system dramatically reduces felt recoil, especially in the shooter's cheek as the comb line moves down under recoil.

#### SAKO 85 SYNTHETIC STAINLESS

| ACTION       | 3-LUG BOLT ACTION  |
|--------------|--|
| CALIBER      | 15 CALIBERS, SEE CHART PAGE 50                                 |
| <b>STOCK</b> | SYNTHETIC W/OVERMOLDED GRIPS, BLACK                            |
| RECOIL PAD   | FINSOFT, BLACK   |
| SAFETY       | TWO-POSITION LOCKING TRIGGER, BOLT HANDLE<br>AND FIRING PIN    |
| TRIGGER      | SINGLE-STAGE, ADJUSTABLE                                       |
| SIGHTS       | INTEGRAL TAPERED SCOPEMOUNT DOVETAILS                          |
| MAGAZINE     | DETACHABLE, 5-ROUND CAPACITY, 4 W/WSM                          |
| WEIGHT       | S ACTION 2.9 KG / 6.4 LBS,<br>SM AND M ACTION 3.0 KG / 6.6 LBS |



Every Sako barrel is cold-hammer-forged and finished in-house to ensure match-grade accuracy. The muzzle crown is carefully cut by hand and final inspection is done using the most complex and highly refined optical fine tuning instrument known to man: the human eye.

#### SAKO 85 SYNTHETIC EXCLUSIVES

Synthetic-stocked rifles frequently weigh less than their wood counterparts and, therefore, recoil slightly more. The innovative FinSoft recoil pad system absorbs and dissipates recoil forces away from the cheek, in more than one direction. Left-handed shooters can convert the stock with an accessory cheekpiece (not included).





SAKO REQUIRES THAT EVERY RIFLE MUST FIRE A 1-INCH, 5-SHOT GROUP FROM 100 YARDS, PRIOR TO LEAVING THE FACTORY.

# SAKO 85 LAMINATED STAINLESS

#### SAKO 85 LAMINATED STAINLESS

A natural-born Finnish hunter, the Sako 85 Laminated Stainless features the same all-stainless barreled action as its cousin, the Sako 85 Synthetic Stainless combined with an attractive, natural-feel, ultratough checkered grey laminated stock. The stainless barreled action and warp-free stock make this rifle perfect for hunting in extreme conditions while retaining the traditional warm look and feel of the wood stock.

#### SAKO 85 LAMINATED STAINLESS

| ACTION       | 3-LUG BOLT ACTION   |
|--------------|---|
| CALIBER      | 14 CALIBERS, SEE CHART PAGE 50                                  |
| <b>STOCK</b> | LAMINATED HARDWOOD, MATTE GREY / BLACK                          |
| RECOIL PAD   | RUBBER, BLACK   |
| SAFETY       | TWO-POSITION LOCKING TRIGGER,<br>BOLT HANDLE AND FIRING PIN     |
| TRIGGER      | SINGLE-STAGE, ADJUSTABLE  |
| SIGHTS       | INTEGRAL TAPERED SCOPEMOUNT DOVETAILS                           |
| MAGAZINE     | DETACHABLE, 5-ROUND CAPACITY, 4 W / WSM                         |
| WEIGHT       | S ACTION 3.3 KG / 7.25 LBS,<br>SM AND M ACTION 3.4 KG / 7.5 LBS |



The bedding of the receiver is critical to the accuracy of any rifle. The flat bottom and side profiles of the Sako 85 receiver in conjunction with the innovative recoil lug, integral to the stock, allow stockmakers to mate the receiver to the stock with a degree of precision which is far more difficult to achieve with round profiled receivers and conventional recoil lugs. These flat surfaces also reduce the torque twist of the receiver against the stock bedding surfaces that occurs when a rifle is fired, prolonging the accuracy of the bedding.



The lengthened rear bolt guide makes an already smooth action even smoother. Typically, the shorter the action the more susceptible it is to bolt bind due to decreased bearing surface area. The lengthened rear bolt guide surface of the Sako 85 ensures the smoothest possible bind-free bolt travel, even in the very popular WSM chamberings.





# SAKO QUAD



One rifle now allows you to own any or all of the four most popular rimfire cartridges available. Truly unique in the world of rimfire rifles, the Sako Quad lets you select any of the four interchangeable cold-hammer-forged rifled barrels and change them in seconds. The barrels may be removed and replaced without change in the point of impact. The Sako Quad features a supersmooth bolt throw with a short 50-degree bolt handle lift, detachable magazine, and user adjustable trigger system. Complete rifles and optional spare barrels chambered for .22 LR, .17 HMR, .22 WMR or .17 Mach2 are available.

#### SAKO QUAD HUNTER

New for 2006 – 2007, the Sako Quad Hunter features an attractive oil-finished walnut stock that will please even the staunchest traditionalists. Sako craftsmen have created a new checkering pattern integrating the distinctive "shark-gill" design of the original Quad Synthetic with traditional cut checkering. Like the Synthetic, the Quad Hunter features a detachable magazine, adjustable trigger, and minute-of-angle accuracy.

#### SAKO QUAD SYNTHETIC

The Sako Quad Synthetic defines versatility and durability in the rimfire rifle world. The Quad Synthetic marries all the precision and innovative features of the Sako Quad barrel and action system with the rugged durability and stability of a fiberglass-reinforced copolymer synthetic stock.

|              | SAKO QUAD HUNTER         | SAKO QUAD SYNTHETIC         |  |  |  |  |  |  |  |  |
|--------------|--------------------------|-----------------------------|--|--|--|--|--|--|--|--|
| ACTION       | 2-LUG BOLT ACTION        | 2-LUG BOLT ACTION           |  |  |  |  |  |  |  |  |
| <b>STOCK</b> | WALNUT                   | SYNTHETIC                   |  |  |  |  |  |  |  |  |
| RECOIL PAD   | RUBBER, BLACK            |                             |  |  |  |  |  |  |  |  |
| SAFETY       | TWO-POSITION             |                             |  |  |  |  |  |  |  |  |
| TRIGGER      | SINGLE-STAGE, ADJUSTABLE |                             |  |  |  |  |  |  |  |  |
| MAGAZINE     | METAL, DETACH            | METAL, DETACHABLE, 5 ROUNDS |  |  |  |  |  |  |  |  |
| SIGHTS       | WITH                     | IOUT                        |  |  |  |  |  |  |  |  |
| WEIGHT       | 2.7 KG / 5.9 LBS         | 2.6 KG / 5.75 LBS           |  |  |  |  |  |  |  |  |

Barrels can be easily changed by using the Sako Quad barrel tool.







#### SAKO QUAD COMBO

.17 Mach2, .17 HMR, .22 LR, .22 WMR. Each of these four great rimfire cartridges works best for specific shooting needs. Now, there is no need to ponder over whether you have chosen the best small-bore rimfire caliber. The Sako Quad Combo is one rifle, four barrels, and two unique dual-caliber color-coded magazines. Available in either Hunter Combo or Synthetic Combo.

Each barrel and magazine is color coded for easy recognition. Just match the barrel band color with the correct dot color on the magazine. As an added feature, the magazines provide a unique safety system to prevent insertion with the wrong barrel in place.











case with barrel changing tool and room for a scope is supplied as standard with the Sako Quad Combo.

A high quality fitted aluminum

#### BURRIS SAKO QUAD 3-9X32 MM SCOPE

Color-coded windage and elevation adjustments are matched to the color coding on the Sako Quad barrels. Once calibrated for each of the calibers, a barrel change requires only a turn of the corresponding dial to zero the scope to the appropriate barrel.







#### SAKO TRG

Sako TRG is a total accuracy concept designed for one job only: to hit the target. This spectacular result of 100% Sako innovation gives you performance that transcends the highest demands for accuracy, reliability and versatility. The TRG is designed to meet individual tasks, and adjusts to each shooter's personal style, build and posture. Super target grade barrels, specially made for TRG (Cr-Mo or stainless), are cold-hammer forged. The solid vault-like action is also hammer forged from special steel alloy. The sturdy bolt with three locking lugs feeds rounds unfailingly from the centerline of a detachable staggered magazine. Bolt lift angle is only 60° for fast bolt throw. The target trigger is a fully adjustable two-stage unit. The integral 17 mm axial rails with recoil stop-slots on the top of the receiver allow a quick and perfect scope mounting.



#### TRG-BIPOD

Especially designed for sniping this new bipod lets the rifle "hang" below the hinge-point offering very steady shooting position even with large and heavy scopes on the rifle.



Tactical scope mount for modern three turret tactical scopes (30 and 34 mm tube diameter). The mount has 0.5 degree elevation allowance (30 MOA) for better adjustment range capability in long range shooting.



#### BUTT STOCK

Adjustable for height and cast-off/on. Cheekpiece adjustable laterally and with spacers also vertically. Specially designed contour allowing for steady and firm firing position



Highly effective threechamber muzzle brake.





All Sako TRG receivers are drilled and tapped for tactical (Picatinny) rails compatible with USA MIL-STD 1913. Configurations include black or green high-tech aluminum reinforced composite fully adjustable stock (cheekpiece and buttplate) with different finishes on barrel and action. Also available in an all-black stealth configuration featuring black stock with phosphatized barrel and action. Optional TRG accessories include a highly effective 3-chamber muzzle brake, innovative clip-on bipod, extra magazines, auxiliary adjustable sights, mirage strap, scope mounts, Picatinny interface, sling and swivels, cleaning kit, logistic transportation case as well as spacers for cheekpiece and butt plate.

#### SAKO TRG 42

The TRG 42 in 300 Win Mag and 338 Lapua Mag is a true long-range precision tool already adopted by numerous military and law-enforcement special units worldwide and also suitable for competition. The 338 Lapua Mag. caliber is also suited for antimaterial purposes. The rifle can be equipped with various accessories to fulfill the demands of tactical snipers.



#### SAKO TRG 22


The TRG 22 in 308 Win handles a multitude of accuracy tasks: it is a thoroughbred 300 m ISSF standard competition rifle, a CISM competition winner and serves the governments of several nations as their primary sniper rifle.




|            | SAKO TRG 42  | SAKO TRG 22   |  |  |  |  |  |  |  |  |
|------------|--|---|--|--|--|--|--|--|--|--|
| ACTION     | TRG. 3-LUG BOLT ACTION   | TRG. 3-LUG BOLT ACTION  |  |  |  |  |  |  |  |  |
| CALIBER    | 300 WIN MAG, 338 LAPUA MAG   | 308 WIN   |  |  |  |  |  |  |  |  |
| STOCK      | SYNTHETIC BLACK OR GREEN. FULLY ADJUSTABLE BUTT STOCK AND CHEEKPIECE |   |  |  |  |  |  |  |  |  |
| RECOIL PAD | RUBBER, BLACK  |   |  |  |  |  |  |  |  |  |
| SAFETY     | TWO-POSITION LOCKING TRIGGER, BOLT HANDLE AND FIRING PIN             |   |  |  |  |  |  |  |  |  |
| TRIGGER    | DOUBLE STAGE TRIGGER, ADJUSTABLE                                     |   |  |  |  |  |  |  |  |  |
| SIGHTS     | WITHOUT. PICATINN  | IY RAIL ON REQUEST  |  |  |  |  |  |  |  |  |
| MAGAZINE   | DETACHABLE, 7 ROUNDS (300 WIN MAG),<br>5 ROUNDS (338 LAPUA MAG)      | DETACHABLE, 10 ROUNDS   |  |  |  |  |  |  |  |  |
| WEIGHT     | 5.1 kg / 11.25 LBS ( BLACK STOCK)<br>5.3 kg / 11.7 LBS (green stock) | 4.7 KG / 10.4 LBS ( BLACK STOCK)<br>4.9 KG / 10.8 LBS (GREEN STOCK) |  |  |  |  |  |  |  |  |

# TIKKA T3 SERIES

Redefining what a hunter can expect from a rifle in its modest price range, the Tikka T3 is taking the American market by storm. The principle around its design is bold: with today's available technology, there is no excuse not to incorporate the most desirable features in a rifle. So the engineers at Sako in Finland and the designers at Giugiaro in Italy went to work. The result is truly the finest production rifle available to the American shooter, a rifle that incorporates an action, an adjustable trigger, distinctive styling at a truly unbeatable price tag. But most importantly, each one of these rifles only leave Finland after grouping three shots under 1 inch at 100 yards, making them an industry benchmark for out-of-the-box accuracy.





The most striking member of the Tikka hunting-rifle lineup, the Tikka T3 Deluxe's high-quality walnut stock sports an oil finish and is embellished by a rosewood fore-end tip and grip cap. To please even the most traditional of tastes, the T3 signature tripartite checkering is blended with a classic three-point design, making the T3 Deluxe a showstopper in all regards. The rifle's action is the already-legendary T3, rightfully known for its smooth bolt operation and crisp trigger-pull. The hammer-forged barrel is renowned for its accuracy.

Tikka barrels are precision cold-hammer-forged and free floated from the stock. The muzzle is hand crowned for a perfect finish, allowing for the highest degree of shooting accuracy.



|            | TIRIOT IS DELONE                                      |
|------------|---|
| ACTION     | 2-LUG BOLT ACTION, PLUNGER EJECTOR                    |
| CALIBER    | 19 CALIBERS, SEE CHART PAGE 51                        |
| STOCK      | WALNUT WITH ROSEWOOD<br>CONSTRASTING TIP AND GRIP CAP |
| RECOIL PAD | RUBBER, BLACK   |
| SAFETY     | TWO-POSITION  |
| TRIGGER    | SINGLE-STAGE, ADJUSTABLE                              |
| SIGHTS     | WITHOUT   |
| MAGAZINE   | FLUSH, DETACHABLE                                     |
| WEIGHT     | SEE CHART PAGE 51                                     |
|            |   |

TIKKA T3 DELUXE

# TIKKA T3 SERIES



#### TIKKA T3 HUNTER

The Tikka T3 Hunter features a glass-smooth action, a crisp, adjustable trigger, free floated match-grade hammer-forged barrel and a perfect mating between stock and metal. No Tikka T3 is even put on the shipping dock unless it groups 3 shots within 1 inch or less at 100 yards. Besides this fabulous performance, the T3 Hunter features a blend of Giugiaro distinctive checkering with the classic elegance of wood.

#### TIKKA T3 HUNTER

| ACTION     | 2-LUG BOLT ACTION, PLUNGER EJECTOR |
|------------|------------------------------------|
| CALIBER    | 19 CALIBERS, SEE CHART PAGE 51     |
| STOCK      | WALNUT                             |
| RECOIL PAD | RUBBER, BLACK                      |
| SAFETY     | TWO-POSITION                       |
| TRIGGER    | SINGLE-STAGE, ADJUSTABLE           |
| MAGAZINE   | FLUSH, DETACHABLE                  |
| SIGHTS     | WITHOUT                            |
| WEIGHT     | SEE CHART PAGE 51                  |

The detachable magazine is a straight, true feeding 3- or 5-shot, single-column design for fast and sure repeating. Made of a strong fiberglass composite, ensuring durability.





#### TIKKA T3 LITE STAINLESS

Synthetic stocks are the choice of hunters who must face tough weather conditions. With its stainless steel finish, the Tikka T3 Lite Stainless offers even better resistance to the elements. The lightweight, injection-molded stock is a godsend to hunters who spend long days in the mountains, as is its guaranteed accuracy. With a Giugiaro-designed stock, this rifle's harmonious and functional layout is both handsome and fast handling.

#### TIKKA T3 LITE STAINLESS

| ACTION     | 2-LUG BOLT ACTION, PLUNGER EJECTOR |
|------------|------------------------------------|
| CALIBER    | 18 CALIBERS, SEE CHART PAGE 51     |
| STOCK      | SYNTHETIC                          |
| RECOIL PAD | RUBBER, BLACK                      |
| SAFETY     | TWO-POSITION                       |
| TRIGGER    | SINGLE-STAGE, ADJUSTABLE           |
| SIGHTS     | WITHOUT                            |
| MAGAZINE   | FLUSH, DETACHABLE                  |
| WEIGHT     | SEE CHART PAGE 51                  |

The two-position safety catch is easy and precise to operate. When engaged, it blocks the bolt and trigger. When the two red dots shown are exposed, it indicates the rifle is ready to fire.



# TIKKA T3 SERIES

TIKKA T3 LITE

# 

Inspired by the strengths of the mighty game animal, the Tikka T3 Lite is perfect for the hunter who chases his quarry in dense woods or from a tree stand, or for the rancher who likes to keep a versatile rifle handy. Just as accurate as its full-size brothers, this synthetic features a quick-handling 19-inch cold-hammer-forged and free-floated barrel. Durable fiberglass-reinforced polymer stock with a straight comb and ambidextrous palm-swell.

#### TIKKA T3 LITE

| ACTION     | BOLT ACTION WITH TWO LOCKING LUGS, PLUNGER EJECTOR |
|------------|--|
| CALIBER    | 19 CALIBERS, SEE CHART PAGE 51                     |
| STOCK      | SYNTHETIC  |
| RECOIL PAD | RUBBER, BLACK                                      |
| SAFETY     | TWO-POSITION                                       |
| TRIGGER    | SINGLE-STAGE, ADJUSTABLE                           |
| MAGAZINE   | FLUSH, DETACHABLE. SEE CHART PAGE 51               |
| SIGHTS     | WITHOUT  |
| WEIGHT     | SEE CHART PAGE 51                                  |

A short bolt-lift angle of 70 degrees combined with a bolt throw to match the cartridge length means quick and smooth bolt cycling.





#### TIKKA T3 VARMINT

Serious varmint hunting and benchrest shooting require the hyperaccuracy of the Tikka T3 Varmint. The cold-hammer-forged barrel has a true varmint-style "bull" contour for maximum rigidity and absolute performance. The stable synthetic stock incorporates a high comb and wide forearm for better stability. As with all Tikka T3 rifles, the muzzle crown is concave and hand-turned — a custom feature that will enhance the performance of your rifle by protecting the lands and grooves from anything that may come into contact with the muzzle.

#### TIKKA T3 VARMINT

| ACTION     | 2-LUG BOLT ACTION, PLUNGER EJECTOR      |
|------------|---|
| CALIBER    | 18 CALIBERS, SEE CHART PAGE 51          |
| STOCK      | Synthetic with raised comb / beavertail |
| RECOIL PAD | RUBBER, BLACK                           |
| SAFETY     | TWO-POSITION                            |
| TRIGGER    | SINGLE-STAGE, ADJUSTABLE                |
| MAGAZINE   | EXTENDED, DETACHABLE. SEE CHART PAGE 51 |
| SIGHTS     | WITHOUT                                 |
| WEIGHT     | SEE CHART PAGE 51                       |

The ridged Tikka receiver is topped off with integral rails for use with Optilock mounts. This action is also drilled and tapped for use with conventional bases.



# TIKKA T3 TACTICAL

### TIKKA T3 TACTICAL

When it comes to accuracy, the Tikka T3 Tactical is in a class of its own. The free-floating barrel is made of match grade Cr-Mo steel and manufactured by a precision cold-hammer forging process. The action and the barrel surfaces are manganese phosphatized for lasting protection against the elements and wear. The modern Teflon coated bolt has two front locking lugs and springloaded plunger ejector with 70 degree opening angle for fast, smooth and reliable operation. The 2-way safety locks both the bolt and the trigger. The trigger unit is adjustable with hand-honed sear/trigger without creep. Single set trigger is optional.



The detachable straight-feeding single column magazine is silent, durable and non-rusting. The standard 5/6-round magazines are tailored for each caliber for ultimate reliability and performance. New color coded magazines optional make the use of different loads easy to separate.

The stock is made of fiberglass reinforced copolymer polypropylene. The cheek-piece is adjustable at 5 mm interval up to 25 mm. The adjusting wheel can be fitted on either side of the stock.



#### ACCESSORIES

The standard Picatinny rail takes any Weaver or U.S. Mil. Std. 1913 compatible mounts. Scope, scope mounts, bipod, muzzle brake and heavy duty swivel studs are optional, as well as adjustable open sights and fore-and rear-stock fastened military type heavy duty sling studs for hook-type swivels.

#### TIKKA T3 TACTICAL

| ACTION     | 2-LUG BOLT ACTION, PLUNGER EJECTOR    |
|------------|---------------------------------------|
| CALIBER    | 3 CALIBERS, SEE CHART PAGE 51         |
| STOCK      | SYNTHETIC WITH ADJUSTABLE CHEEK-PIECE |
| RECOIL PAD | RUBBER, BLACK                         |
| SAFETY     | TWO-POSITION, ADJUSTABLE              |
| TRIGGER    | SINGLE-STAGE, ADJUSTABLE              |
| MAGAZINE   | EXTENDED, DETACHABLE                  |
| SIGHTS     | WITHOUT                               |
| WEIGHT     | SEE CHART PAGE 51                     |

# SAKO RIFLES CHART

| MODEL                     |        | DIMEN             | ISIONS             |                     |              |           |             |            |                  |             |            |                    | CA          | LIBER           | r / RA                | TE C                    | PF TV                 | VIST            |                |             |            |                  |              |                   |                 |                   | S            | IGHT           | GHTS TRIGGER     |                        |                        |                      |                            |               |               | _`_                          |
|---------------------------|--------|-------------------|--------------------|---------------------|--------------|-----------|-------------|------------|------------------|-------------|------------|--------------------|-------------|-----------------|-----------------------|-------------------------|-----------------------|-----------------|----------------|-------------|------------|------------------|--------------|-------------------|-----------------|-------------------|--------------|----------------|------------------|------------------------|------------------------|----------------------|----------------------------|---------------|---------------|------------------------------|
|                           | ACTION | TOTAL LENGTH (MM) | BARREL LENGTH (MM) | WEIGHT (KG APPROX.) | 17 MACH 2 9" | 17 HMR 9" | 22 LR 16.5" | 22 WMR 16" | 22 - 250 REM 14* | 243 WIN 10" | 260 REM 9" | 7 MM - 08 REM 9.5" | 308 WIN 11* | 338 FEDERAL 10" | 270 WIN SHORT MAG 10" | 7 MM WIN SHORT MAG 9.5" | 300 WIN SHORT MAG 11" | 25 - 06 REM 10* | 6.5 X 55 SE 8" | 270 WIN 10* | 7 X 64 10* | 30 - 06 SPRG 11* | 9.3 X 62 14" | 9.3 X 66 SAKO 14" | 300 WIN MAG 11" | 338 LAPUA MAG 12" | METAL SIGHTS | WITHOUT SIGHTS | PICATINNY - RAIL | SINGLE - STAGE TRIGGER | DOUBLE - STAGE TRIGGER | SINGLE - SET TRIGGER | MAGAZINE CAPACITY (ROUNDS) | MUZZLE THREAD | FOLDING STOCK | PHOSPHATIZED BARREL / RECEIV |
| QUAD HUNTER               | P04R   | 1010              | 560                | 2.7                 | •            | •         | •           | •          |                  |             |            |                    |             |                 |                       |                         |                       |                 |                |             |            |                  |              |                   |                 |                   | +            | •              |                  | •                      |                        | +                    | 5                          | +             |               |                              |
| QUAD<br>SYNTHETIC         | P04R   | 1010              | 560                | 2.6                 | •            | •         | •           | •          |                  |             |            |                    |             |                 |                       |                         |                       |                 |                |             |            |                  |              |                   |                 |                   | +            | •              |                  | •                      |                        | +                    | 5                          | +             |               |                              |
|                           | S      | 1075              | 570                | 3.2                 |              |           |             |            | •                | •           | •          | •                  | •           | •               |                       |                         |                       |                 |                |             |            |                  |              |                   |                 |                   | •            | +              |                  | •                      |                        | +                    | 5                          | +             |               |                              |
| 85 HUNTER                 | SM     | 1125              | 620                | 3.3                 |              |           |             |            |                  |             |            |                    |             |                 | •                     | •                       | •                     |                 |                |             |            |                  |              |                   |                 |                   | •            | +              |                  | •                      |                        | +                    | 4                          |               |               |                              |
|                           | Μ      | 1085              | 570                | 3.3                 |              |           |             |            |                  |             |            |                    |             |                 |                       |                         |                       | •               | •              | •           | •          | •                | •            | •                 |                 |                   | •            | +              |                  | •                      |                        | +                    | 5                          | +             |               |                              |
| 85 HUNTER                 | S      | 1090              | 570                | 3.3                 |              |           |             |            | •                | •           | •          | •                  | •           | •               |                       |                         |                       |                 |                |             |            |                  |              |                   |                 |                   |              | •              |                  | •                      |                        | +                    | 5                          |               |               |                              |
| LAMINATED                 | SM     | 1140              | 620                | 3.4                 |              |           |             |            |                  |             |            |                    |             |                 | •                     | •                       | •                     |                 |                |             |            |                  |              |                   |                 |                   |              | •              |                  | •                      |                        | +                    | 4                          |               |               |                              |
| STAINLESS                 | М      | 1100              | 570                | 3.4                 |              |           |             |            |                  |             |            |                    |             |                 |                       |                         |                       | •               | •              | •           |            | •                | •            |                   |                 |                   |              | •              |                  | •                      |                        | +                    | 5                          |               |               |                              |
|                           | S      | 1090              | 570                | 2.9                 |              |           |             |            | •                | •           | •          | •                  | •           | •               |                       |                         |                       |                 |                |             |            |                  |              |                   |                 |                   |              | •              |                  | •                      |                        | +                    | 5                          | +             |               |                              |
| 85 SYNTHETIC<br>STAINLESS | SM     | 1140              | 620                | 3.0                 |              |           |             |            |                  |             |            |                    |             |                 | •                     | •                       | •                     |                 |                |             |            |                  |              |                   |                 |                   |              | •              |                  | •                      |                        | +                    | 4                          |               |               |                              |
|                           | М      | 1110              | 580                | 3.0                 |              |           |             |            |                  |             |            |                    |             |                 |                       |                         |                       | •               | •              | •           |            | •                | •            | •                 |                 |                   |              | •              |                  | •                      |                        | +                    | 5                          | +             |               |                              |
| TRG-22 BLACK              | TRG    | 1150              | 660                | 4.7                 |              |           |             |            |                  |             |            |                    | •           |                 |                       |                         |                       |                 |                |             |            |                  |              |                   |                 |                   |              | •              | +                |                        | •                      |                      | 10                         | •             |               | +                            |
| TRG-22 GREEN              | TRG    | 1150              | 660                | 4.9                 |              |           |             |            |                  |             |            |                    | •           |                 |                       |                         |                       |                 |                |             |            |                  |              |                   |                 |                   |              | •              | +                |                        | •                      |                      | 10                         | •             | +             | •                            |
| TRG-42 BLACK              | TRG    | 1200              | 690                | 5.1                 |              |           |             |            |                  |             |            |                    |             |                 |                       |                         |                       |                 |                |             |            |                  |              |                   | •               |                   |              | •              | +                |                        | •                      |                      | 7                          | •             |               | +                            |
| TRG-42 BLACK              | TRG    | 1200              | 690                | 5.1                 |              |           |             |            |                  |             |            |                    |             |                 |                       |                         |                       |                 |                |             |            |                  |              |                   |                 | •                 |              | •              | +                |                        | •                      |                      | 5                          | •             |               | +                            |
| TRG-42 GREEN              | TRG    | 1200              | 690                | 5.3                 |              |           |             |            |                  |             |            |                    |             |                 |                       |                         |                       |                 |                |             |            |                  |              |                   | •               |                   |              | •              | +                |                        | •                      |                      | 7                          | •             | +             | •                            |
| TRG-42 GREEN              | TRG    | 1200              | 690                | 5.3                 |              |           |             |            |                  |             |            |                    |             |                 |                       |                         |                       |                 |                |             |            |                  |              |                   |                 | •                 |              | •              | +                |                        | •                      |                      | 5                          | •             | +             | •                            |

RIFLE WEIGHT MAY VARY DEPENDING ON WOOD DENSITY AND CALIBER. THE MANUFACTURER RESERVES THE RIGHT TO MODIFY SPECIFICATIONS.



# TIKKA RIFLES CHART

| MODEL       |           | DIMEN             | SIONS              |                     |           | CALIBER / RATE OF TWIST |         |              |         |         |               |         | LIBEF       | R / RA            | ATE C             | DF TV       | VIST        |         |        |              |          |              | S           | TOC         | K     | 5              | GHT               | S           | TRIC           | GGER           | (SC                    | (SC                  |                      |                            |                          |               |
|-------------|-----------|-------------------|--------------------|---------------------|-----------|-------------------------|---------|--------------|---------|---------|---------------|---------|-------------|-------------------|-------------------|-------------|-------------|---------|--------|--------------|----------|--------------|-------------|-------------|-------|----------------|-------------------|-------------|----------------|----------------|------------------------|----------------------|----------------------|----------------------------|--------------------------|---------------|
|             |           |                   |                    |                     | 12*       | 14~                     | š.      | 14 "         | 10″     | .6      | 9.5″          | 11*     | 10″         | 10 ″              | *                 | 10 ~        | š           | 10*     | 10″    | 11*          | 14 ~     | 9.5″         | *           | 10″         |       |                |                   |             |                |                |                        |                      | (ROUNDS)             | SOUNE                      | Ш                        |               |
|             | T3 ACTION | TOTAL LENGTH (MM) | BARREL LENGTH (MM) | WEIGHT (KG APPROX.) | 204 RUGER | 222 REM                 | 223 REM | 22 - 250 REM | 243 WIN | 260 REM | 7 MM - 08 REM | 308 WIN | 338 FEDERAL | 270 WIN SHORT MAG | 300 WIN SHORT MAG | 25 - 06 REM | 6.5 X 55 SE | 270 WIN | 7 X 64 | 30 - 06 SPRG | 9.3 X 62 | 7 MM REM MAG | 300 WIN MAG | 338 WIN MAG | OILED | MATT LACQUERED | INJECTION MOULDED | OPEN SIGHTS | WITHOUT SIGHTS | PICATINNY RAIL | SINGLE - STAGE TRIGGER | SINGLE - SET TRIGGER | MAGAZINE CAPACITY (F | OPTIONAL MAGAZINE (ROUNDS) | ADJUSTABLE CHEEK - PIECE | MUZZLE THREAD |
|             | S         | 1080              | 570                | 3.1                 |           | •                       | •       |              |         |         |               |         |             |                   |                   |             |             |         |        |              |          |              |             |             | •     | +              |                   | +           | •              |                | •                      | +                    | 4                    | 6                          |                          |               |
| HUNTER      | ME        | 1080              | 570                | 3.1                 |           |                         |         | •            | ٠       | •       | ٠             | •       | •           |                   |                   |             |             |         |        |              |          |              |             |             | ٠     | +              |                   | +           | ٠              |                | ٠                      | +                    | 3                    | 5                          |                          |               |
|             | SM        | 1130              | 620                | 3.2                 |           |                         |         |              |         |         |               |         |             | •                 | •                 |             |             |         |        |              |          |              |             |             | ٠     | +              |                   | +           | •              |                | •                      | +                    | 3                    |                            |                          |               |
| DELUXE      | L         | 1080              | 570                | 3.1                 |           |                         |         |              |         |         |               |         |             |                   |                   | •           | •           | •       | •      | •            | •        |              |             |             | •     | +              |                   | +           | •              |                | •                      | +                    | 3                    | 5                          |                          |               |
|             | М         | 1130              | 620                | 3.2                 |           |                         |         |              |         |         |               |         |             |                   |                   |             |             |         |        |              |          | ٠            | •           | •           | ٠     | +              |                   | +           | •              |                | •                      | +                    | 3                    | 5                          |                          |               |
|             | S         | 1080              | 570                | 2.8                 |           | •                       | •       |              |         |         |               |         |             |                   |                   |             |             |         |        |              |          |              |             |             |       |                | •                 | 2           | •              |                | •                      | +                    | 4                    | 6                          |                          |               |
| LITE        | ME        | 1080              | 570                | 2.8                 |           |                         |         | •            | •       | ٠       | •             | ٠       | •           |                   |                   |             |             |         |        |              |          |              |             |             |       |                | •                 | 2           | •              |                | •                      | +                    | 3                    | 5                          |                          |               |
| LITE        | SM        | 1130              | 620                | 2.9                 |           |                         |         |              |         |         |               |         |             | •                 | •                 |             |             |         |        |              |          |              |             |             |       |                | •                 | 2           | •              |                | •                      | +                    | 3                    | -                          | -                        |               |
| STAINLESS   | L         | 1080              | 570                | 2.8                 |           |                         |         |              |         |         |               |         |             |                   |                   | •           | •           | •       | 1      | •            | •        |              |             |             |       |                | •                 | 2           | •              |                | •                      | +                    | 3                    | 5                          |                          |               |
|             | M         | 1130              | 620                | 2.9                 |           |                         |         |              |         |         |               |         |             |                   |                   |             |             |         |        |              |          | ٠            | •           | •           |       |                | ٠                 | 2           | •              |                | •                      | +                    | 3                    | 5                          |                          |               |
|             | S         | 1080              | 570                | 3.1                 |           | •                       | •       |              |         |         |               |         |             |                   |                   |             |             |         |        |              |          |              |             |             |       |                | •                 | <u> </u>    | •              |                | •                      | +                    | 4                    | 6                          |                          |               |
| САМО        | ME        | 1080              | 570                | 3.1                 |           |                         |         | •            | •       | •       | •             | •       | •           |                   |                   |             |             |         |        |              |          |              |             |             |       |                | •                 |             | •              |                | •                      | +                    | 3                    | 5                          | <u> </u>                 |               |
| STAINLESS   | SM        | 1130              | 620                | 3.2                 |           |                         |         |              |         |         |               |         |             | •                 | •                 |             |             |         |        |              |          |              |             |             |       |                | •                 | <u> </u>    | •              |                | •                      | +                    | 3                    | <u> </u>                   | <u> </u>                 |               |
|             | L         | 1080              | 570                | 3.1                 |           |                         |         |              |         |         |               |         |             |                   |                   | •           | •           |         | •      | •            | •        |              |             |             |       |                | •                 |             | •              |                | •                      | +                    | 3                    | 5                          |                          |               |
|             | M         | 1130              | 620                | 3.2                 |           |                         |         |              |         |         |               |         |             |                   |                   |             |             |         |        |              |          | ٠            | •           | ٠           |       |                | ٠                 |             | •              |                | ٠                      | +                    | 3                    | 5                          |                          |               |
|             | S         | 1080              | 570                | 3.1                 |           | •                       | •       |              |         |         |               |         |             |                   |                   |             |             |         |        |              |          |              |             |             |       | ٠              |                   | <u> </u>    | •              |                | ٠                      | +                    | 4                    | 6                          |                          |               |
| LAMINATED   | ME        | 1080              | 570                | 3.1                 |           |                         |         | •            | •       | •       | •             | •       | •           |                   |                   |             |             |         |        |              |          |              |             |             |       | •              |                   | <u> </u>    | •              |                | •                      | +                    | 3                    | 5                          | <u> </u>                 |               |
| STAINLESS   | SM        | 1130              | 620                | 3.2                 |           |                         |         |              |         |         |               |         |             | •                 | ٠                 |             |             |         |        |              |          |              |             |             |       | ٠              |                   | <u> </u>    | •              |                | •                      | +                    | 3                    |                            |                          |               |
|             | L         | 1080              | 570                | 3.1                 |           |                         |         |              |         |         |               |         |             |                   |                   | •           | ٠           | •       |        | ٠            | •        |              |             |             |       | ٠              |                   | <u> </u>    | •              |                | •                      | +                    | 3                    | 5                          |                          |               |
|             | M         | 1130              | 620                | 3.2                 |           |                         |         |              |         |         |               |         |             |                   |                   |             |             |         |        |              |          | ٠            | •           | •           |       | ٠              |                   |             | •              |                | •                      | +                    | 3                    | 5                          |                          |               |
|             | ME        | 1010              | 500                | 3.1                 |           |                         |         |              |         |         |               | •       |             |                   |                   |             |             |         |        |              |          |              |             |             | •     | +              |                   | •           |                |                | •                      | +                    | 3                    | 5                          | <u> </u>                 |               |
| BATTUE      | SM        | 1010              | 500                | 3.1                 |           |                         |         |              |         |         |               |         |             |                   | •                 |             |             |         |        |              |          |              |             |             | •     | +              |                   | •           |                |                | •                      | +                    | 3                    |                            | <u> </u>                 |               |
|             | L         | 1010              | 500                | 3.1                 |           |                         |         |              |         |         |               |         |             |                   |                   |             |             |         | •      | •            | •        |              |             |             | •     | +              |                   | •           |                |                | •                      | +                    | 3                    | 5                          | <u> </u>                 |               |
|             | M         | 1010              | 500                | 3.1                 |           |                         |         |              |         |         |               |         |             |                   |                   |             |             |         |        |              |          |              | •           |             | •     | +              |                   | •           |                |                | •                      | +                    | 3                    | 5                          |                          |               |
|             | ME        | 1010              | 500                | 2.8                 |           |                         |         |              |         |         |               | •       |             |                   |                   |             |             |         |        |              |          |              |             |             |       |                | •                 | •           |                |                | •                      | +                    | 3                    | 5                          | <u> </u>                 |               |
| BATTUE LITE | SM        | 1010              | 500                | 2.8                 |           |                         |         |              |         |         |               |         |             |                   | •                 |             |             |         |        |              |          |              |             |             |       |                | •                 | •           |                |                | •                      | +                    | 3                    | <u> </u>                   |                          |               |
|             | L         | 1010              | 500                | 2.8                 |           |                         |         |              |         |         |               |         |             |                   |                   |             |             |         | •      | ٠            | •        |              |             |             |       |                | •                 | •           |                |                | •                      | +                    | 3                    | 5                          |                          |               |
|             | M         | 1010              | 500                | 2.8                 |           |                         |         |              |         |         |               |         |             |                   |                   |             |             |         |        |              |          |              | •           |             |       |                | •                 | •           |                |                | •                      | +                    | 3                    | 5                          |                          |               |
| VADAULT     | S         | 1110              | 600                | 3.6                 | •         | •                       | •       |              |         |         |               |         |             |                   |                   |             |             |         |        |              |          |              |             |             |       |                | •                 |             | •              |                | •                      | +                    | 6                    | 4                          |                          |               |
| VARMINT     | ME        | 1110              | 600                | 3.6                 |           |                         |         | •            | •       | •       | •             | •       |             |                   |                   |             |             |         |        |              |          |              |             |             |       |                | •                 |             | •              |                | •                      | +                    | 5                    | 3                          | -                        |               |
| VARMINT     | SM        | 1110              | 600                | 3.6                 |           |                         |         |              |         |         |               |         |             | •                 | •                 |             |             |         |        |              |          |              |             |             |       |                | •                 |             | •              |                | •                      | +                    | 3                    |                            |                          |               |
| STAINLESS   | L         | 1110              | 600                | 3.6                 |           |                         |         |              |         |         |               |         |             |                   |                   | •           | •           | •       |        | •            | •        |              |             |             |       |                | •                 |             | •              |                | •                      | +                    | 5                    | 3                          | -                        |               |
|             | M         | 1110              | 600                | 3.6                 |           |                         |         |              |         |         |               |         |             |                   |                   |             |             |         |        |              |          | •            | •           | •           |       |                | •                 |             | •              |                | •                      | +                    | 5                    | 3                          |                          |               |
|             | S         | 1110              | 600                | 3.7                 | •         | •                       | •       |              |         |         |               |         |             |                   |                   |             |             |         |        |              |          |              |             |             |       |                | •                 |             | •              | +              | •                      | +                    | 6                    | 4                          | •                        |               |
| SUPER       | ME        | 1110              | 600                | 3.7                 |           |                         |         | •            | •       | •       | •             | •       |             |                   |                   |             |             |         |        |              |          |              |             |             |       |                | •                 |             | •              | +              | •                      | +                    | 5                    | 3                          | •                        |               |
| VARMINT     | SM        | 1110              | 600                | 3.7                 |           |                         |         |              |         |         |               |         |             | •                 | •                 |             |             |         |        |              |          |              |             |             |       |                | •                 |             | •              | +              | •                      | +                    | 3                    | -                          | •                        |               |
|             | L         | 1110              | 600                | 3.7                 |           |                         |         |              |         |         |               |         |             |                   |                   | •           | •           | •       |        | •            | •        |              |             |             |       |                | •                 |             | •              | +              | •                      | +                    | 5                    | 3                          | •                        |               |
|             | M         | 1110              | 600                | 3.7                 |           |                         |         |              |         |         |               |         |             |                   |                   |             |             |         |        |              |          | •            | •           | •           |       |                | •                 |             | •              | +              | •                      | +                    | 5                    | 3                          | •                        |               |
|             | S         | 1020              | 510                | 3.6                 |           |                         | •       |              |         |         |               |         |             |                   |                   |             |             |         |        |              |          |              |             |             |       |                | •                 | +           | •              | •              | •                      | +                    | 6                    |                            | •                        | •             |
|             | S         | 1110              | 600                | 3.7                 |           |                         | +       |              |         |         |               |         |             |                   |                   |             |             |         |        |              |          |              |             |             |       |                | •                 | +           | •              | •              | •                      | +                    | 6                    |                            | •                        | •             |
| TACTICAL    | ME        | 1020              | 510                | 3.6                 |           |                         |         |              |         |         |               | •       |             |                   |                   |             |             |         |        |              |          |              |             |             |       |                | •                 | +           | •              | •              | •                      | +                    | 5                    |                            | •                        | •             |
|             | ME        | 1110              | 600                | 3.7                 |           |                         |         |              |         |         |               | +       |             |                   |                   |             |             |         |        |              |          |              |             |             |       |                | •                 | +           | •              | •              | •                      | +                    | 5                    |                            | •                        | •             |
|             | M         | 1110              | 600                | 3.7                 |           |                         |         |              |         |         |               |         |             |                   |                   |             |             |         |        |              |          |              | •           |             |       |                | •                 | +           | •              | •              | •                      | +                    | 5                    |                            | •                        | •             |

S = SHORT ME = MEDIUM SM = SHORT MAGNUM L = LONG M = MAGNUM • = STANDARD 1 = MODEL LITE ONLY 2 = OPTIONAL FOR MODEL LITE ONLY. RIFLE WEIGHT MAY VARY DEPENDING ON WOOD DENSITY AND CALIBER. THE MANUFACTURER RESERVES THE RIGHT TO MODIFY SPECIFICATIONS.

# RIFLED SLUG GUNS

In many areas of the world, the Rifled Slug Gun is the firearm of choice for non-dangerous big game hunting and there is no finer choice than the Beretta series of Slug Guns. Both Beretta Slug Guns feature 24-inch barrels with a rifling profile optimized for superior accuracy with sabot-style slugs. These barrels feature chrome-lined chambers and bores for ease of cleaning and rust resistance. The integral cantilever Picatinny scope-mount rail of the XTrema2 ensures constant ridged alignment of the scope to the barrel for maximum accuracy and accepts common Weaver-style scope rings, such as Sako Optilock and Burris systems.

### A391 XTREMA2 SYNTHETIC RIFLED SLUG

No other autoloading shotgun can match the Xtrema2 on reliability, recoil reduction, and simplicity of maintenance. Featuring Aqua technology for extreme environmental protection, the Xtrema2 Synthetic Rifled Slug Gun is constructed of advanced corrosive-resistant materials in all its internal and external components.

#### ES100 RIFLED SLUG

Designed for wild-boar and deer hunting, the ES100 Rifled Slug gun is a 12-gauge, inertia-operated semiautomatic with a 3-inch chamber. Its one-piece receiver and barrel design enhance accuracy by keeping a scope properly aligned with the barrel. Heavier contour makes the barrel more rigid and the gun softer-recoiling. The traditionally checkered stock and fore-end are made of selected walnut. Front and rear sight are fixed.

#### A391 XTREMA2 SYNTHETIC RIFLED SLUG

Xtrema2

#### ES 100 RIFLED SLUG

| ACTION            | SEMIAUTOMATIC GAS OPERATION WITH<br>TWO-LUG ROTATING BOLT AND SELF-<br>COMPENSATING GAS VALVE | SEMIAUTOMATIC, INERTIA OPERATED<br>WITH VERTICAL WEDGED LOCKING LUG |  |  |  |
|-------------------|---|---|--|--|--|
| GAUGE             | 12  | 12  |  |  |  |
| CHAMBER           | 76 MM / 3"  | 76 MM / 3"  |  |  |  |
| BARREL            | 61 CM / 24" RIFLED  | 61 CM / 24" RIFLED  |  |  |  |
| STOCK / FORE-END  | SYNTHETIC WITH OR WITHOUT<br>KICK-OFF SYSTEM  | WALNUT, CHECKERED   |  |  |  |
| STOCK DROP - COMB | 35 MM / 1.38"   | 35 MM / 1.38"   |  |  |  |
| STOCK DROP - HEEL | ADJUSTABLE FROM 55 MM / 2.17"<br>TO 60 MM / 2.36"   | 55 MM / 2.17"   |  |  |  |
| RECOIL PAD        | GEL-TEK   | BLACK RUBBER  |  |  |  |
| SAFETY            | CROSS-BOLT  | CROSS-BOLT  |  |  |  |
| TRIGGER           | BLACK   | NICKEL  |  |  |  |
| RIB TYPE          | NONE  | NONE  |  |  |  |
| SIGHTS            | CANTILEVER PICATINNY RAIL,<br>SCOPE AND RINGS NOT INCLUDED                                    | FIXED   |  |  |  |
| WEIGHT            | 3.550 KG / 7.8 LBS  | 3.550 KG / 7.8 LBS  |  |  |  |
| CARRY CASE        | YES   | YES   |  |  |  |



#### ES100 RIFLED SLUG

The one piece receiver and barrel design locks these key components together for maximum precision. This stability further enhances accuracy by keeping a scope properly aligned with the barrel.

WEIGHTS ARE APPROXIMATE, DEPENDENT ON WOOD DENSITY AND BARREL LENGTH



#### 471 SILVER HAWK SLUG

Remarkably light and responsive, the Beretta 471 Silver Hawk Slug side-by-side unites almost 500 years of tradition and elegance with modern and innovative technology. Its short cylindric barrels are specially designed to guarantee the best target acquisition and the maximum stopping power. Adjustable rear sight with folding leaf and ramp front sight, wraparound beavertail fore-end and rubber recoil pad feature in this model destined for the traditional hunting of hooved animals.

#### AL391 STONECOAT SLUG

With the proven self-compensating Beretta gas system and the exclusive recoil reducing Gel-Tek pad, the Beretta AL391 Stonecoat Slug performs a superb recoil control. Its special multilayered finish of nickel and chrome with final protective layer of titanium and zirconium will protect it from wear and corrosion. The special rib with adjustable V-shaped rear sight and the blade front sight with hood are standard. The receiver is designed to accept a weaver base to accept optics or other aiming systems.



#### AL391 URIKA2 CLASSIC SLUG

The new Urika2 Classic is now available also in this performing Slug version offering the ultimate features of the new self-cleaning gas system and the new X-Tra Grain wood enhancement treatment. A fine-line scroll engraving on both side panels of receiver distinguishes this model.

|                   | 471 SILVER HAWK SLUG                      | AL391 STONECOAT SLUG  | AL391 URIKA2 CLASSIC SLUG   |  |  |  |
|-------------------|---|---|---|--|--|--|
| ACTION            | BOX LOCK                                  | SEMIAUTOMATIC GAS OPERATION WITH<br>SELF-COMPENSATING EXHAUST VALVE | SEMIAUTOMATIC GAS OPERATION WITH SELF-COMPEN-<br>SATING EXHAUST VALVE AND SELF- CLEANING PISTON |  |  |  |
| GAUGE             | 12  | 12. 20  | 12, 20  |  |  |  |
| CHAMBER           | 76 MM / 3*                                | 76 MM / 3"  | 76 MM / 3"  |  |  |  |
| BARREL            | CYLINDER. 56 CM / 22"; 61 CM / 24"        | CYLINDER. 56 CM / 22"; 61   | CM / 24" (12 GAUGE ONLY)  |  |  |  |
| WOOD FINISH       | OIL                                       | MATTE   |   |  |  |  |
| STOCK / FORE-END  | SELECTED WALNUT, CHECKERED                | X-TRA GRAIN   |   |  |  |  |
| STOCK DROP - COMB | 35 MM / 1.38" OR 38 MM / 2.36"            | 35 MM / 1.38"   |   |  |  |  |
| STOCK DROP - HEEL | 55 MM / 2.17" OR 60 MM / 2.36"            | ADJUSTABLE FROM 50 MM / 1.97" TO 65 MM / 2.56"                      |   |  |  |  |
| RECOIL PAD        | FULL BLACK RUBBER                         | GEL-TEK   | OIL   |  |  |  |
| SAFETY            | AUTOMATIC OR MANUAL                       | CROSS-BOLT, REVERSIBLE FC   | DR LEFT-HANDED SHOOTERS   |  |  |  |
| TRIGGER           | SINGLE, SELECTIVE OR DOUBLE TRIGGER       | STONECOAT   | GOLD  |  |  |  |
| FORE-END          | BEAVERTAIL                                | ULTRA SLIM  |   |  |  |  |
| RIB TYPE          | SPECIAL SLUG                              | SHORT, STEPPED  |   |  |  |  |
| SIGHTS            | FOLDING LEAF REAR SIGHT. RAMP FRONT SIGHT | LEAF REAR SIGHT, WINDAGE ADJUSTABLE. RAMP FRONT SIGHT               |   |  |  |  |
| WEIGHT            | 2.950 KG / 6.5 LBS                        | 2.850 KG / 6.3 LBS; 2.750   | KG / 6.1 LBS (20 GAUGE)   |  |  |  |
| CARRY CASE        | YES                                       | YES   | YES   |  |  |  |
|                   |   |   |   |  |  |  |

WEIGHTS ARE APPROXIMATE, DEPENDENT ON WOOD DENSITY AND BARREL LENGTH.

# EXPRESS DOUBLE RIFLES

Rugged, reliable, accurate and lightweight, the Beretta Express 689 Sable over-and-unders have the power to stop game with the first shot, and the quick second-shot reliability to ensure an accurate follow-up shot if necessary. The 689 Sable are built on Beretta's reliable 20 gauge box lock shotgun frame and boast rifle-type firing pins and breech faces toughened to handle large centerfire cartridges. Barrels are rotary forged and precision-rifled to deliver remarkable accuracy. The short upper rib is designed to accept Weaver bases for scopes or other aiming systems. The V-notch rear sight features red luminous points. On request, they can be supplied with hook-in base for scope or with claw mounts. Formed from carefully selected walnut, the stock and fore-end have a European-style cheek rest.

#### 689 GOLD SABLE

The 689 Gold Sable is available with light scroll engraving on the color case-hardened receiver and superior solid rib. The stock and fore-end are of the finest walnut.

#### 689 SILVER SABLE II

Magnificent bas-relief engravings on the sides of the receiver show wildlife in their natural habitat, while all exterior metal surfaces are subtly decorated. The exclusive Beretta nickel based treatment protects the receiver from atmospheric damage.

### 689 GOLD SABLE

#### 689 SILVER SABLE II

| ACTION        | LOW PROFILE, IMPROVED BOX LOCK                          |   |  |  |  |  |
|---------------|---|---|--|--|--|--|
| CALIBER       | 30-06 SPRG, 9.3 X 74 R                                  | 30-06 SPRG, 8 X 57 JRS, 9.3 X 74 R              |  |  |  |  |
| BARREL LENGTH | 61 CM / 24"   | 56 CM / 22" OR 61 CM / 24"                      |  |  |  |  |
| <b>STOCK</b>  | HIGHLY SELECTED WALNUT WITH<br>CHEEK REST, CHECKERED    | SELECTED WALNUT WITH CHEEK REST, CHECK-<br>ERED |  |  |  |  |
| FORE-END      | SCHNABEL  |   |  |  |  |  |
| RECOIL PAD    | RUBBER, VENTILATED OR NON VENTILATED                    |   |  |  |  |  |
| SAFETY        | AUTOMATIC OR MANUAL                                     |   |  |  |  |  |
| TRIGGER       | DOUBLE OR SINGLE TRIGGER                                |   |  |  |  |  |
| RIB TYPE      | SOLID   | SHORT, PRESET FOR WEAVER RAIL                   |  |  |  |  |
| SIGHTS        | V-NOTCH REAR SIGHT, BLADE FRONT<br>SIGHT ON MUZZLE RAMP | LUMINOUS FRONT SIGHT,<br>V-NOTCH REAR SIGHT     |  |  |  |  |
| WEIGHT        | 3.500 KG / 7.7 LBS                                      | 3.500 KG / 7.7 LBS                              |  |  |  |  |
| CARRY CASE    | YES   | YES   |  |  |  |  |



689 SILVER SABLE II Magnificent bas-relief engravings on the receiver panels.

# APPAREL AND ACCESSORIES

#### LAPLAND COAT GU7E 2285 COL. 75 SIZE S - XXXL GULE 2285 COL. 75 SIZE S - XXXL Long version

Super microfiber jacket, with warm Thermore® insulation, waterproof Gore-Tex® liner, Teflon treatment and exclusive CoolMax® Beretta lining for breathability. THE THRILL OF THE HUNT CAN BE GREATLY ENHANCED BY WHAT YOU WEAR. PERFORMANCE, COMFORT AND TRADITION ARE BUILT INTO EVERY ARTICLE BERETTA OFFERS FOR THE BIG GAME HUNTER.



LAPLAND GLOVES GL30 2285 COL. 75 SIZE S – XXL Gore-Tex® waterproof gloves.



LAPLAND CAP BE60 2285 COL. 75 SIZE S – XXL Waterproof super microl



Waterproof super microfiber hat with Gore-Tex® liner, Coolmax® cover fabric, fleece ear warmer, orange "high visibility" reversible fabric.

#### LAPLAND PANTS CU28 2285 82 COL. 75 SIZE 46 - 62

Super microfiber pants are silent, highly abrasion resistant and feature a waterproof, breathable Gore-Tex® liner and warm Thermore® lining.

LAPLAND BREEKS CU36 2285 COL. 75 SIZE 46 - 62 Breeks made in silent, soft, super microfiber with knee clasp and buttoned pocket on the back.

# APPAREL AND ACCESSORIES

TESTED TIME AND AGAIN BY PROFESSIONAL GUIDES AND HUNTERS, BERETTA'S BIG GAME HUNTER COLLECTION LETS YOU TAKE TO THE FIELD IN FULL CONFIDENCE YOU'RE EQUIPPED WITH THE VERY BEST.

#### SUPER SUMMER JACKET GU61 2583 COL. 82 - 75 SIZE S - XXXL

An extraordinary functional safari jacket with sheel loops, freedom of movement pivot sleeves and four cargo pockets with bottons flap.





BURRIS LANDMARK SPOTTING SCOPE Spotter's sharp, clear images allow you to discern bullet holes in a target at 1000 yards.

#### SAFARI LINEN SHIRT

LU14 7544 COL. 01 – 56 – 82 SIZE S – XXXL Linen shirt with upper chest pocket, pocket strapping for load support.

# APPAREL AND ACCESSORIES

#### SAFARI WOMAN JACKET

GD81 2591 COL. 74 - 37 - 82 - 57 - 80 SIZE 38 - 52 Double twist cotton Sahariana perfectly tailored with generous cargo pockets and removable belt.



BERETTA'S ITALIAN STYLISTS DESIGN OUTDOOR ADVENTURE CLOTHING WITH BOTH A TOUCH OF CLASSIC ELEGANCE AND THE VERY LATEST IN PERFORMANCE - DRIVEN FABRICS.



SAFARI HAT BC51 2591 COL. 80 - 74 - 82 SIZE S - L



CO27 7 85

CO28 7 85

**SAFARI WOMAN SHORT BD13 2591 COL. 74 - 37 - 82 - 57 - 80 SIZE 38 - 52** Short with cargo pocket. POLO SHORT SLEEVE MD30 7219 COL. 25 - 03 SIZE S - XXL Short sleeves polo.



CHIARA CAINERO (ITA) - SKEET - WORLD CUP 2006: GOLD MEDAL. EUROPEAN CHAMPIONSHIP 2006: GOLD MEDAL. WORLD CHAMPIONSHIP 2006: SILVER MEDAL

# INTRODUCING VICTORY

The scorecard, the moist palms, and the lineup of like-minded competitors might indicate otherwise. But as the clays fly across your line of vision, you stand alone, competing against no one but yourself. Every inch of your being is focused, balanced, alert, working in unison. There's no denying you are here to win, to stand proudly on the podium. But more than anything else you are here to perform unfalteringly. To prove you've shot your very best.

To compete successfully, the Victory shooter requires dependable performance. Not just from themselves, but from their shotgun and the specialized apparel and accessories that work together to give them a competitive advantage. Designed for maximum performance in any event, Beretta's competition guns and clothing are the epitome of the craft, a testament to optimum control and reliability—as gold medal winners worldwide will attest.

# **DT10 TRIDENT**

#### DT10 TRIDENT TRAP

Features, dimensions, weight, balance, point of impact...everything in Beretta's competition over-andunders, the DT10 Trident, has been professionally refined to meet and surpass the technical requirements of serious competition. You'll never have to worry about a broken spring or clogged mechanism thanks to the DT10's quick-detach, removable trigger group. Specific features are the international style select walnut stock, the competition beavertail fore-end, the special top rib with white or red front sight.



#### DT10 TRIDENT X TRAP COMBO

A shotgun that's at home at any level of competition, from league night at your home club to the Olympics, the DT10 X Trap Combo is Beretta's top-of-the-line competition shotgun. In addition to the over-and-under Optima-Bore® barrels with Optimachoke® tubes an interchangeable bottom single barrel with adjustable top rip is supplied. The Montecarlo adjustable stock features the patented Memory System. Wide beavertail fore-end, tapered progressive top rib, white front sight wit mead bead are standard.

|                          | DT10 TRIDENT TRAP                                   | DT10 TRIDENT X TRAP COMBO  |  |  |  |  |
|--------------------------|---|--|--|--|--|--|
| ACTION                   | LOW PROFILE MONOLITHIC BOX LOCK                     |  |  |  |  |  |
| GAUGE                    | 1:  | 2  |  |  |  |  |
| CHAMBER                  | 70 MM / 2 <sup>3</sup> /4"                          | 76 MM / 3"   |  |  |  |  |
| BARREL LENGTH            | 76 CM / 30" OR 81 CM / 32"                          | 76 CM / 30" + 86 CM / 34" OR 81 CM / 32" + 86 CM / 34"   |  |  |  |  |
| CHOKES                   | FIXED   | OPTIMACHOKE <sup>®</sup>   |  |  |  |  |
| WOOD FINISH              | SEMIGLOSS   |  |  |  |  |  |
| STOCK/FORE-END           | HIGHLY SELECTED W                                   | ALNUT, CHECKERED   |  |  |  |  |
| STOCK DROP – COMB        | 28 MM / 1.10" OR 32 MM / 1.26"OR 34 MM / 1.34"      | 35 MM / 1.37" OR 38 MM / 1.50"   |  |  |  |  |
| STOCK DROP - HEEL        | 38 MM / 1.50" OR 42 MM / 1.65" OR 44 MM / 1.73"     | 55 MM / 2.17" OR 43 MM / 1.69"   |  |  |  |  |
| STOCK DROP – MONTE CARLO | -   | 35 MM / 1.37" OR 38 MM / 1.50"   |  |  |  |  |
| RECOIL PAD               | FULL BLAC   | X RUBBER   |  |  |  |  |
| SAFETY                   | MAN   | IUAL   |  |  |  |  |
| TRIGGER                  | SINGLE NON-SELECTIVE, ADJUSTABLE FOR LENGTH OF PULL | SINGLE SELECTIVE, ADJUSTABLE FOR LENGTH OF PULL  |  |  |  |  |
| FORE-END                 | BEAVERTAIL  | BEAVERTAIL, WIDE   |  |  |  |  |
| RIB TYPE                 | 10 MM X 10 MM OR 10 MM X 8 MM                       | 10 MM X 8 MM . ADJUSTABLE (SINGLE BARREL)  |  |  |  |  |
| SIGHT                    | WHITE OR RED FRONT BEAD                             | WHITE FRONT BEAD, METAL MID-BEAD   |  |  |  |  |
| WEIGHT                   | 3.750 KG / 8.3 LBS                                  | 4.100 KG / 9 LBS   |  |  |  |  |
| CARRY CASE               | YE  | IS IN THE REPORT OF THE REPORT |  |  |  |  |

#### -----

WEIGHTS ARE APPROXIMATE, DEPENDENT ON WOOD DENSITY AND BARREL LENGTH.

DT10 TRIDENT

# DT10 TRIDENT



#### DT10 TRIDENT SKEET

For skeet devotees, there's no finer choice than the DT10 Trident Skeet, no matter what level of competitive shooting you participate in. The skeet version with adjustable stock allows you to regulate your personal sight picture. Beretta's patented "Memory System" lets you remove and replace the comb without losing your individual settings. The Optima-Bore® barrel system with Optimachoke® tubes improves shot pattern distribution and velocity, felt recoil reduction.



#### DT10 TRIDENT SPORTING

For the sporting clays, the DT10 Sporting is the shotgun of choice. Like all Beretta DT10s, it features an ergonomic top lever and a detachable trigger assembly that can be removed from the receiver without tools for cleaning or maintenance. This masterpiece also offers a modified cross-bolt locking system with superior strength and Optima-Bore® barrels with Optimachoke® tubes. The single trigger is selective, the stock boasts a rounded rubber recoil pad, the fore-end is Schnabel.



#### **DT10 TRIDENT**

The initials "DT" are an abbreviation of "Detachable Trigger", emphasizing the efficiency and simplicity of the new trigger group release system.

|                   | DT10 TRIDENT SKEET  | DT10 TRIDENT<br>Sporting             |  |  |  |
|-------------------|---|--------------------------------------|--|--|--|
| ACTION            | LOW PROFILE MONOLITHIC BOX LOCK   |                                      |  |  |  |
| GAUGE             | 12  | 12                                   |  |  |  |
| CHAMBER           | 70 MM / 2¾*   | 76 MM / 3"                           |  |  |  |
| BARREL LENGTH     | 71 CM / 28" OR 76 CM / 30"  | 71 CM / 28"; 76 CM / 30"; 81 CM /32" |  |  |  |
| CHOKES            | FIXED OR OPTIMACHOKE <sup>®</sup><br>OR EXTENDED OPTIMACHOKE <sup>®</sup> | extended optimachoke®                |  |  |  |
| WOOD FINISH       | SEMIGLOSS   |                                      |  |  |  |
| STOCK/FORE-END    | HIGHLY SELECTED W   | ALNUT, CHECKERED                     |  |  |  |
| STOCK DROP – COMB | 35 MM / 1.37" OR 38 MM / 1.5"   | 35 MM / 1.37" OR 38 MM / 1.5"        |  |  |  |
| STOCK DROP - HEEL | 56 MM / 2.2" OR 60 MM / 2.36"   | 56 MM / 2.2" OR 60 MM / 2.36"        |  |  |  |
| RECOIL PAD        | FULL BLACK RUBBER<br>OR LEATHER COVERED                                   | FULL BLACK RUBBER                    |  |  |  |
| SAFETY            | MANUAL  |                                      |  |  |  |
| TRIGGER           | SINGLE SELECTIVE, ADJUSTA   | BLE FOR LENGTH OF PULL               |  |  |  |
| FORE-END          | BEAVERTAIL  | SCHNABEL OR BEAVERTAIL               |  |  |  |
| RIB TYPE          | 10 MM X 8 MM  |                                      |  |  |  |
| SIGHT             | WHITE FRONT BEAD  |                                      |  |  |  |
| WEIGHT            | 3.650 KG / 8 LBS  | 3.800 KG / 8.4 LBS                   |  |  |  |
| CARRY CASE        | YES   | YES                                  |  |  |  |

WEIGHTS ARE APPROXIMATE, DEPENDENT ON WOOD DENSITY AND BARREL LENGTH.

# 687 EELL DIAMOND PIGEON SPORTING AND 682 GOLD E SPORTING

#### 687 EELL DIAMOND PIGEON SPORTING

One of the most elegant, finely balanced and responsive double barrel shotguns in the world, the 687 EELL Diamond Pigeon 12 gauge is the epitome of luxury and performance for the competitive shooter. Beretta's extensive hand-chased engraving and highly figured select walnut set this shotgun apart from all others. Just like the field version in every luxurious detail with the added benefit of a wider rib for better target acquisition.

#### 682 GOLD E SPORTING

682 GOLD E

SPORTING

Designed to be shot hard with conical locking lugs engineered to compensate for the wear of thousands of rounds, the 682 Gold E Sporting has all the features to keep you at the top of your game. The recoil shoulders are replaceable (a must for avid shooters), the palm-swell allows for a more positive grip and the Optimachoke tubes give you smoking clay patterns. This is a beautiful shotgun, from the select walnut to the elegant engraving.

#### 687 EELL DIAMOND Pigeon sporting

#### LOW PROFILE, IMPROVED BOX LOW PROFILE, IMPROVED BOX ACTION LOCK WITH SIDE PLATES LOCK GAUGE 12, 20, 28, 410 12 76 MM / 3" (28 GAUGE: 70 MM / 2¾") CHAMBER 76 MM / 3" 71 CM / 28"; 76 CM / 30"; 81 CM /32" (12 AND 20 GAUGE ONLY) BARREL LENGTH CHOKES OPTIMACHOKE® (12 GAUGE ONLY) OR MOBILCHOKE® WOOD FINISH SEMIGLOSS OIL HIGHLY SELECTED WALNUT, STOCK/FORE-END SELECTED WALNUT, CHECKERED FINE-CUT CHECKERED **STOCK DROP - COMB** 38 MM / 1.50" OR 35 MM / 1.37" **STOCK DROP - HEEL** 60 MM / 2.36" OR 55 MM / 2.17" **RECOIL PAD** FULL BLACK RUBBER OR LEATHER COVERED SAFETY MANUAL TRIGGER SINGLE SELECTIVE, ADJUSTABLE FOR LENGTH OF PULL FORE-END SCHNABEL OR SEMI-BEAVERTAIL (28 AND .410 GAUGE) **RIB TYPE** 10 MM X 8 MM SIGHT WHITE FRONT BEAD (MID-BEAD ON REQUEST) 3.450 KG / 7.6 LBS; 2.850 KG / 6.3 LBS (20 GAUGE); WEIGHT 2.550 KG /5.6 LBS (28 AND .410 GAUGE) CARRY CASE YES YES

"WHEN I PURCHASED MY 682 GOLD E SPORTING I WAS VERY IMPRESSED BY THE LEVEL OF FIT AND FINISH. THE FIRST TIME I SHOT A ROUND OF SPORTING CLAYS WITH IT, I SHOT A 47 OUT OF 50. THE SECOND TIME, I SHOT 49 OUT OF 50. I AM PROUD TO SAY THAT I OWN SEVERAL BERETTA OVER-UNDERS AND THIS WON'T BE MY LAST. THE 682 GOLD E IS AN AMAZING SHOTGUN. THANK YOU, BERETTA, FOR EXCEEDING MY EXPECTATIONS."

— Jason Valiga, Beretta Customer

WEIGHTS ARE APPROXIMATE, DEPENDENT ON WOOD DENSITY AND BARREL LENGTH.



#### 682 GOLD E TRAP

Whatever your target discipline, the 682 Gold E can help you dominate. For the trap shooter, you'll find the 682 Gold E Trap perfect for your passion. It features a select walnut stock in international style with rubber recoil pad and beavertail fore-end, gold non-selective single trigger, adjustable for length of pull. And the distinctive receiver engraving and inlay pattern immediately identify it as a target gun. On request, a fully adjustable stock with Memory System is available.

#### 682 GOLD E SKEET

Special skeet stock with rounded rubber recoil pad, beavertail fore-end, tapered top rib with white front sight, non-selective adjustable single trigger and special Beretta skeet chokes characterize the gold medalist 682 Gold E skeet. This model is also available with Optima-Bore® barrels that reduce felt recoil and Optimachoke® or Extended Optimachoke® tubes ensuring consistent shot distribution and the adjustable stock with Memory System.

|                   | 682 GOLD E TRAP                                     | 682 GOLD E SKEET                        |  |  |  |  |  |
|-------------------|---|---|--|--|--|--|--|
| ACTION            | LOW PROFILE, IMPROVED BOX LOCK                      |   |  |  |  |  |  |
| GAUGE             | 12  | 12                                      |  |  |  |  |  |
| CHAMBER           | 70 MM / 2¾"   | 70 MM / 2¾" OR 76 MM / 3"               |  |  |  |  |  |
| BARREL LENGTH     | 76 CM / 30"; 81 CM /32"                             | 71 CM / 28"                             |  |  |  |  |  |
| CHOKES            | FIXED CHOKES  | FIXED CHOKES<br>OR OPTIMACHOKE®         |  |  |  |  |  |
| WOOD FINISH       | SEMIGLOSS   | SEMIGLOSS                               |  |  |  |  |  |
| STOCK/FORE-END    | SELECTED WALNUT, CHECKERED                          |   |  |  |  |  |  |
| STOCK DROP – COMB | 29 MM / 1.14" OR 32 MM / 1.26"<br>OR 35 MM / 1.37"  | 38 MM / 1.50" OR 35 MM / 1.37"          |  |  |  |  |  |
| STOCK DROP - HEEL | 39 MM / 1.53" OR 42 MM / 1.65"<br>OR 45 MM / 1.77"  | 60 MM / 2.36" OR 55 MM / 2.17"          |  |  |  |  |  |
| RECOIL PAD        | FULL BLACK RUBBER                                   | FULL BLACK RUBBER<br>OR LEATHER COVERED |  |  |  |  |  |
| SAFETY            | MAN   | IUAL                                    |  |  |  |  |  |
| TRIGGER           | SINGLE NON-SELECTIVE, ADJUSTABLE FOR LENGTH OF PULL |   |  |  |  |  |  |
| FORE-END          | BEAVERTAIL  |   |  |  |  |  |  |
| RIB TYPE          | 10 MM X 10 MM                                       | 10 MM X 8 MM                            |  |  |  |  |  |
| SIGHT             | WHITE FRONT BEAD (M                                 | 11D-BEAD ON REQUEST)                    |  |  |  |  |  |
| WEIGHT            | 3.650 KG / 8 LBS                                    | 3.400 KG / 7.5 LBS                      |  |  |  |  |  |
| CARRY CASE        | YES   | YES                                     |  |  |  |  |  |



#### ADJUSTABLE STOCK WITH MEMORY SYSTEM

The adjusting device is made of carbon reinforced technopolymer guaranteeing robustness and durability.



#### ADJUSTABLE Trigger

The single trigger is adjustable for length of pull.

WEIGHTS ARE APPROXIMATE, DEPENDENT ON WOOD DENSITY AND BARREL LENGTH.



686 E

The 686 E have been re-designed to make them the most sought after competition over-and-unders. The modern ellipsis graphic motif on the receiver and the exclusive dual color electroless finish characterize these guns adding protection against the elements. The 686 E Trap features a select walnut stock in international style and beavertail fore-end. Flat top rib has luminous or white front sight. Gold, non-selective single trigger. It is also available with adjustable stock Memory System.

#### 686 E SPORTING

Manufactured in 12 and 20 gauge, the 686 E Sporting offers single selective trigger, special Sporting stock and Schnabel fore-end, taperd top rib with luminous or white frot bead. The 12 gauge model is also available with Memory System adjustable stock, beavertail fore-end, single selective blocked trigger and luminous or white front sight with mid-rib bead. Mobilchoke<sup>®</sup> tubes are standard.

686 E TRAP

#### 686 E SKEET 686 E SPORTING

| ACTION            | LOW PROFILE, IMPROVED BOX LOCK                                |                            |  |  |  |  |
|-------------------|---|----------------------------|--|--|--|--|
| GAUGE             | 12  | 12                         | 12, 20   |  |  |  |
| CHAMBER           | 70 MM / 2¾"   | 70 MM / 2¾"                | 76 MM / 3"                                     |  |  |  |
| BARREL LENGTH     | 76 CM / 30"   | 67 CM / 26"; 71 CM / 28"   | 71 CM / 28"; 76 CM / 30"                       |  |  |  |
| CHOKES            | FIXED CHOKES  | FIXED CHOKES               | MOBILCHOKE® OR<br>OPTIMACHOKE®                 |  |  |  |
| WOOD FINISH       | SEMIGLOSS   | SEMIGLOSS                  | SEMIGLOSS                                      |  |  |  |
| STOCK/FORE-END    | 9   | SELECTED WALNUT, CHECKEREE | )  |  |  |  |
| STOCK DROP – COMB | 29 MM / 1.14" OR 35 MM<br>/ 1.37"                             | 35 MM / 1.37* O            | R 38 MM / 1.50"                                |  |  |  |
| STOCK DROP - HEEL | 39 MM / 1.53" OR 45 MM<br>/ 1.77"                             | 55 MM / 2.17" C            | DR 60 MM / 2.36"                               |  |  |  |
| RECOIL PAD        | FULL BLACK RUBBER. LEATHER COVERED (OPTIONAL FOR SKEET MODEL) |                            |  |  |  |  |
| SAFETY            | MANUAL  |                            |  |  |  |  |
| TRIGGER           | SINGLE NO   | N-SELECTIVE                | SINGLE SELECTIVE                               |  |  |  |
| FORE-END          | BEAVE   | RTAIL                      | SCHNABEL                                       |  |  |  |
| RIB TYPE          | 10 MM X 10 MM   | 10 MM X 8 MM               | 10 MM X 8 MM                                   |  |  |  |
| SIGHT             | LUMINOUS RED OR WHITE FRONT SIGHT. MID BEAD, ON REQUEST       |                            |  |  |  |  |
| WEIGHT            | 3.700 KG / 8.1 LBS  | 3.500 KG / 7.7 LBS         | 3.550 KG / 7.8";<br>3.000 KG /6.6 LBS (20 GA.) |  |  |  |
| CARRY CASE        | YES   | YES                        | YES  |  |  |  |

The ellipsis graphic motifs of 686 E blend modern design with beauty.



Adjustable stock with Memory System (on request for 686 E Trap and Sporting).

#### WEIGHTS ARE APPROXIMATE, DEPENDENT ON WOOD DENSITY AND BARREL LENGTH.

# 686E BLACK AND 686 WHITE ONYX SPORTING

#### 686 E BLACK SPORTING

2010

The 686 E is today produced also in a new and more exclusive special series, the 686 E Black, limited to 1100 pieces. Only 300 numbered 686 E Trap and 800 numbered Sporting models will be available. Both the 686 E Black versions feature, on the receiver, the same modern ellipsis graphic motif of the original model and a new exclusive matte/glossy black finish. The characteristics of 686 E Black Sporting and Trap models are the same of correspondent 686 E versions.

#### 686 WHITE ONYX SPORTING

Designed to fulfil everything shooters look for in a competition shotgun, the Beretta 686 White Onyx Sporting over-and-under proofs that you can still get brilliant results on a reasonable budget. It features a receiver machined with the Beretta distinctive Dura-lewel pattern and a nickel-alloy finish contrasting with the satin side panels and the gold-plated trigger. The Optima-Bore<sup>®</sup> barrels reduce felt recoil and the Optimachoke<sup>®</sup> tubes guarantee a perfect shot pattern and a regular distribution of pellets.

686 E BLACK TRAP

#### 686 E BLACK 686 WHITE ONYX Sporting Sporting

| ACTION            | LOW PROFILE, IMPROVED BOX LOCK                          |                         |                    |  |  |  |  |
|-------------------|---|-------------------------|--------------------|--|--|--|--|
| GAUGE             | 12  | 12                      | 12                 |  |  |  |  |
| CHAMBER           | 70 MM / 2¾"   | MM / 3"                 |                    |  |  |  |  |
| BARREL LENGTH     | 76 CM / 30"   | 8"; 76 CM / 30"         |                    |  |  |  |  |
| CHOKES            | FIXED CHOKES  | MOBILCHOKE <sup>®</sup> | OR OPTIMACHOKE®    |  |  |  |  |
| WOOD FINISH       | SEMIGLOSS   | SEMIGLOSS               | SEMIGLOSS          |  |  |  |  |
| STOCK/FORE-END    | SELECTED WALNUT, CHECKERED                              |                         |                    |  |  |  |  |
| STOCK DROP - COMB | 29 MM / 1.14" OR 35 MM / 1.37"                          | OR 38 MM / 1.50"        |                    |  |  |  |  |
| STOCK DROP - HEEL | 39 MM / 1.53" OR 45 MM / 1.77"                          | 55 MM / 2.17            | " OR 60 MM / 2.36" |  |  |  |  |
| RECOIL PAD        | FULL BLACK RUBBER                                       |                         |                    |  |  |  |  |
| SAFETY            | MANUAL  |                         |                    |  |  |  |  |
| TRIGGER           | SINGLE NON-SELECTIVE                                    | SINGLE SELECTIVE        |                    |  |  |  |  |
| FORE-END          | BEAVERTAIL  | SCHNABEL                |                    |  |  |  |  |
| RIB TYPE          | 10 MM X 10 MM   | 10 M                    | M X 8 MM           |  |  |  |  |
| SIGHT             | LUMINOUS RED OR WHITE FRONT SIGHT. MID BEAD, ON REQUEST |                         |                    |  |  |  |  |
| WEIGHT            | 3.700 KG / 8.1 LBS                                      | 3.550 KG / 7.8 LBS      |                    |  |  |  |  |
| CARRY CASE        | YES   | YES                     | YES                |  |  |  |  |
|                   |   |                         |                    |  |  |  |  |

WEIGHTS ARE APPROXIMATE, DEPENDENT ON WOOD DENSITY AND BARREL LENGTH.



686 E BLACK A new exclusive special series, limited to 1100 pieces (300 Trap, 800 Sporting).



# AL391 STONECOAT GOLD SPORTING



With an added suite of standard features, the AL391 Stonecoat Gold becomes the ultimate autoloader for the sporting clays course. Along with its distinctively engraved Beretta logo and blue enamel inserts, every Stonecoat Gold Sporting has a recoil reducer (Recoil Reduction System) fitted in the buttstock and an interchangeable top rib. Optima-Bore® barrel and Extended Optimachoke® tubes are supplied with the 12-gauge model. Gel-tek recoil pad is standard.





Both sides of the receiver feature blue-enameled inserts that unite the receiver and buttstock in a stylistic look and distinguish it from the field model.



12-gauge AL391 Stonecoat Gold Sporting.

|                   | AL391 STONECOAT<br>Gold Sporting                               | AL391 URIKA2<br>Parallel target sl | AL391 URIKA2<br>Gold Sporting   | AL391 URIKA 2<br>Sporting   |  |  |  |
|-------------------|--|------------------------------------|---------------------------------|-----------------------------|--|--|--|
| ACTION            |  | SEMIAUTOMATIC GAS OPERATION WITH   | SELF-COMPENSATING EXHAUST VALVE |                             |  |  |  |
| GAUGE             | 12, 20   | 12                                 | 12                              | 12, 20                      |  |  |  |
| CHAMBER           | 76 MM / 3"   | 76 MM / 3"                         | 76 MM / 3"                      | 76 MM / 3"                  |  |  |  |
| BARREL LENGTH     | 71 CM / 28" OR 76 CM / 30"                                     | 76 CM / 30" OR 81 CM / 32"         | 71 CM / 28" OR 76 CM / 30" OR   | 81 CM / 32" (12 GAUGE ONLY) |  |  |  |
| CHOKES            | EXTENDED OPTIMACHOKE®; EXTENDED VICTORY MOBILCHOKE® (20 GAUGE) |                                    |                                 |                             |  |  |  |
| WOOD FINISH       | OIL  | X-TRA GRAIN                        | OIL                             | X-TRA GRAIN                 |  |  |  |
| STOCK/FORE-END    | SELECTED WALNUT, CHECKERED                                     |                                    |                                 |                             |  |  |  |
| STOCK DROP - COMB | 35 MM / 1.37"  |                                    |                                 |                             |  |  |  |
| STOCK DROP - HEEL | ADJUSTABLE FROM 50 MM / 1.97" TO 55 MM / 2.17"                 |                                    |                                 |                             |  |  |  |
| RECOIL PAD        | GEL-TEK FULL BLACK RUBBER                                      |                                    |                                 |                             |  |  |  |
| SAFETY            | CROSS-BOLT, REVERSIBLE FOR LEFT-HANDED SHOOTERS                |                                    |                                 |                             |  |  |  |
| TRIGGER           | STONECOAT  |                                    | GOLD                            |                             |  |  |  |
| FORE-END          |  | SL                                 | IM                              |                             |  |  |  |
| RIB TYPE          | INTERCHANGEABLE, 10 MM X 10 MM                                 | STEPPED, 10 MM X 8 MM              | FLAT, 10 M                      | 1M X 8 MM                   |  |  |  |
| SIGHT             |  | LUMINOUS RED OR WHITE SIG          | GHT. MID BEAD, ON REQUEST       |                             |  |  |  |
| WEIGHT            |  | 3.550 KG / 7.8 LBS (12 GAUGE);     | 3.150 KG / 6.9 LBS (20 GAUGE)   |                             |  |  |  |
| CARRY CASE        | YES  | YES                                | YES                             | YES                         |  |  |  |

WEIGHTS ARE APPROXIMATE, DEPENDENT ON WOOD DENSITY AND BARREL LENGTH.

# AL391 URIKA2



#### AL391 URIKA2 PARALLEL TARGET SL

Made for those who want perfect shooting, the AL391 Urika2 Parallel Target boasts the same improved self-cleaning gas system and receiver finish of field grade models. It comes with a Monte Carlo stock with parallel comb and reduced grip radius. This facilitates the grip and instinctive pointing, especially for individuals with smaller hands. The shotgun has all the professional characteristics of the Beretta competition semiautomatics as the stock preset to lodge the Recoil Reduction System device.

#### AL391 URIKA2 GOLD SPORTING

Designed especially for the Sporting discipline, the Urika2 Gold Sporting boasts a special competition sporting stock with a rounded rubber recoil pad, wide, ventilated rib with luminous red or white front sight. Optima-Bore® barrel with Extended Optimachoke® tubes. Engraved floral motifs and "gold" markings decorate the glossy side panels of the receiver. The bolt and carrier are jeweled. Stock and fore-end are made with selected walnut. The Recoil Reduction System is optional.



#### AL391 URIKA2 SPORTING

The Beretta improved gas system of the Urika2 makes these semiautomatics some of the softest shooting autoloaders – right out of the box – reducing felt recoil and improving second shot recovery. The adjustable drop and cast system ensures a custom fit for every shooter. The optional Recoil Reduction System device can be lodged in the X-Tra Grain stock.



#### Top:

AL391 Urika2 Sporting offers a fine-line scroll engraving and an X-Tra Grain wood enhancement treatment of stock and fore-end. Right:

AL391 Urika2 Gold Sporting boasts an extended scroll engraving with "gold" markings and jeweled bolt and carrier.



# THE BERETTA TEAM

Can you imagine winning the World Shotgun Championship at 16 years old? The U.S.A.'s Vincent Hancock did just that this past year in Lonato, Italy, with an out-of-the-box Beretta DT10. He became the youngest shooter ever to win the world championship.

Hancock joins a prestigious list of some of the most respected and talented names in the sport of competitive shooting who embody the winning spirit of Beretta. From the Olympics to regional shoot-offs, a Beretta is usually in the hands of the champion. Beretta's gallery of champions from around the world are a testament to their skill, determination and performance under pressure. Like Beretta's competition guns, they represent the epitome of their craft.


### VINCENT HANCOCK DT10 TRIDENT

In the world of international skeet shooting, Vincent Hancock of Eatonton, Georgia, has been simply dominant. At just 16 years old, he won a gold medal win at his World Championship debut, becoming the youngest shooter to be crowned world champion. He has set every men's skeet world record while accomplishing what no one else has ever done: win seven medals in seven major International Shooting Sports Federation competitions.



### CHIARA CAINERO DT10 TRIDENT

Chiara Cainero of Italy has dominated the skeet international competitions during year 2006. World Cup winner, silver medalist at the World Championship, she won also the gold medal at the European Campionship.





### HALEY DUNN DT10 TRIDENT

At 21 years old, Dunn burst onto the international skeet shooting scene by setting a World Record and Junior World Record at the 2005 World Cup in Korea. Dunn followed that up with gold at the Championships of the Americas and the World Cup Finals in Dubai. She had the top finish for the United States in women's skeet at the 2005 World Clay Target Championships and won the 2005 ACUI Clay Target Championship in women's international skeet and five stand.

# THE BERETTA TEAM

### ANDREA BENELLI DT10 TRIDENT

Olympic champion Andrea Benelli of Italy won gold in men's skeet at Athens in 2004 after taking the bronze in Atlanta in 1996. Overall, he has captured eight gold, four silver and three bronze in the World Championship. Benelli's amazing gold medal career also includes 16 gold at the Trial World Cup, nine gold at the Italian Championship and eight at the European Championship.



### SCOTT ROBERTSON Al391 Teknys gold sporting

For three-time World Champion and eight-time National Champion, Scott Robertson stepping to the awards stand has almost become as much a part of his life as shooting. A gold medalist at the 2003 ESPN Great Outdoor Games and 13-time All American, Robertson of Flower Mound, Texas, has Pan-American, Caribbean Cup and Ducks Unlimited National championships among his many accomplishments.





### AHMED AL-MAKTOUM 682 gold e

A member of Dubai's ruling family and a former national squash champion, Ahmed Al-Maktoum entered the Olympic record books as the first-ever medalist from the United Arab Emirates when he blasted to gold in men's double trap shooting at Athens in 2004. Al-Maktoum, who did not take up shooting until the age of 34, has also taken gold at four World Cups, a World Championship and an Asian Championship.

# APPAREL AND ACCESSORIES

#### **B1ONE**

NEW ACCESSORIES COLLECTION MADE WITH FINE MATERIALS, CANVAS AND LEATHER, IT REFLECTS THE ESSENCE OF A WORLD TAILORED TO THE NEEDS TO THOSE WHO ARE PASSIONATE ABOUT THE OUTDOOR LIFE AND MAKE IT THEIR LIFESTYLE. BS96 119 83 Small cartridge bag (max 4 boxes).



CA16 119 83 Cartridge belt with inner thermo-shield and 26 elastic loops with leather reinforcement.



**BS98 119 83** 50 shells pouch with belt.



BS99 119 83 25 shells hull pouch with belt.



SL13 119 83 Leather and canvas shotgun sling with non-slip backing.

#### WWW.BERETTA.COM

BERETTA

# VICTORY

# APPAREL AND ACCESSORIES

# BST2 141 58

Range bag, adjustable dividers, padded shoulder straps.



FOT2 141 58 Shotgun case, padded handle, external pocket for shoulder straps, 50"/127 cm.



BS41 116 56 Pro shell holder.



BS42 116 56 Pro shell bag, 3 chokes holder.



OM24 29 58 Competition umbrella 148cm diameter.







Shooter's towel, cotton with grommet hole and clip.

# VICTORY

# APPAREL AND ACCESSORIES

WHETHER YOU'RE A BEGINNER OR AN EXPERT ON THE RANGE, YOU CAN FIND Comfort and security knowing that beretta has just the right clothing and accessories to equip you.

#### GORE-TEX® SHOOTING JACKET GT55 149 COL. 58 – 75 SIZE S – XXL

A must for the shooting range on wet or windy days. The ambidextrous shooting patches are abrasion resistant and durable. A covered zipper protects the finish of your shotgun.

#### SHOOTING PANTS CT02 2509 COL. 58 - 80 Size S - XXXL

100% cotton light poplin pants, leather reinforcement on pockets and shooting glasses pocket.



 GOLD VEST

 GT02 74
 COL. 56 - 58 - 75 DX
 SIZE 46 - 62

 GT04 74
 COL. 56 - 58 - 75 SX
 SIZE 46 - 62

 Shooting vest with leather details, mesh on the back and gold outline.
 Size 46 - 62





# GOLD E VEST GT07 682 COL. 22 - 72 - 99 SIZE XXS - XXXL

Thanks to its performance driven design, the Beretta 682 Gold E shotgun won the Olympic medals. Its namesake vest was designed around the same performance driven qualities. For the first time ever, we offer a removable recoil pad that can be used on the left or right side.

# VICTORY

# APPAREL AND ACCESSORIES

#### TRIDENT BREACKING CLAY T-SHIRT TS64 7294 COL. 01 - 22 - 38 - 58 - 74 - 96 SIZE S - XXXL





#### CHAMPION'S POLO


MT02 0001 COL. 01 – 37 – 56 – 99 SIZE S - XXXL Short sleeves pure cotton piquet polo with Beretta jacquard logo on the collar and on the sleeves.





TRIDENT BREAKING CLAY CAP BC91 9196 COL. 91 – 58 ONE SIZE

LONG SLEEVES DOUBLE LOGO T-SHIRT TS64 7294 COL. 01 - 22 - 38 - 58 - 74 - 96 SIZE S - XXXL



# INTRODUCING PISTOLS AND CARBINES

Whether testing your skills in competition, polishing them at the target range, or defending your home and family, there are certain things you demand from your firearm. Tops among these demands are absolute reliability, consistent accuracy, and optimal safety. But beyond these essential traits, your pistol or carbine is an extension of your personality. Your preference may run to the fastest or lightest or most technologically advanced. Or to the familiar standbys that still feel perfect in the palm and right on the money at the range.

As a Beretta Shooter, you can also expect innovation, versatility, and superior design and workmanship. Because in the handgun stakes, Beretta wins—hands down. The automatic choice of marksmen, sportsmen, and military worldwide, Beretta pistols and carbines carry with them their own cachet and reputation. And deservedly so. A Beretta firearm is both a triumph of design and reliable performance, offering the user the most advantageous combination of form and function.





#### 90TWO

The revolutionary Beretta 90two pistol introduces new improvements to form, fit and function while maintaining the integrity and reputation of its predecessor, the legendary Beretta 92/96 Series. Featuring a technopolymer removable single-piece wraparound grip in two sizes (standard and slim), increased magazine capacity, internal recoil buffer (softer shooting, less felt recoil), captive recoil spring guide assembly and quick assembly feature, the 90two has evolved to individually fit the hand of each operator, while maintaining accuracy and reliability.



The 90two comes with a large array of safety features:

90two Type F. Double/single action. Ambidextrous manual safety on the slide with hammer decocking function, automatic firing pin block safety.

90two Type G. Double/single action. Ambidextrous manual lever on the slide with hammer decocking function with the return of the lever to the firing position, automatic firing pin block safety.

90two Type D. Double action only. Without manual safety-hammer decocking. The spurless hammer, after each shot, returns to the decocked position. Automatic firing pin block safety.

|                     | 90TWO TYPE F  | 90TWO TYPE G                  | 90TWO TYPE D                  |
|---------------------|---|-------------------------------|-------------------------------|
| CALIBER             | 9MM X 19, 9MM X 21, .40 S & W   | 9MM X 19, 9MM X 21, .40 S & W | 9MM X 19, 9MM X 21, .40 S & W |
| ACTION              | DOUBLE AND SINGLE   | DOUBLE AND SINGLE             | DOUBLE ACTION ONLY            |
| OVERALL LENGTH      | 216 MM / 8.5*   |                               |                               |
| OVERALL HEIGHT      | 140 MM / 5.5*   |                               |                               |
| BARREL LENGTH       | 125 MM / 4.9*   |                               |                               |
| SIGHT RADIUS        | 163 MM / 6.4"   |                               |                               |
| GRIP WIDTH STANDARD |   | 32 MM / 1.26"                 |                               |
| WEIGHT UNLOADED     | 920 GR / 32.5 OZ.   | 920 GR / 32.5 OZ.             | 905 GR / 31.9 OZ.             |
| MAGAZINE CAPACITY   | 15, 17 ROUNDS (CAL. 9MM X 19) – 15 ROUNDS (CAL. 9MM X 21) – 12 ROUNDS (CAL. 40 S&W) |                               |                               |

# THE NEXT GENERATION HAS ARRIVED. SPECIAL HANDGUNS FOR SPECIAL TASKS



The new removable single-piece, ergonomic and modular grip unit allows for quick and easy grip replacement. The rear upper part is precisely curved and relieved for a firmer, more comfortable grip and to snugly fit the shooter's hand.





the 90two incorporates new benefits while maintaining all the advanced performance and safety features that made the 92 pistol series an international legend. The interchangeability and modularity of the components, together with the integral accessory rail and removable grip unit make this pistol ready to meet any operational requirement.

Located forward and under the barrel for light and laser accessories, the accessory rail is machined integral to the frame. An accessory rail cover protects the rail and permits the pistol's smooth insertion into the holster.



SPECIAL DUTY (PVD) MAGAZINE 9MM, 17 Rounds

SPECIAL DUTY (PVD) MAGAZINE 40 S&W, 12 ROUNDS

ALSO AVAILABLE IN POLISHED BLUED FINISH.



92FS

PIETRO BERETTA GAROONE .T. - MADE INITALY

191942

#### 92FS

From the jungle heat of Panama to the sandstorms of Iraq, the U.S. Armed Forces have counted on Beretta pistols for almost two decades of distinguished service. The 92FS, Beretta's premier full metal gun, most resembles the military M9 9mm pistol. Accurate out of the box, this workhorse features an open slide design that virtually eliminates jamming, a safety system that combines decocking with a positive thumb safety, and a combat muzzle crown. Beretta's proprietary black, non-glare Bruniton finish gives your 92FS a wear-resistant coating, which means it will stand up to any special duty.

#### 92FS INOX

The slide, barrel and many other key components of 92 FS lnox are made with stainless steel. The alloy frame is anodized to match perfectly the color and finish of inox parts. The rubber grips come with a stippled texture and hex key grip screws.



|                   | 92FS, 92FS INOX   | 98FS, 98FS INOX |  |
|-------------------|-------------------|-----------------|--|
| CALIBER           | 9MM X 19          | 9MM X 21        |  |
| ACTION            | DOUBLE AND SINGLE |                 |  |
| OVERALL LENGTH    | 217 MM / 8.5"     |                 |  |
| OVERALL HEIGHT    | 137 MM / 5.4"     |                 |  |
| BARREL LENGTH     | 125 MM / 4.9"     |                 |  |
| SIGHT RADIUS      | 155 MM / 6.1"     |                 |  |
| OVERALL WIDTH     | 38 MM / 1.5"      |                 |  |
| WEIGHT UNLOADED   | 945 GR / 33.3 OZ. |                 |  |
| MAGAZINE CAPACITY | 15 ROUNDS         |                 |  |

"I WAS ON A RECOVERY MISSION LAST YEAR IN THE SADR CITY DISTRICT OF BAGHDAD TRYING TO RECOVER AN M1A1 TANK THAT WAS HIT BY INSURGENTS. IN THE PROCESS OF CONDUCTING THE MISSION, MY TANK COMMANDER WAS INJURED, LEAVING ME IN COMMAND OF MY TANK. WITH NO SUPPORT ON MY FLANKS, I WAS PRETTY EXPOSED. A GROUP OF IRAQIS BEGAN TO CONVERGE ON MY TANK, GESTURING FOR AN RPG TEAM. WITH NO ROOM TO TRAVERSE MY TURRET, I STOOD UP IN MY HATCH AND SUPPRESSED THE GROUP BY DISPERSING THEM WITH MY M-9. IF THEY HAD GOTTEN THAT SHOT OFF AT MY FLANK, I MAY NOT BE HERE TODAY. THANKS, BERETTA, FOR A GREAT PRODUCT AND SUPPORTING MY PLATOON."

— Staff Sergeant, Michael Blake, U.S. Army

#### .22 LR PRACTICE KIT

Build your shooting skills with the optional .22 conversion Practice kit for the 92FS. It's easily installed and removed.



# 92 STEEL-I, 92 G ELITE II



With the safety on, the 92 steel-1 is in the cocked-and-locked position.



# 

#### 92, 98, 96 STEEL-I 92, 98 G ELITE II

| CALIBER           | 9MM X 19, 9MM X 21, .40 S&W                    | 9MM X 19, 9MM X 21 |  |
|-------------------|--|--------------------|--|
| ACTION            | double and single                              |                    |  |
| OVERALL LENGTH    | 211 MM / 8.3"                                  |                    |  |
| OVERALL HEIGHT    | 139 MM / 5.5" 150 MM / 5.9"                    |                    |  |
| BARREL LENGTH     | 119 MM / 4.7*                                  |                    |  |
| SIGHT RADIUS      | 165 MM / 6.5" 161 MM / 6.3"                    |                    |  |
| OVERALL WIDTH     | 41 MM / 1.6"                                   | 38 MM / 1.5"       |  |
| WEIGHT UNLOADED   | 1200 GR / 42.3 OZ. 980 GR / 34.6"              |                    |  |
| MAGAZINE CAPACITY | 15 ROUNDS (CAL. 9 MM); 11 ROUNDS (CAL. 40 S&W) |                    |  |

#### 92G ELITE II

The Elite II is a unique pistol featuring an heavier recontoured slide which helps to reduce the felt recoil. The slide is stainless steel and boasts removable front sights and Novak type rear sights. The stainless steel barrel is slightly shorter (119 mm / 4.7") for compactness. The pistol's grip is grooved to enhance control during firing, the beveled magazine well facilitates rapid reloading, front and rear slide serrations provide a sure grip for fast, easy racking of the slide, the skelotonized hammer reduces lock time and the rubber magazine pad protects the magazine if it is dropped.






#### PX4 STORM

The Beretta Px4 Storm was built around the belief that a firearm should be individualized to the operator. The Px4 Storm includes multiple operating systems and a choice of three backstraps, three magazine release buttons, and two slide catch lever sizes. This is a gun you can make fit for your purposes. Extremely easy to disassemble without tools, the Px4 Storm personifies simplified field stripping: it cannot be reassembled incorrectly! Without compromising on Beretta's legendary ergonomics, reliability and performance, this lightweight technopolymer frame pistol defines *Individualized Performance*.

Interchangeable grip backstraps and multiple-sized, reversible magazine release buttons allow for customization to the individual's hand size.





"I AM A SINGLE FEMALE (MOM) AND JUST PURCHASED MY FIRST FIREARM FOR SELF-HOME PROTECTION. AFTER CONTEMPLATING SEVERAL COMPETITORS' MODELS, I WENT WITH THE PX4 STORM, 9MM AND I AM SO GLAD THAT I DID. THE QUALITY OF BERETTA IS WHAT SOLD ME ON THE PISTOL. I ALSO LIKE THE FLEXIBILITY THE PX4 STORM OFFERS WITH DIFFERENT SIZED GRIPS TO MAKE A CUSTOM FIT TO MY HAND."

— Brenda, Beretta Customer

# CUSTOMIZE TO YOUR HAND AND SHOOTING STYLE INDIVIDUALIZED PERFORMANCE.



To those who prefer a bigger ammunition capable to deliver at first shot more stopping power, Beretta dedicates its new Px4 Storm 45 ACP, boasting the same dimensions and ergonomic advantages of the Px4 family.

#### PX4 STORM SD

The Px4 Storm SD is a real Special Duty pistol, chambered for the full power .45 caliber, conceived for extreme tactical use in any environmental condtions. It offers the best materials and surface treatments in order to to meet salt spray and endurance tests and mud, ice, sand and marine underwater deployment.





Standard Super-Luminova sights give high targeting performance in all types of light conditions. With minimal exposure to light (or flashlight), this luminous material is "charged" and visible in low light.



Military Standard 1913 "Picatinny" standard accessory rail. Allows mounting of optional tactical lights and laser units.



HIGH-CAPACITY MAGAZINE

|                   | PX4 STORM TYPE F, TYPE G  | PX4 STORM 45 ACP  | PX4 STORM SD      |
|-------------------|---|-------------------|-------------------|
| CALIBER           | 9MM X 19, 9MM X 21, 40 S&W  | 45 ACP            | 45 ACP            |
| ACTION            | DOUBLE AND SINGLE   | DOUBLE AND SINGLE | DOUBLE AND SINGLE |
| OVERALL LENGTH    | 192 MM / 7.5"   | 195 / 7.7"        | 209 / 8.2"        |
| OVERALL HEIGHT    | 140 MM / 5.5*   | 140 MM / 5.5"     | 145 MM / 5.7"     |
| BARREL LENGTH     | 102 MM / 4*   | 105 MM / 4.1"     | 115 / 4.5"        |
| SIGHT RADIUS      | 146 MM / 5.7"   | 149 / 5.9*        | 149 / 5.9"        |
| GRIP WIDTH        | 36 MM / 1.4"  | 36 MM / 1.4"      | 36 MM / 1.4"      |
| WEIGHT UNLOADED   | 785 GR / 27.7 OZ; 810 GR / 28.6 OZ (CAL. 40 S&W)                                | 800 GR / 28.2 OZ  | 810 GR / 28.6 OZ  |
| MAGAZINE CAPACITY | 17 ROUNDS (CAL. 9 MM X 19); 15 ROUNDS (CAL. 9 MM X 21); 14 ROUNDS (CAL. 40 S&W) | 9 AND 10 ROUNDS   | 9 AND 10 ROUNDS   |

# 8000F COUGAR L AND 84FS CHEETAH

# 8000F COUGAR L

Ergonomically advanced, with a user-friendly, contoured frame, the Beretta 8000 F Cougar L semi-auto pistol is exceptionally easy to control during firing thank to its exclusive rotating barrel system. The shortened and redesigned grip can allow a high-capacity 13round double-stack magazine.

PATENTED BERETTA DEA ERAR, ADER.

#### 84FS CHEETAH NICKEL

Back by popular demand, the nickel finish 84FS Cheetah Nickel with checkered walnut grips is light, fast handling and ideal for personal defense. Its 9mm Short (.380 Auto) caliber is just right for those who prefer the light recoil and report of a higher caliber, smaller pistol. Very accurate out of the box, its ambidextrous safety is easily accessible by the thumb for right- or left-handed shooters.

|                   |                    | 84FS CHEETAH          |
|-------------------|--------------------|-----------------------|
|                   | 8000F COUGAR L     | 84FS CHEETAH NICKEL   |
| CALIBER           | 9MM X 19, 9MM X 21 | 9 MM SHORT (380 AUTO) |
| ACTION            | DOUBLE AND SINGLE  | DOUBLE AND SINGLE     |
| OVERALL LENGTH    | 180 MM / 7"        | 172 MM / 6.8"         |
| OVERALL HEIGHT    | 126 MM / 5"        | 122 MM / 4.8"         |
| BARREL LENGTH     | 92 MM / 3.6"       | 97 MM / 3.8"          |
| SIGHT RADIUS      | 132 MM / 5.2"      | 124 MM / 4.9"         |
| OVERALL WIDTH     | 32 MM / 1.2"       | 35 MM / 1.4"          |
| WEIGHT UNLOADED   | 800 GR / 28.2 OZ   | 660 GR / 23.3 OZ      |
| MAGAZINE CAPACITY | 13 ROUNDS          | 13 ROUNDS             |

# 3032 TOMCAT AND 21 BOBCAT

#### 3032 TOMCAT INOX

An unobtrusive companion for the toughest streets, the 3032 Tomcat Inox offers all the features of the 21 Bobcat with the addition of a stainless steel barrel and slide. Both pistols have a snag-proof design that permits quick presentation to the target, a slide blade front sight for fast target acquisition, and a smooth, crisp trigger pull in double/single action.





#### 21 BOBCAT

When police officers or concealed carry permit holders look for the ultimate in concealability, they look to the Beretta Bobcat in 6.35 mm (.25 Auto) and .22 Long Rifle. This double-action pistol may be tiny, but it's a reliable defensive arm. The tip-up barrel of this pocket pistol allows rounds to be loaded directly into the chamber without slide retraction. Precisely rifled for accuracy, the barrel is forged out of special high strength steel.

# BOBCAT WOOD GRIPS



|                   | 3032 TOMCAT INOX  | 21 BOBCAT                 |
|-------------------|-------------------|---------------------------|
| CALIBER           | 7.65 MM (32 AUTO) | 6.35 MM (25 AUTO), 22 LR  |
| ACTION            | DOUBLE AND SINGLE | DOUBLE AND SINGLE         |
| OVERALL LENGTH    | 125 / 4.9"        | 125 / 4.9"                |
| OVERALL HEIGHT    | 95 MM / 3.7"      | 94 MM / 3.7"              |
| BARREL LENGTH     | 61 MM / 2.4"      | 61 MM / 2.4"              |
| SIGHT RADIUS      | 84 MM / 3.3"      | 88 MM / 3.5"              |
| OVERALL WIDTH     | 28 MM / 1.1"      | 28 MM / 1.1"              |
| WEIGHT UNLOADED   | 410 GR / 14.5 OZ  | 330 GR / 11.6"            |
| MAGAZINE CAPACITY | 7 ROUNDS          | 8 ROUNDS (22 LR 7 ROUNDS) |



CO CEVANWA

UZZNEOS

#### **U22 NEOS DELUXE**

The U22 Neos semiautomatic pistol is a single-action, 22LR caliber firearm designed and manufactured in America by Beretta USA Corp. The advanced shooter demands more control, and gets it in the U22 Neos Deluxe. The best in off-hand accuracy comes from a trigger adjustable for take-up and overtravel. Front sight posts in black, red and white match rear sight leaves outlined in the same colors. An aggressive grip molding pattern makes the grasp secure when match pressure gives even the seasoned competitor moist palms.

#### U22 NEOS

Designed for the entry-level pistol shooters, the U22 Neos is ideal for training and plinking but can be adapted to the advanced shooter's needs. Despite being richly accessorized, the Neos is on the market at an affordable price. The pistol features cutting-edge design, modular construction that allows personalization, and the flexibility for many shooting disciplines. This is a pistol that won't easily be outgrown as skills improve.



#### ACCESSORY REAR AND FRONT SIGHTS

Select the right sight color for the Target: black, red, or white. Both front and rear sights are replaceable (U22 Neos Deluxe).

# U22 NEOS DELUXE, U22 NEOS

| CALIBER           | 22LR             |                   |  |
|-------------------|------------------|-------------------|--|
| OVERALL HEIGHT    | 122 MM / 5.2"    |                   |  |
| BARREL LENGTH     | 114 MM / 4.5"    | 152 MM / 6.0"     |  |
| SIGHT RADIUS      | 188 MM / 7.4"    | 226 MM / 8.9"     |  |
| OVERALL LENGTH    | 223 MM / 8.8"    | 260 MM / 10.3"    |  |
| WEIGHT UNLOADED   | 900 GR / 31.7 OZ | 1025 GR / 36.2 OZ |  |
| GRIP WIDTH        | 38 MM / 1.5"     |                   |  |
| MAGAZINE CAPACITY | 10 10            |                   |  |



ACCESSORY GRIPS WITH RUBBER INLAYS Upgrade to the Deluxe-style grip frame with comfortable rubber inlays.



# 92FS/CO2

The 92 FS/CO<sub>2</sub> pistol, manufactured under Beretta license by Germany's Umarex, is operated by a CO<sub>2</sub> capsule lodged within the grip (capable of more than 50 shots). The pistol comes supplied with 2 magazine cartridges containing 8 shots of .177<sup>\*</sup> (4.5 mm) caliber pellets.

The 92FS/CO<sub>2</sub> is available in a polished black or nickel-plated finish. Thanks to the weight (close to that of the original 9 mm model loaded) and the limited noise factor, the pistol is ideal for training also in enclosed environments. As this gun is considered to possess a "modest capacity of wounding", it is free of restrictions in terms of purchase in most countries.



#### A-9000S CO2

Manufactured under Beretta license by the Russian Anics Group, the A-9000S CO2 pistol is operated by a CO2 capsule lodged within the grip (capable of firing up to 70 shots). The pistol boasts a patented revolutionary magazine, with conveyer-type mechanism, able to hold 22 pellets 4.5mm (.177") caliber. Any type of pellets can be used in any sequence. A-9000S maintains full functional conformity with the Beretta 9000S pistol: as the original model, it fires in double or single action; the ambidextrous manual safety, also acts as a decocking mechanism, dropping the hammer to the half-cocked position; the empty magazine can be quickly removed from the grip pushing the release button. The pistol comes supplied with a spare magazine.



#### 92FS CO2, A-9000S CO2

| CALIBER           | 4.5 MM / .177*    |                   |  |
|-------------------|-------------------|-------------------|--|
| OVERALL HEIGHT    | 149 MM / 5.9"     | 122 MM / 4.8"     |  |
| BARREL LENGTH     | 125 MM / 4.9"     | 116.5 MM / 4.6"   |  |
| SIGHT RADIUS      | 152 MM / 6"       | 120 / 4.7"        |  |
| OVERALL LENGTH    | 210 MM / 8.3"     | 169 MM / 6.7"     |  |
| WEIGHT UNLOADED   | 1260 GR /44.4 OZ. | 560 GR / 19.8 OZ. |  |
| OVERALL WIDTH     | 44.5 MM / 1.75"   | 43 MM / 1.7"      |  |
| MAGAZINE CAPACITY | 8                 | 22                |  |




#### CX4 STORM

Accurate, easy to use, field strip and accessorize, the Cx4 Storm fits every need of the American pistol shooter. Today's shooter demands a gun that can accept a large assortment of accessories, and the Cx4 caters to all tastes. A retractable accessory rail extends from the fore-end for mounting tactical lights. Rails can be installed on either side or the bottom of the fore-end for lasers or forward grips. Redefining the pistol-caliber carbine, with racy and radical lines from the masters of industrial design at Giugiaro. The Cx4 Storm's smooth, sweeping curves are made possible by the use of modern high-strength, lightweight technopolymers.



|                   | CX4 STORM   |
|-------------------|---|
| ACTION            | SEMIAUTOMATIC   |
| CALIBER           | 9MM X 19, 9MM X 21, 40 S&W, 45 ACP  |
| STOCK             | SYNTHETIC   |
| RECOIL PAD        | RUBBER  |
| SAFETY            | CROSS-BOLT, REVERSIBLE  |
| OVERALL LENGTH    | 755 MM / 29.7" *  |
| BARREL LENGTH     | 422.5 MM / 16.6"  |
| LENGTH OF PULL    | ADJUSTABLE WITH STOCK SPACERS FROM 337 MM /13.3"<br>TO 382 MM /15"                        |
| WEIGHT UNLOADED   | 2.575 KG / 5.75 LBS   |
| REAR SIGHT        | GHOST RING WITH TWO SIZE APERTURES  |
| FRONT SIGHT       | POST, ADJUSTABLE FOR WINDAGE AND ELEVATION  |
| SIGHT RADIUS      | 327 MM / 12.9*  |
| MAGAZINE CAPACITY | 10 ROUNDS; 8 ROUNDS (CAL 45 ACP);<br>15 ROUNDS** (CAL 9MM X 19); 11 ROUNDS** (CAL 40 S&W) |





STORM CASE

# REDEFINING THE PISTOL-CALIBER CARBINE ON THE CUTTING EDGE.





Adjustable pull length to fit your specifications with supplied spacer. Two more spacers may be added and removed. OPTIONAL BARREL SHROUD Specific for each caliber





BURRIS SPEEDDOT 135 Waterproof, fogproof sight delivers a crisp, perfectly round, bright, adjustable brightness dot.

> VERTICAL GRIP OR FOLDING GRIP



# RX4 STORM



#### **RX4 STORM RIFLE**

The Beretta Rx4 Storm is the most advanced semiautomatic rifle ever designed for commercial and law enforcement use. This .223 special purpose rifle emphasizes individual performance with multiple stock configurations, ergonomic adjustment and ambidextrous controls. Designed in a joint effort by Beretta and Benelli engineers, the Rx4 Storm incorporates the most advanced technology in firearms. Using the ARGO (Auto Regulating Gas Operating) system, the gas port is located just forward of the chamber where the gases are hotter and cleaner, resulting in less fouling and more reliable cycling.





Ambidextrous magazine release button and bolt release lever. Manual safety button can be assembled on either side.

Built to the highest industry standards, the Rx4 Storm employs 223 ammunition and is totally reliable in every condition of use.



A LONG LIST OF ACCESSORIES

Rx4 Storm can be equipped with a long list of accessories such as Picatinny rails, tactical sight systems, illuminators, laser aiming devices, front handles, high capacity magazines, Nato Standard magazines, slings, etc.

#### RX4 STORM

| ACTION            | SEMIAUTOMATIC, BOLT WITH 3-LUG ROTATING HEAD   |                    |                    |
|-------------------|--|--------------------|--------------------|
|                   |  |                    |                    |
| CALIBER           |  | 223 REM            |                    |
| RIFLING           | R. H., 6 C   | GROOVES. PITCH 229 | MM / 9"            |
| STOCK             | TECHNOPOLYMER, TELESCOPIC 5-POSITION WITH PISTOL GRIP<br>OR FIXED TECHNOPOLYMER WITH / WITHOUT PISTOL GRIP |                    |                    |
| RECOIL PAD        | RUBBER   |                    |                    |
| SAFETY            | CROSS-BOLT, REVERSIBLE   |                    |                    |
| BARREL LENGTH     | 318 MM / 12.5"   | 406 MM / 16 *      | 508 MM / 20"       |
| WEIGHT UNLOADED   | KG 3.150 / 6.9 LBS   | 3.190 KG / 7 LBS   | KG 3.300 / 7.3 LBS |
| OVERALL HEIGHT    | 196 MM / 7.68 *  |                    |                    |
| REAR SIGHT        | APERTURE, ADJUSTABLE FOR WINDAGE AND ELEVATION   |                    |                    |
| FRONT SIGHT       | POST, PROTECTED BY "EARS"  |                    |                    |
| SIGHT RADIUS      | 358 MM / 14.1"   |                    |                    |
| MAGAZINE CAPACITY | 5 1  | ROUNDS, 10 ROUNDS  | S*                 |

\*SUBJECT TO SPECIAL EXPORT PERMIT

# THE MOST ADVANCED RIFLE EVER DESIGNED.

Optional front handle attached to the Picatinny rail.

The telescopic stock is fitted with a rubber recoil pad. The overall dimensions of the gun can be reduced by about 12 cm / 4.7".



A front sight post, protected by "ears" and a fully adjustable aperture sight are standard. Up to 5 Picatinny rails on request.



#### STURDY AND PRACTICAL

In order to make stripping easier and to allow easy interchangeability of the barrels, the frame of the Rx4 Storm is divided in 2 parts: lower receiver and upper receiver. The lower receiver is milled from a solid bar stock of aircraft grade light alloy; for maximum strength, the upper receiver (permanently affixed to the barrel) is machined from a bar of high quality hardened steel.



# APPAREL AND ACCESSORIES

THE SAME ATTENTION TO DETAIL AND MANUFACTURING EXCELLENCE THAT BERETTA RESERVES FOR ITS LEGENDARY PISTOLS IS GIVEN TO THE PRODUCTS THAT COMPLEMENT THEM. THEY ARE A NATURAL EXTENSION OF THE BERETTA LIFESTYLE YOU HAVE COME TO LIVE AND LOVE THROUGH OUR FIREARMS.

THE BERETTA SECURITY PACK™ UTILIZES A LIGHT-WEIGHT, HIGH TENSILE STAINLESS STEEL CABLE MESH TO CREATE A SLASH-PROOF PROTECTIVE CELL AROUND YOUR WEAPON. A 4 MM HIGH TENSILE STAINLESS STEEL CABLE DRAW WIRE ENABLES YOU TO LOCK THE PACK ANDSECURE IT TO ANY IMMOVABLE OBJECT.



**BS07-11-99** Pouch for pistol and accessories, two big lateral bags.







#### FOP3 142 99

Security pack pistol, fits pistol rug and brass 4 pin lock with 2 keys. Subdued colours and labelling almost disappears under a van seat or on the floor and truck.



FOT5 141 58 Pistol rug padded non-adsorbent liner.




CK89-112-58 Cal./ga./kal. 9 Cleaning kit for pistol.

# APPAREL AND ACCESSORIES

### OC34-1-9

Shooting glasses, three polycarbonate interchangeable lenses with possibility of assemblying prescription lenses. Adjustable nose bridge, spare crews and screwdriver all packaged in a soft nylon storage bag.



BERETTA WEEKENDER CAP BC88 9158 COL 18 ONE SIZE

THE BIG B HAT BC89 9190 COL. 58 ONE SIZE

RIPSTOP CAP BC90 9196 01 ONE SIZE



# INTRODUCING WESTERN GUNS

The heritage of the Old West runs deep in the heart of the Western Shooter. The spin of the cylinder, the glint of the nickel barrel, the sheer thrill of breaking open a six-shooter or the adrenaline rush of firing a fast-handling, pump-action longarm. There's nothing that quite compares to that exhilarating moment when you feel the cowboy mystique running through your veins. To that moment when you test yourself, using those classic firearms that defined a fabled era, against the legends of the American frontier.

To the Western Shooter, authenticity is what matters above everything else. However, at Beretta authenticity does not detract from flawless performance. This is why you'll find an extraordinary combination of both in Beretta's lineup of Old West firearms. These fine firearms are for the Western Shooter who demands absolute truthfulness to the 19th-century originals as far as dimensions, feel and functioning, coupled with Beretta-style reliability, safety and performance.

# **GOLD RUSH**

#### GOLD RUSH RIFLE

The Beretta Gold Rush Rifle follows the same philosophy as our successful Stampede revolver: combining the looks and feel of the Old West original with modern safety and reliability. Chambered for the 45LC and the 357 Mag/38 Special, the Gold Rush is a fast-handling pump-action longarm perfect for Cowboy Action Shooting, small-game hunting and informal target practice. Discrete modifications have been incorporated that greatly enhance safety and reliability.



#### GOLD RUSH CARBINE

Like the Gold Rush Rifle, the Gold Rush Carbine is a testament to authenticity coupled with modern performance. Compared to the original, several enhancements have been made. A solid transfer-bar safety mechanism is housed in the hammer, making the gun absolutely safe to load and unload without having to lower the hammer. Feeding is improved considerably by ensuring that each cartridge is perfectly in line with the chamber. And a redesigned cycling mechanism makes it possible to obtain the desired speeds without jams.



#### GOLD RUSH DELUXE

The Beretta Gold Rush Deluxe Rifle and Carbine exemplify the same high standards in engineering and performance as the Beretta Gold Rush and Carbine, with some important aesthetic differences. Features of the Gold Rush Deluxe include charcoal-blued barrels, jeweled hammer and trigger and German silver medallion inlaid into the stock. The Deluxe walnut stock and fore-end have special fish-scale checkering, oil finish and Beretta "three-arrow" logo engraved in the checkering pattern.

|               | GOLD RUSH RIFLE | GOLD RUSH CARBINE | GOLD RUSH DELUXE<br>Rifle | GOLD RUSH DELUXE<br>Carbine |
|---------------|-----------------|-------------------|---------------------------|-----------------------------|
| CALIBER       | 45LC, 357 MAG   |                   | 45LC                      |                             |
| BARREL LENGTH | 20", 241/4"     | 20*               | 20", 241/4"               | 20"                         |
| CAPACITY      | 13 ROUNDS       | 10 ROUNDS         | 13 ROUNDS                 | 10 ROUNDS                   |
| FINISH        | BLUE / BERETT,  | A COLOR-CASE      | CHARCOAL BLUE, BE         | RETTA COLOR-CASE            |

# LARAMIE NICKEL



# LARAMIE NICKEL


The Laramie replicates a break-open revolver popular in the Old West for its quality, accuracy and for the speed at which it could be loaded and unloaded. Upon releasing the top latch located in front of the hammer, the revolver could be instantly unloaded by "breaking it open," thus allowing all six empty shells to fly out of the cylinder. Beretta has improved upon the 19th-century original by reinforcing the top latch, thus making the revolver much more durable and ensuring you years and years of trouble-free enjoyment.

An accurate reproduction, we made the Laramie considerably safer by designing a rebounding-hammer/hammer-block system that allows you to safely carry it with all six chambers loaded.

|                | LARAMIE NICKEL                |       |  |
|----------------|-------------------------------|-------|--|
| CALIBER        | 45LC, 38 SP                   |       |  |
| OVERALL LENGTH | 270 MM / 10.6" 310 MM / 12.2" |       |  |
| BARREL LENGTH  | 5″                            | 61/2" |  |
| CAPACITY       | 6 ROUNDS                      |       |  |
| FINISH         | NICKEL                        |       |  |
| GRIP           | WALNUT                        |       |  |







**"I STARTED SHOOTING** WITH A COMPETITOR'S SIX GUN. I HAD A HARD TIME **KEEPING THE SAME SIGHT** PICTURE EVERY TIME I DREW IT FROM MY HOLSTER. SO I TURNED IT IN AND **BOUGHT TWO BERETTA** STAMPEDES. THEY WERE DEAD ACCURATE RIGHT OUT OF THE BOX. THE **GRIPS WERE THIN AND FIT** BETTER IN MY HANDS. I HAVE NOT HAD ANY PROBLEMS WITH THEM AND THEY LOOK GREAT. I LOVE SHOOTING THEM."

— Robert, Beretta Customer




#### STAMPEDE NICKEL


There's no gun more quintessentially American than the single-action revolver. The Beretta Stampede combines the feel and handling qualities of the original "hogleg" with a transfer-bar safety system that makes it safe to carry with all six chambers loaded. The beauty is in the accurate details. The fixed front sight is true to the original. And with the frame dimensions closely matched to the 19th-century originals, the Stampede feels slender and very responsive in the hand.

#### STAMPEDE DELUXE

The Stampede Deluxe features a frame finished in Beretta Color-Case, which duplicates the classic look of color-casehardening to capture the romance of the Old West. Select walnut grips and a lustrous charcoalblued barrel and cylinder complete the picture. Whatever your choice, the transfer-bar safety system will allow you to safely load all six chambers without fearing an accidental discharge.



|                | STAMPEDE NICKEI             | STA         | MPEDE DELUXE             |
|----------------|-----------------------------|-------------|--------------------------|
| CALIBER        | 45LC, 44/40, 357 MAG        |             |                          |
| OVERALL LENGTH | 240 MM / 9 <sup>1</sup> /2" | 280 MM /11" | 330 MM / 13"             |
| BARREL LENGTH  | 43/4"                       | 51/2"       | 71/2"                    |
| GRIPS          | WALNUT                      | SE          | ELECT WALNUT             |
| CAPACITY       | 6 ROUNDS                    |             |                          |
| FINISH         | POLISHED NICKEL             | CHARCOAL    | BLUE, BERETTA COLOR-CASE |





#### STAMPEDE MARSHALL

The internal features may be the same as Beretta's other single-action Stampedes, but the walnut birdhead grip gives the Marshall a distinction all its own. Chambered in .45 Colt and .357 Mag, this handsome replica has a 3<sup>1</sup>/<sub>2</sub>-inch blued barrel and cylinder, Beretta Color-Case frame and incorporates the most modern safety features. The feel and functioning are just like the originals, with a multiple-click single-action hammer mechanism and a half-cock position that allows the cylinder to spin free.

| CALIBER        | 45LC, 357 MAG               |
|----------------|-----------------------------|
| OVERALL LENGTH | 210 MM / 8 <sup>1</sup> /4" |
| BARREL LENGTH  | 31/2"                       |
| GRIPS          | WALNUT                      |
| CAPACITY       | 6 ROUNDS                    |
| FINISH         | BLUE, BERETTA COLOR-CASE    |

#### STAMPEDE BISLEY NICKEL

STAMPEDE MARSHALL

| CALIBER        | 45LC, 357 MAG                |               |               |
|----------------|------------------------------|---------------|---------------|
| OVERALL LENGTH | 240 MM<br>9 <sup>1</sup> /2" | 280 MM<br>11″ | 330 MM<br>13″ |
| BARREL LENGTH  | 43/4"                        | 51/2"         | 71/2"         |
| GRIPS          | IMIT.                        | ATION BAKE    | LITE          |
| CAPACITY       | 6 ROUNDS                     |               |               |
| FINISH         | NICKEL                       |               |               |

#### STAMPEDE BISLEY NICKEL

Old West firearm connoisseurs will be pleased by how true to the original this replica looks and feels, although it incorporates a transferbar safety and is manufactured of durable modern materials. Instead of taking the easy road and "dressing up" this Stampede as a Bisley, Beretta built this revolver from the ground up around a true Bisley frame — which is somewhat taller than that on its standard single-action cousin. The distinctive Bisley grips in imitation Bakelite, hammer and wide trigger are also a precise replica of the originals as far as dimensions, balance and feel.



Classic three-position hammer and loading gate function.

۲



# INTRODUCING THE 1526 COLLECTION

The sheer beauty is in every luxurious detail. From the rich baroque spirals hand chiseled by Master Engravers to the extraordinary cut of cloth and harmonious stitching found in the world's finest Italian apparel. Here there are no compromises; here only the very best will do. Every shotgun is created of hand-selected wood, hand engraved and hand fitted. Every article of clothing is fashioned from only the finest fabric in impeccable Italian design.

The 1526 Client is the collection that defines Beretta. That represents living at its very best. Not only is this the collection that the Beretta family is most hands-on involved with, this is the lifestyle the Berettas themselves live. This is their legacy; this is their passion. There is, quite simply, no finer example of Beretta's heritage of unflagging dedication to extraordinary performance and outstanding quality than in this collection, which is enveloped in the Italian sense of craftsmanship and style unrivaled worldwide.



#### SO10 EELL

Seventy years after the first modern Beretta over-and-under (the S1 launched in 1933), a new true sidelock shotgun is born: the SO10 EELL over-and-under. It is the deserving successor of the famous Beretta SO series hunting and competition shotguns that have earned their reputation, on the Olympic podium and on the most exclusive hunts in the world, from Europe to America to Africa, for being the most functional, elegant and exclusive over-and-unders in the world. Drawing from this very long experience, and under the dedicated guidance of the Beretta family, the most gifted designers and gunsmiths of the company have created the new SO10 EELL, a synthesis of aesthetic refinement, function and performance that place it at the peak of the world's prestigious over-and-under offerings.





In Italian, EL stands for extra lusso (extra luxury). The prized double "E" double "L" designation takes that quality to the highest level of luxury.

Master Engraver Mario Terzi.



#### ELEGANCE AND CARE

Entirely hand executed by expert craftsmen, the Beretta SO10 EELL over-and-under case is made of solid wood covered in resistant leather. A full range of handmade cleaning and maintenance accessories is provided. Type and color of leather, wood, finishing and accessories vary depending on the model.

#### SO10 EELL, SO10

| ACTION         | LOW PROFILE, TRUE SIDELOCK, HAND<br>ENGRAVED                    |
|----------------|---|
| GAUGE          | 20, 28  |
| CHAMBER        | 76 MM / 3" (28 GAUGE 70 MM / 2¾")                               |
| BARREL LENGTH  | 67 CM / 26"; 71 CM / 28";<br>76 CM / 30"                        |
| CHOKES         | FIXED CHOKES OR OPTIMACHOKE®                                    |
| STOCK/FORE-END | CUSTOM MADE WITH THE HIGHEST<br>QUALITY WALNUT, HAND CHECKERED  |
| WEIGHT         | 2.700 KG / 6.0 LBS (20 GAUGE);<br>2.500 KG / 5.5 LBS (28 GAUGE) |

WEIGHTS ARE APPROXIMATE, DEPENDENT ON WOOD DENSITY AND BARREL LENGTH.

# IMPERIALE MONTECARLO

#### IMPERIALE MONTECARLO

A shining example of what can be achieved when free reign is given to Master Gunsmiths in the crafting of personalized luxurious shotguns and when Master Engravers are able to express their artistry in full, the Imperiale Montecarlo is a masterpiece destined to become a part of gunmaking history. The deeply blued Demibloc barrels of the Imperiale Montecarlo side-by-side boast numerous, exclusive qualities that have determined its fame as a great hunting and competition gun. They begin with the special steel that assures extremely high resistance and outstanding tensile strength and conclude with the exclusive cold blueing of the barrels that give them an extraordinary deep glossy black color. The final result will astonish even the most refined connoisseur.



#### THE ART OF ENGRAVING

English scrollwork, hunting scenes, floral motifs, deep relief, mixed technique engravings, portraits and more. Any type of engraving is possible on an Imperiale Montecarlo and is executed only by the most expert Master Engravers.



| ACTION         | COMPACT RECEIVER, TRUE SIDELOCK, HAND<br>ENGRAVED   |
|----------------|---|
| GAUGE          | 12, 20, 28  |
| CHAMBER        | 70 MM / 234"; 76 MM / 3" ON REQUEST   |
| BARREL LENGTH  | 66 CM / 26"; 68 CM / 27"; 71 CM / 28" OR<br>WATHEVER LENGTH ON REQUEST                            |
| CHOKES         | FIXED CHOKES  |
| STOCK/FORE-END | CUSTOM MADE WITH THE HIGHEST QUALITY<br>WALNUT, HAND CHECKERED                                    |
| WEIGHT         | 3.300 KG / 7.3 LBS (12 GAUGE);<br>2.950 KG / 6.5 LBS (20 GAUGE);<br>2.800 KG / 6.2 LBS (28 GAUGE) |

IMPERIALE MONTECARLO

WEIGHTS ARE APPROXIMATE, DEPENDENT ON WOOD DENSITY AND BARREL LENGTH.

# SO6 EELL, SO5

#### SO6 EELL

Embellished with the finest hand engraving proudly signed by the author, the SO6 EELL Premium Grade sidelock shotgun is sought after by connoisseurs who desire to be one of the few to own such a masterpiece. Pick one up and you know it is special—each of its elegant details, from the sophisticated engravings to the gold-inlaid animals to the dimensions of the walnut briar stock and receiver, is executed to suit the personal tastes and requirements of its owner. The Master Gunsmiths' handwork is evident everywhere, from the hand-cut deep diamond checkering to the hand-file cut ventilated rib. Prized for their beauty and uniqueness, each SO6 EELL is built to perform to the highest standards decade after decade, generation after generation.



### SO5

With numerous gold medals in the Olympics and other prestigious international competitions, the best shooters in the world consider the SO5 over-and-under the finest competition shotgun ever made. The SO5 is handcrafted to meet the requirements of every shooting discipline and can be further personalized for peak performance. This elegant champion's sleek profile enhances swing and pointability. Its sideplates are beautifully hand engraved and the trigger plate is embellished with a 24-carat fine gold inlay of the "P. Beretta" signature on the coin silver finish.



#### SO6 EELL, SO5 TRAP, SKEET, SPORTING

| ACTION         | LOW PROFILE, TRUE SIDELOCK, HAND ENGRAVED  |
|----------------|--|
| GAUGE          | 12   |
| CHAMBER        | 70 MM / 23/4" OR 76 MM / 3"  |
| BARREL LENGTH  | 67 CM / 26"; 71 CM / 28";<br>76 CM / 30"; 81 CM / 32"                              |
| CHOKES         | FIXED CHOKES OR MOBILCHOKE®;<br>OPTIMACHOKE® (SPORTING)                            |
| STOCK/FORE-END | CUSTOM MADE WITH THE HIGHEST QUALITY WAL-<br>NUT, HAND CHECKERED                   |
| WEIGHT         | 3.300 KG / 7.3 LBS (SO6); 3.700 KG / 8.1 LBS (TRAP);<br>3.400 KG (SKEET, SPORTING) |
|                |  |

WEIGHTS ARE APPROXIMATE, DEPENDENT ON WOOD DENSITY AND BARREL LENGTH.

# DT10 TRIDENT EELL, L



#### DT10 TRIDENT EELL

Competitors feel a special admiration for the shotgun that accompanies them to the podium. Since the beginning of international competition, Beretta has accompanied more medalists than any other brand of shotgun. The DT10 Trident EELL over-and-under was developed for discerning shooters, rolling performance and elegance into a truly durable, secure investment. The perfectly coupled components and the elegant, fully engraved, hand-finished receiver put this shotgun into the exclusive category of a Beretta Premium Grade.

#### DT10 TRIDENT L

Available with a fine English scroll or with a floral motif engraving with birds on the side panels, this model shows the same attention in the manual working of the whole gun and the same methodical care already reserved to the DT10 Trident EELL.

#### DT10 TRIDENT EELL AND L TRAP, DOUBLE TRAP, X TRAP, SKEET, SPORTING, ELECTROCIBLES

| ACTION         | LOW PROFILE, BOXLOCK, HAND ENGRAVED ENGLISH SCROLLS OR FLORAL MOTIFS WITH GAME SCENES                                  |  |  |
|----------------|--|--|--|
| GAUGE          | 12   |  |  |
| CHAMBER        | 70 MM / 2¾* OR 76 MM / 3*  |  |  |
| BARREL LENGTH  | 71 CM / 28"; 76 CM / 30"; 81 CM / 32"  |  |  |
| CHOKES         | FIXED CHOKES OR OPTIMACHOKE® (DOUBLE TRAP, X TRAP, SPORTING, ELECTROCIBLES))   |  |  |
| STOCK/FORE-END | ON REQUEST, CUSTOM MADE, HAND CHECKERED  |  |  |
| WEIGHT         | 3.700 KG / 8.1 LBS (TRAP, DOUBLE TRAP, SKEET, ELECTROCIBLES); 3.800 KG / 8.4 LBS (SPORTING); 4.100 KG / 9 LBS (X TRAP) |  |  |

WEIGHTS ARE APPROXIMATE, DEPENDENT ON WOOD DENSITY AND BARREL LENGTH.



# DT10 TRIDENT EELL

English scroll or game scenes engraving extends to the side plates in this premium grade competition overunder.



# **DT10 TRIDENT L** A true competition overunder with the finish of a deluxe gun, able to satisfy the most discerning shooters.

# GIUBILEO SERIES, 687 EELL CLASSIC

#### GIUBILEO

The splendid Giubileo over-and-under, made in 12, 20, 28 and .410-gauge models, is distinguished by rich, baroque spiral and floral engravings on the receiver and sideplates, and by its exquisitely proportioned construction. There are no screws on the plates, allowing the Master Engravers to express their artistry in full, while the internal surfaces and mechanisms are impeccably polished. The elongated trigger guard, the safety and top lever are also completely engraved. The stock and fore-end, made from the highest quality walnut, are finely checkered.

#### GIUBILEO II


Almost five centuries of tradition have produced the elegant lines, rich engravings, innovative technology and superior durability of the side-by-side Giubileo II, masterfully crafted in 12 and 20 gauge. The receiver features side panels that cleverly hide hinges and hinge pins and are applied without screws. The top moldings of the receiver, coined in relief, make this wonderful side-by-side even more slender and elegant. The extended trigger guard, wisely encased within the grip, and the oriented screws immediately show Beretta's care and attention to the finer details.



#### 687 EELL CLASSIC

Refined pleasures are the rewards of life. One of these rewards is hunting with a prestigious Beretta shotgun like the incomparable 687 EELL Classic. The full side plates boast a fine engraving with birds and are enhanced by intricately detailed ornamental motifs of branches, leaves and flowers which extend to the trigger plate, trigger guard and fore-end iron lever.

|                | GIUBILEO  | GIUBILEO II  | 687 EELL CLASSIC   |
|----------------|---|--|--|
| ACTION         | LOW PROFILE IMPROVED BOX<br>LOCK, OVER-AND-UNDER  | LOW PROFILE IMPROVED BOX<br>LOCK, SIDE-BY-SYDE   | LOW PROFILE IMPROVED BOX<br>LOCK, OVER-AND-UNDER   |
| GAUGE          | 12, 20, 28, .410  | 12, 20   | 12, 20, 28   |
| CHAMBER        | 76 MM / 3" (28 GAUGE 70 MM / 2¾")   |  |  |
| BARREL LENGTH  | 67 CM / 26"; 71 CM / 28";<br>76 CM / 30" (12, 20 GAUGE)   | 66 CM / 26"; 71 CM / 28"   | 67 CM / 26"; 71 CM / 28";<br>76 CM / 30" (12, 20 GAUGE)  |
| CHOKES         | FIXED CHOKES OR MOBILCHOKE®.<br>OPTIMACHOKE® (12 GAUGE ONLY)  |  | FIXED CHOKES OR<br>MOBILCHOKE®   |
| STOCK/FORE-END | PISTOL GRIP OR ENGLISH<br>STRAIGHT-HAND WITH<br>SCHNABEL FORE-END<br>HIGHI                                    | SEMI-PISTOL GRIP OR<br>ENGLISH STRAIGHT-HAND<br>WITH SEMI-BEAVERTAIL<br>FORE-END<br>LY SELECTED WALNUT, HAND FIN | ENGLISH STRAIGHT-HAND<br>WITH SLIM FORE-END OR<br>PISTOL GRIP WITH<br>BEAVERTAIL FORE-END<br>ISHED |
|                |   |  |  |
| WEIGHT         | 3.200 KG / 7.1 LBS (12 GAUGE);<br>2.800 KG / 6.2 LBS (20 GAUGE);<br>2.500 KG / 5.5 LBS (28 AND<br>.410 GAUGE) | 2.950 KG / 6.5 LBS;<br>2.700 KG / 6 LBS (20 GAUGE)   | 3.200 KG / 7.1 LBS (12 GAUGE);<br>2.800 KG / 6.2 LBS (20 GAUGE);<br>2.500 KG / 5.5 LBS (28 GAUGE)  |



WEIGHTS ARE APPROXIMATE. DEPENDENT ON WOOD DENSITY AND BARREL LENGTH.

410 GAUGE

# 455 EXPRESS AND SS06 EXPRESS

#### **455 EELL EXPRESS**

In designing the 455 EELL Express, Beretta left nothing to chance in ensuring the absolute mechanical and engineering integrity required to handle the specialized loads mandatory for stalking dangerous game — like the receiver made of special high-strength steel and forged with an elongated 60 mm plate to compensate for stress when shooting. Or the reinforced receiver sides that can withstand the tremendous pressure of high-powered cartridges. With the highly detailed game scene engraving and intricate scrolling, this makes for one superbly finished rifle.

#### SSO6 EELL EXPRESS

For dedicated big game hunters worldwide, a Beretta SSO6 EELL Express rifle in the hand means a trophy on the wall. This is no ordinary firearm. The SSO6 EELL Express delivers a potent combination of ultra-strong receiver and carefully crafted barrels to comfortably handle today's powerful ballistics with remarkable accuracy. Hand-finished, hand-checkered stocks and fore-ends from highly selected walnut and a color-casehardened receiver sporting 24-carat gold inlaid animals add masterful touches to this magnificent rifle. Hand engraved hunting scenes, on request.

|                | 455 EELL   | SSO6 EELL  |
|----------------|--|--|
| ACTION         | SIDE-BY-SIDE WITH TRUE SIDELOCKS,<br>HAND ENGRAVED                               | OVER-AND-UNDER WITH TRUE SIDELOCKS,<br>HAND ENGRAVED |
| CALIBER        | 375 H&H MAG., 416 RIGBY; 458 WIN MAG;<br>470 NE; 500 NE                          | 9.3 X 74 R; 375 H&H MAG; 458 WIN MAG                 |
| BARREL LENGTH  | 60 CM / 23" OR 65 CM / 25"   | 62 CM / 24 "   |
| STOCK/FORE-END | CUSTOM MADE WITH THE HIGHEST QUALITY WALNUT, HAND CHECKERED.<br>WITH CHEEK PIECE |  |
| WEIGHT         | 5.000 KG / 11 LBS  | 5.000 KG / 11 LBS                                    |
|                |  |  |

WEIGHTS ARE APPROXIMATE, DEPENDENT ON WOOD DENSITY AND BARREL LENGTH.



# APPAREL AND ACCESSORIES

#### TAKE ON THE WORLD IN TIMELESS

THIS IS CLOTHING DESIGNED FOR THE DISCRIMINATING MAN, INTERESTED MORE IN GOOD TASTE, TRADITION AND SUPERIOR QUALITY THAN THE LATEST FASHION TRENDS. YOU ARE CONFIDENT IN YOUR OWN STYLE AND RECOGNIZE CLOTHING THAT SPEAKS TO YOUR LIFE-STYLE AND EXPECTATION.

THE 1526 COLLECTION IS THE HEART AND THE SOUL OF THE BERETTA FAMILY, PART AND PARCEL OF THEIR PROUD TRADITION OVER THE CENTURIES. THEY CARE DEEPLY ABOUT THE CUT OF THE CLOTH, THE UNWAVERING SENSE OF STYLE AND THE UNFAILING PERFORMANCE PRECISELY BECAUSE THIS IS THE CLOTHING THAT DEFINES THEIR LIFESTYLE.

THEIR SIGNATURE IMPRINT IS ALL OVER Each of these luxury articles, not in the form of a telltale logo, but in

THE MASTERFUL DETAILS THAT SEPARATE THIS Collection from the Rest of the World. Our attention to detail and the search for new natural materials come together in this extra-fine Spanish Nabuk coat, which stands in a class of its own. Soft, waterproof and weather resistant. Special surface treatment to prevent water stains. Tone-on-tone corduroy velvet details on the sleeves, pockets, closure and collar. This coat is perfect in the city as in the country with a classic cotton twill pants and a colorful wollen scarf.



SANT'ARCANGELO Guix 62 col. 88 size 46 - 62



CERTALDO SF50 263 COL. 38 - 95 Wool scarf.

OZIERI CU86 1710 COL. 82 - 38 - 95 - 88 - 58 SIZE 46 - 62 Classic cotton pants.

# APPAREL AND ACCESSORIES

#### TREVI

#### GU12 6360 COL. 79 SIZE 46 - 62

This HarrisTweed jacket is in perfect harmony with such a philosophy. The unshaped jacket, intended for city life and men who like to stand out, comes with a quilted Thermore<sup>®</sup> waistcoat. Exceptionally versatile and ideal for early winter use.



DISTINCTIVE FEATURES OF THE 1526 ARE THE LEATHER INSERTS THAT EMBELLISH THE FINE FABRIC AND BURGUNDY RED LININGS EVOKING WARMTH AND PASSION - A PASSION FOR SPORTS AND, MORE IMPORTANTLY, A LOVE OF NATURE AND THE OUTDOORS.





PONTEDERA GU40 1965 COL. 93 – 88 SIZE S – XXXL Innovation and performance are blended seamelessly into Beretta's traditional hunt clothing. This practical mix between a coat and a blazer is characteristic of Beretta's style.

# APPAREL AND ACCESSORIES

#### A PASSION FOR THE EXTRAORDINARY

THE 1526 COLLECTION IS A MAGNIFICENT REFLECTION OF THE BERETTA TRADITION. A REMINDER THAT OUR PROUD HERITAGE IS INHERENT IN ALL THAT WE DO. FROM THE TRADITION OF THE HUNT TO IDYLLIC WEEKENDS IN THE COUNTRY, OUR APPAREL REFLECTS OUR PASSION FOR THE OUTDOOR LIFESTYLE AND OUR UNWAVERING COMMITMENT TO OFFERING ONLY THE VERY BEST.

FROM LUXURY SOFT CASHMERE SCARVES TO PREMIUM WOOL BLAZERS TO GENUINE HAND-TANNED LEATHERS, THESE FASHIONS **REPRESENT THE FINEST FABRIC, MATERIALS** AND FABRICATION AVAILABLE.

THOUGH EXTRAORDINARY IN EVERY WAY, THIS IS CLOTHING FASHIONED FOR EVERYDAY LIFE WHETHER THAT TAKES PLACE IN THE TUSCAN COUNTRYSIDE OR THE BUSTLING STREETS OF MANHATTAN. THIS IS FASHION THAT TRASCENDS THE ORDINARY.



LABRADOR GD4D 2484 COL. 83 - 88 SIZE 38 - 52

Luxuriously soft velvet from one of Italy's finest mills and leather details distinguish this stylish outdoor jacket. Silk, wool and cashmere foulards and scarfs add an elegant touch whether in the country or the city.

GOLDEN GD4P 3260 COL. 03 - 94 - 88 SIZE 38 - 52



LURCHER SF12 391 42





FEIST SF50 262 82



# APPAREL AND ACCESSORIES

#### SALICE GD1F 2860 08 COL 08 - 88 SIZE 38 - 52

Double - twist cotton and linen Safari Jacket. The fashion that define the hunt also define the Beretta Lifestyle. Classic in style, they capture elegance in every luxurious detail.



# LUXURIOUS FABRICS, ENDURING ELEGANCE

FOR THE SELF-ASSURED WOMAN, WITH A SENSE OF ADVENTURE AND A SOFISTICATED FASHION SENSE, THERE ARE FEW PLACES IN THIS WORLD TO TURN FOR CLOTHING THAT IS BOTH ELEGANT AND FUNCTIONAL. FOR THOSE WOMEN, BERETTA'S 1526 COLLECTION BRINGS IT ALL TOGHETER IN ONE PLACE.

HERE ARE EXQUISITE ITALIAN DESIGNS THATARE BOTH TIMELESS AND FLATTERING, FABRICS THAT ARE BOTH LUXURIOUS AND INTENDED FOR THE OUTDOORS AND QUALITY THAT IS RARELY FOUND AT ANY PRICE.

THIS IS CLOTHING NOT MEAT TO SET FASHION, BUT RATHER TO DEFINE AND ENHANCE THE LIFESTYLE OF THOSE WHOSE SENSIBILITIES EMBRACE STYLE, GRACE AND A PASSION FOR TRADITION AND EXCELLENCE. EVERY STITCH, EVERY DETAIL IS IMBUED WITH LEGENDARY BERETTA QUALITY AND THE PROMISE TO BE THE VERY BEST.



VIOLA BC30 2860 08 ONE SIZE Cotton and linen baseball cap with a studded Beretta logo on the peak.


109

# EXPERIENCE THE BERETTA GALLERY

To step into a Beretta Gallery is to step into a world rich in tradition and steeped in the sporting lifestyle. Each of these elegant international boutiques showcases the complete line of Beretta products, from custom firearms finished entirely by hand to beautifully designed clothing and accessories that embody the Beretta lifestyle.

From the hand-chiseled stone façade of New York's Madison Avenue Gallery to the impressively stocked gunroom of the Dallas Gallery to the refined and elegant rooms of the Milano, Paris and London Gallery, these are shopping places of distinction, inspiration and rich heritage.

In these sophisticated settings, expert staff stand ready to assist the discriminating sportsman and connoisseur select the ideal firearm, sportswear and hunting accessories to suit their taste, lifestyle and needs.



NEW YORK 718 Madison Avenue New York, New York 10065 (USA) Phone: +1 212 319 3235

DALLAS 41 Highland Park Village Dallas, Texas 75205 (USA) Phone: +1 214 559 9800

BUENOS AIRES Arenales 1654/56 1061 Capital Federal, Buenos Aires (Argentina) Phone: +54 114 81 39258

> MILANO Via Durini, 5 20122, Milano (Italy) Phone: +39 02 76 02 83 25

PARIS 57, Rue Pierre Charron 75008, Paris (France) Phone: +33 (0) 1 56 88 59 59

LONDON 36 St. James's Street London, SW1A 1JD (England) Phone: +44 (0) 207 408 4411

# EXPERIENCE THE BERETTA GALLERY



# SPECIALTY CLOTHING

Explore Beretta's full line of clothing and accessories in the refined and elegant rooms of its Gallery stores. From classically inspired sport clothing to Italian-styled fashions to specialty clothing made just for the Gallery you will find a fit that is right for you.



#### FIREARMS

Beautiful, well-stocked gunrooms are a feature of Beretta Gallery stores. In them you will find our full line of firearms, from pistols to premium grade shotguns. Specialized staff are available to assist you in choosing your ideal custom firearm with personalized engraving.



EXCEPTIONAL FURNISHINGS ZEBRA CHAIR

Available only by special order in our Gallery stores, this exotic wing chair is fashioned from authentic South African zebra fur including a full mane that wraps over the back. Finely crafted in every detail including brass nail upholstering and carved walnut ball feet.



#### PREMIUM GUN ACCESSORIES GUN MAINTENANCE CASE

A full range of finely hand crafted cleaning and maintenance accessories, dedicated to the Beretta premium guns care, is exactly lodged in this solid wood case, tan leather covered and red velvet lined.



GIFTS OF DISTINCTION PICNIC SET

A luxury picnic set for outdoor lovers who enjoy style at all times. Painstakingly made by Italian craftsmen, this exclusive leather case contains fine white porcelain cups and plates with gilded edges and stainless steel cutlery and accessories.

# EXPERIENCE THE SHOP BERETTA

# THE WORLD OF BERETTA. DELIVERED TO YOUR DOOR.



1-800-929-2901

START SHOPPING NOW AT SHOPBERETTA.COM

www.berettausa.com

# U.S. MARKET ONLY



Via Pietro Beretta, 18 25063 Gardone Val Trompia Brescia, Italia Tel. 030 8341.1